

Package ‘RKelly’

May 7, 2026

Type Package

Title Translate Odds and Probabilities

Version 1.0

Description Calculates the Kelly criterion (Kelly, J.L. (1956) <[doi:10.1002/j.1538-7305.1956.tb03809.x](https://doi.org/10.1002/j.1538-7305.1956.tb03809.x)>) for bets given quoted prices, model predictions and commissions. Additionally it contains helper functions to calculate the probabilities for wins and draws in multi-leg games.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

Suggests testthat, knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Arvid Kingl [aut, cre]

Maintainer Arvid Kingl <akingl2016@gmail.com>

Repository CRAN

Date/Publication 2019-09-04 13:50:02 UTC

Contents

chance_to_draw_n_games	2
chance_to_win_n_games	2
kelly_back_dec	3
kelly_criterion	3
kelly_lay_dec	4

Index	5
--------------	----------

chance_to_draw_n_games

Calculates the chance to draw out of n matches

Description

Calculates the chance to draw out of n matches

Usage

```
chance_to_draw_n_games(p, n)
```

Arguments

p	probability of first (or second) player winning match
n	number of matches

Value

The decimal chance for a draw

Examples

```
chance_to_draw_n_games(0.4, 4) # Draw chance if one player has p=0.4 in four matches
```

chance_to_win_n_games *Calculate win chance after multiple matches*

Description

Chance of a player winning the majority of n matches. Draws count not as a win

Usage

```
chance_to_win_n_games(p, n)
```

Arguments

p	probability for player to win a single match
n	number of total matches played

Value

The decimal chance of winning a game

Examples

```
chance_to_win_n_games(0.55,5) # Chance for player with p=0.55 to win best of 5 matches
```

kelly_back_dec	<i>Kelly for back bet</i>
----------------	---------------------------

Description

Kelly for back bet

Usage

```
kelly_back_dec(price, p, commision_rate)
```

Arguments

price	Price to back in decimal odds
p	Probability of event to to materialise
commision_rate	Rate of commision charged on WINNINGS

Value

Kelly optimised fraction of stake relative to bank

Examples

```
kelly_back_dec(2,0.5,0.05)
```

kelly_criterion	<i>The Kelly criterion</i>
-----------------	----------------------------

Description

The Kelly criterion

Usage

```
kelly_criterion(p, alpha_w, alpha_l)
```

Arguments

p	The objective probability of the event
alpha_w	The return multiplier in case of the event happening
alpha_l	The return multiplier in case of the event not happening

Value

The Kelly optimised fraction of the bankroll that should be bet

References

Thorp, Edward O. (1997; revised 1998). The Kelly Criterion in Blackjack, Sports Betting, and the Stock Market. http://www.eecs.harvard.edu/cs286r/courses/fall12/papers/Thorpe_KellyCriterion2007.pdf

Examples

```
kelly_criterion(0.5,1,1)
```

kelly_lay_dec	<i>Kelly for lay bet</i>
---------------	--------------------------

Description

Kelly for lay bet

Usage

```
kelly_lay_dec(price, p, commision_rate)
```

Arguments

price	Price at which to lay
p	Base probability of event that is being laid
commision_rate	Rate of commision charged on WINNINGS

Value

Kelly optimised fraction of stake relative to bank

Index

[chance_to_draw_n_games](#), 2

[chance_to_win_n_games](#), 2

[kelly_back_dec](#), 3

[kelly_criterion](#), 3

[kelly_lay_dec](#), 4