

# Package ‘bfsl’

May 7, 2026

**Title** Best-Fit Straight Line

**Version** 0.2.0

**Date** 2021-09-23

**Description** How to fit a straight line through a set of points with errors in both coordinates? The 'bfsl' package implements the York regression (York, 2004 <[doi:10.1119/1.1632486](https://doi.org/10.1119/1.1632486)>). It provides unbiased estimates of the intercept, slope and standard errors for the best-fit straight line to independent points with (possibly correlated) normally distributed errors in both x and y. Other commonly used errors-in-variables methods, such as orthogonal distance regression, geometric mean regression or Deming regression are special cases of the 'bfsl' solution.

**Depends** R (>= 3.5.0)

**License** MIT + file LICENSE

**URL** <https://github.com/pasturm/bfsl>

**BugReports** <https://github.com/pasturm/bfsl/issues>

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.2

**Suggests** testthat, tibble, dplyr

**Imports** generics

**NeedsCompilation** no

**Author** Patrick Sturm [aut, cre]

**Maintainer** Patrick Sturm <[sturm@tofwerk.com](mailto:sturm@tofwerk.com)>

**Repository** CRAN

**Date/Publication** 2021-09-23 10:00:02 UTC

## Contents

augment.bfsl . . . . .	2
bfsl . . . . .	3
bfsl_control . . . . .	5
glance.bfsl . . . . .	6
pearson_york_data . . . . .	7
plot.bfsl . . . . .	7
predict.bfsl . . . . .	8
print.bfsl . . . . .	9
print.summary.bfsl . . . . .	9
summary.bfsl . . . . .	10
tidy.bfsl . . . . .	10

<b>Index</b>	<b>12</b>
--------------	-----------

---

augment.bfsl	<i>Augment Data with Information from a bfsl Object</i>
--------------	---

---

### Description

Broom tidier method to augment data with information from a bfsl object.

### Usage

```
## S3 method for class 'bfsl'
augment(x, data = x$data, newdata = NULL, ...)
```

### Arguments

x	A 'bfsl' object created by [bfsl::bfsl()]
data	A [base::data.frame()] or [tibble::tibble()] containing all the original predictors used to create x. Defaults to NULL, indicating that nothing has been passed to newdata. If newdata is specified, the data argument will be ignored.
newdata	A [base::data.frame()] or [tibble::tibble()] containing all the original predictors used to create x. Defaults to NULL, indicating that nothing has been passed to newdata. If newdata is specified, the data argument will be ignored.
...	Unused, included for generic consistency only.

### Value

A [tibble::tibble()] with columns:

.fitted	Fitted or predicted value.
.se.fit	Standard errors of fitted values.
.resid	The residuals, that is y observations minus fitted values. (Only returned if newdata = NULL).

**Examples**

```
fit = bfs1(pearson_york_data)

augment(fit)
```

---

bfs1

*Calculates the Best-fit Straight Line*


---

**Description**

bfs1 calculates the best-fit straight line to independent points with (possibly correlated) normally distributed errors in both coordinates.

**Usage**

```
bfs1(...)

## Default S3 method:
bfs1(x, y = NULL, sd_x = 0, sd_y = 1, r = 0, control = bfs1_control(), ...)

## S3 method for class 'formula'
bfs1(
  formula,
  data = parent.frame(),
  sd_x,
  sd_y,
  r = 0,
  control = bfs1_control(),
  ...
)
```

**Arguments**

...	Further arguments passed to or from other methods.
x	A vector of $x$ observations or a data frame (or an object coercible by <a href="#">as.data.frame</a> to a data frame) containing the named vectors $x$ , $y$ , and optionally $sd_x$ , $sd_y$ and $r$ . If weights $w_x$ and $w_y$ are given, then $sd_x$ and $sd_y$ are calculated from $sd_x = 1/\sqrt{w_x}$ and $sd_y = 1/\sqrt{w_y}$ . Specifying $y$ , $sd_x$ , $sd_y$ or $r$ directly as function arguments overwrites these variables in the data structure.
y	A vector of $y$ observations.
sd_x	A vector of $x$ measurement error standard deviations. If it is of length one, all data points are assumed to have the same $x$ standard deviation.
sd_y	A vector of $y$ measurement error standard deviations. If it is of length one, all data points are assumed to have the same $y$ standard deviation.

<code>r</code>	A vector of correlation coefficients between errors in $x$ and $y$ . If it is of length one, all data points are assumed to have the same correlation coefficient.
<code>control</code>	A list of control settings. See <code>bfs1_control</code> for the names of the settable control values and their effect.
<code>formula</code>	A formula specifying the bivariate model (as in <code>lm</code> , but here only $y \sim x$ makes sense).
<code>data</code>	A <code>data.frame</code> containing the variables of the model.

### Details

`bfs1` provides the general least-squares estimation solution to the problem of fitting a straight line to independent data with (possibly correlated) normally distributed errors in both  $x$  and  $y$ .

With  $sd_x = 0$  the (weighted) ordinary least squares solution is obtained. The calculated standard errors of the slope and intercept multiplied with `sqrt(chisq)` correspond to the ordinary least squares standard errors.

With  $sd_x = c$ ,  $sd_y = d$ , where  $c$  and  $d$  are positive numbers, and  $r = 0$  the Deming regression solution is obtained. If additionally  $c = d$ , the orthogonal distance regression solution, also known as major axis regression, is obtained.

Setting  $sd_x = sd(x)$ ,  $sd_y = sd(y)$  and  $r = 0$  leads to the geometric mean regression solution, also known as reduced major axis regression or standardised major axis regression.

The goodness of fit metric `chisq` is a weighted reduced chi-squared statistic. It compares the deviations of the points from the fit line to the assigned measurement error standard deviations. If  $x$  and  $y$  are indeed related by a straight line, and if the assigned measurement errors are correct (and normally distributed), then `chisq` will equal 1. A `chisq > 1` indicates underfitting: the fit does not fully capture the data or the measurement errors have been underestimated. A `chisq < 1` indicates overfitting: either the model is improperly fitting noise, or the measurement errors have been overestimated.

### Value

An object of class "bfs1", which is a list containing the following components:

<code>coefficients</code>	A 2x2 matrix with columns of the fitted coefficients (intercept and slope) and their standard errors.
<code>chisq</code>	The goodness of fit (see Details).
<code>fitted.values</code>	The fitted mean values.
<code>residuals</code>	The residuals, that is $y$ observations minus fitted values.
<code>df.residual</code>	The residual degrees of freedom.
<code>cov.ab</code>	The covariance of the slope and intercept.
<code>control</code>	The control list used, see the <code>control</code> argument.
<code>convInfo</code>	A list with convergence information.
<code>call</code>	The matched call.
<code>data</code>	A list containing $x$ , $y$ , $sd_x$ , $sd_y$ and $r$ .

## References

York, D. (1968). Least squares fitting of a straight line with correlated errors. *Earth and Planetary Science Letters*, 5, 320–324, [https://doi.org/10.1016/S0012-821X\(68\)80059-7](https://doi.org/10.1016/S0012-821X(68)80059-7)

## Examples

```
x = pearson_york_data$x
y = pearson_york_data$y
sd_x = 1/sqrt(pearson_york_data$w_x)
sd_y = 1/sqrt(pearson_york_data$w_y)
bfs1(x, y, sd_x, sd_y)
bfs1(y~x, pearson_york_data, sd_x, sd_y)

fit = bfs1(pearson_york_data)
plot(fit)
```

---

bfs1\_control

*Controls the Iterations in the bfs1 Algorithm*

---

## Description

bfs1\_control allows the user to set some characteristics of the bfs1 best-fit straight line algorithm.

## Usage

```
bfs1_control(tol = 1e-10, maxit = 100)
```

## Arguments

tol	A positive numeric value specifying the tolerance level for the convergence criterion
maxit	A positive integer specifying the maximum number of iterations allowed.

## Value

A list with two components named as the arguments.

## See Also

[bfs1](#)

## Examples

```
bfs1_control(tol = 1e-8, maxit = 1000)
```

---

`glance.bfsl`*Glance at a bfsl Object*

---

**Description**

Broom tidier method to glance at a bfsl object.

**Usage**

```
## S3 method for class 'bfsl'  
glance(x, ...)
```

**Arguments**

<code>x</code>	A 'bfsl' object.
<code>...</code>	Unused, included for generic consistency only.

**Value**

A [tibble::tibble()] with one row and columns:

<code>chisq</code>	The goodness of fit.
<code>p.value</code>	P-value.
<code>df.residual</code>	Residual degrees of freedom.
<code>nobs</code>	Number of observations.
<code>isConv</code>	Did the fit converge?
<code>iter</code>	Number of iterations.
<code>finTol</code>	Final tolerance.

**Examples**

```
fit = bfsl(pearson_york_data)  
  
glance(fit)
```

---

pearson\_york\_data      *Example data*

---

**Description**

Example data set of Pearson (1901) with weights suggested by York (1966).

**Usage**

```
pearson_york_data
```

**Format**

A data frame with 10 rows and 4 variables:

**x** *x* observations

**w\_x** weights of *x*

**y** *y* observations

**w\_y** weights of *y*

**References**

Pearson K. (1901), On lines and planes of closest fit to systems of points in space. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, 2(11), 59-572, <https://doi.org/10.1080/14786440109462>

York, D. (1966). Least-squares fitting of a straight line. *Canadian Journal of Physics*, 44(5), 1079–1086, <https://doi.org/10.1139/p66-090>

**Examples**

```
bfs1(pearson_york_data)
```

---

plot.bfs1      *Plot Method for bfs1 Results*

---

**Description**

plot.bfs1 plots the data points with error bars and the calculated best-fit straight line.

**Usage**

```
## S3 method for class 'bfs1'  
plot(x, grid = TRUE, ...)
```

**Arguments**

x	An object of class "bfsl".
grid	If TRUE (default) grid lines are plotted.
...	Further parameters to be passed to the plotting routines.

---

predict.bfsl

*Predict Method for bfsl Model Fits*


---

**Description**

predict.bfsl predicts future values based on the bfsl fit.

**Usage**

```
## S3 method for class 'bfsl'
predict(
  object,
  newdata,
  interval = c("none", "confidence"),
  level = 0.95,
  se.fit = FALSE,
  ...
)
```

**Arguments**

object	Object of class "bfsl".
newdata	A data frame with variable x to predict. If omitted, the fitted values are used.
interval	Type of interval calculation. "none" or "confidence".
level	Confidence level.
se.fit	A switch indicating if standard errors are returned.
...	Further arguments passed to or from other methods.

**Value**

predict.bfsl produces a vector of predictions or a matrix of predictions and bounds with column names fit, lwr, and upr if interval is set to "confidence".

If se.fit is TRUE, a list with the following components is returned:

fit	Vector or matrix as above
se.fit	Standard error of predicted means

**Examples**

```

fit = bfsl(pearson_york_data)
predict(fit, interval = "confidence")
new = data.frame(x = seq(0, 8, 0.5))
predict(fit, new, se.fit = TRUE)

pred.clim = predict(fit, new, interval = "confidence")
matplot(new$x, pred.clim, lty = c(1,2,2), type = "l", xlab = "x", ylab = "y")
df = fit$data
points(df$x, df$y)
arrows(df$x, df$y-df$sd_y, df$x, df$y+df$sd_y,
       length = 0.05, angle = 90, code = 3)
arrows(df$x-df$sd_x, df$y, df$x+df$sd_x, df$y,
       length = 0.05, angle = 90, code = 3)

```

---

print.bfsl

*Print Method for bfsl Results*


---

**Description**

print method for class "bfsl".

**Usage**

```

## S3 method for class 'bfsl'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

```

**Arguments**

x	An object of class "bfsl".
digits	The number of significant digits to use when printing.
...	Further arguments passed to print.default.

---

print.summary.bfsl

*Print Method for summary.bfsl Objects*


---

**Description**

print method for class "summary.bfsl".

**Usage**

```

## S3 method for class 'summary.bfsl'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

```

**Arguments**

x	An object of class "summary.bfsl".
digits	The number of significant digits to use when printing.
...	Further arguments passed to print.default.

---

summary.bfsl	<i>Summary Method for bfsl Results</i>
--------------	--

---

**Description**

summary method for class "bfsl".

**Usage**

```
## S3 method for class 'bfsl'
summary(object, ...)
```

**Arguments**

object	An object of class "bfsl".
...	Further arguments passed to summary.default.

---

tidy.bfsl	<i>Tidy a bfsl Object</i>
-----------	---------------------------

---

**Description**

Broom tidier method to tidy a bfsl object.

**Usage**

```
## S3 method for class 'bfsl'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

**Arguments**

x	A 'bfsl' object.
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Unused, included for generic consistency only.

**Value**

A tidy [tibble::tibble()] summarizing component-level information about the model

**Examples**

```
fit = bfsl(pearson_york_data)
```

```
tidy(fit)
```

# Index

## \* datasets

pearson\_york\_data, 7

as.data.frame, 3

augment.bfsl, 2

bfsl, 3, 5

bfsl\_control, 4, 5

glance.bfsl, 6

lm, 4

pearson\_york\_data, 7

plot.bfsl, 7

predict.bfsl, 8

print.bfsl, 9

print.summary.bfsl, 9

summary.bfsl, 10

tidy.bfsl, 10