

# Package ‘clearR’

May 8, 2026

**Title** Clean the R Console and Environment

**Version** 0.0.4

**Date** 2022-07-19

**Description** Small package to clean the R console and the R environment with the call of just one function.

**License** GPL-3

**URL** <https://github.com/joundso/clearR>

**BugReports** <https://github.com/joundso/clearR/issues>

**Depends** R (>= 3.1.0)

**Suggests** lintr, testthat

**Encoding** UTF-8

**Language** en-US

**NeedsCompilation** no

**Author** Jonathan M. Mang [aut, cre] (ORCID:  
<<https://orcid.org/0000-0003-0518-4710>>),  
MIRACUM - Medical Informatics in Research and Care in University  
Medicine [fnd],  
Universitätsklinikum Erlangen, Germany [cph]

**Maintainer** Jonathan M. Mang <[jonathan.mang@uk-erlangen.de](mailto:jonathan.mang@uk-erlangen.de)>

**Repository** CRAN

**Date/Publication** 2022-07-19 13:40:02 UTC

## Contents

clear . . . . .	2
<b>Index</b>	<b>3</b>

---

clear *Clean the console and environment-variables*

---

**Description**

Function to clean the local environment. The call of this function clears the console and the local environment variables.

**Usage**

```
clear(keep_environment = FALSE, keep_console = FALSE, fast = FALSE)
```

**Arguments**

`keep_environment` (Optional, boolean) If true, the objects from the environment will not be deleted/emptied.

`keep_console` (Optional, boolean) If true, the console will not be emptied.

`fast` (Optional, boolean) If true, 'gctorture(TRUE)' will NOT be applied which will speedup the function call. For more information see ?gctorture.

**Value**

Nothing.

# Index

clear, [2](#)