

Package ‘itol.toolkit’

May 8, 2026

Title Helper Functions for 'Interactive Tree Of Life'

Version 1.1.12

URL <https://tongzhou2017.github.io/itol.toolkit/>

Description The 'Interactive Tree Of Life' <<https://itol.embl.de/>> online server can edit and annotate trees interactively. The 'itol.toolkit' package can support all types of annotation templates.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.2

Imports dplyr, stringr, stats, seqinr, utils, methods, tidyr, ape, data.table, purrr, wesanderson, miniUI, shiny, rstudioapi, colourpicker, ggsci, RColorBrewer, stringdist, magrittr

Suggests knitr, rmarkdown, testthat (>= 3.0.0)

Config/testthat/edition 3

VignetteBuilder knitr

Depends R (>= 2.10)

LazyData true

Collate 'addins.R' 'color.R' 'data.R' 'globals.R' 'learn.R' 'object.R' 'utils.R' 'output.R' 'user.R' 'ops.R' 'tree.R' 'zzz.R'

NeedsCompilation no

Author Tong Zhou [aut, cre]

Maintainer Tong Zhou <tongzhou2017@gmail.com>

Repository CRAN

Date/Publication 2025-09-10 15:10:02 UTC

Contents

+,itol.hub,itol.unit-method	3
color_distance	4

complex_html_text	4
convert_01	5
convert_01_to_connect	5
convert_range_to_node	6
correct_get_color	6
correct_type	7
count_to_tree	7
create_hub	8
create_theme	9
create_unit	9
df_merge	12
df_tree	13
dt_transpose_header	13
fa_read	14
fa_write	14
file_get_dir	15
file_get_name	15
file_to_unit	16
get_color	16
gradient_color	17
head_line	17
hub_to_unit	18
inbuilt_themes	18
itol.hub-class	19
itol.theme-class	20
itol.unit-class	20
learn_data	21
learn_data_from_file	21
learn_data_from_files	22
learn_data_from_unit	22
learn_data_from_unit_list	23
learn_df	23
learn_field	24
learn_legend	25
learn_line	26
learn_profile	27
learn_separator	28
learn_subdf	29
learn_theme_align	29
learn_theme_alignment	30
learn_theme_bar	30
learn_theme_basic_plot	31
learn_theme_basic_theme	31
learn_theme_binary	32
learn_theme_border	32
learn_theme_common_themes	33
learn_theme_connection	33
learn_theme_domain	34

learn_theme_externalshape	34
learn_theme_heatmap	35
learn_theme_image	35
learn_theme_label	36
learn_theme_linechart	37
learn_theme_piechart	38
learn_theme_specific_themes	39
learn_theme_strip_label	39
learn_type	40
line_clean	41
line_split	42
longest_continuous_match	43
merge_unit	43
search_tree_file	44
show,itol.hub-method	44
sort_color	45
template_groups	45
template_parameters_count	46
train_theme	47
unite_rows	47
use.theme	48
vector_tree	49
write_hub	49
write_raw	51
write_unit	52
Index	54

+,itol.hub,itol.unit-method

plus method add method for S4 class itol.hub and itol.unit

Description

plus method add method for S4 class itol.hub and itol.unit

plus method add method for S4 class itol.unit and itol.unit

Usage

```
## S4 method for signature 'itol.hub,itol.unit'
e1 + e2
```

```
## S4 method for signature 'itol.unit,itol.unit'
e1 + e2
```

Arguments

e1 An object of class itol.unit
 e2 An object of class itol.unit

Value

a itol.hub object with new data from itol.unit object
 a itol.unit object with merged data

color_distance	<i>Color distance</i>
----------------	-----------------------

Description

calculate distance between two color in hex or rgb format. rgb maxColorValue = 255.

Usage

```
color_distance(color_1, color_2)
```

Arguments

color_1 color 1 in hex or rgb format
 color_2 color 2 in hex or rgb format

Value

a distance number

complex_html_text	<i>Complex HTML text</i>
-------------------	--------------------------

Description

Interactively combine columns by HTML styles and record workflow as reproducible code.

Usage

```
complex_html_text()
```

Details

When you're done, the code performing this operation will be emitted at the cursor position.

convert_01	<i>Convert character data to 0/1</i>
------------	--------------------------------------

Description

In data frame and list, convert character and numeric data to 0/1.

Usage

```
convert_01(object)
```

Arguments

object data frame or list

Value

a data frame with 0/1 values

convert_01_to_connect	<i>Convert 0/1 data to connection pairs</i>
-----------------------	---

Description

If two column has more than 1 shared element then they have connection. Convert 0/1 data to connection pairs in long shape table. The 0-connection pairs are removed.

Usage

```
convert_01_to_connect(object)
```

Arguments

object data frame with 0/1 data

Value

a data frame with source and target connection information

`convert_range_to_node` *Convert range to node id*

Description

Convert the data frame with range id to node id by mrca method.

Usage

```
convert_range_to_node(df, tree)
```

Arguments

<code>df</code>	data frame with any type of id
<code>tree</code>	tree file path

Value

a data frame with converted id from range id

`correct_get_color` *correct_get_color*

Description

`correct_get_color`. (Version 0.0.0.9000)

Usage

```
correct_get_color(str)
```

Arguments

<code>str</code>	taxa string
------------------	-------------

Value

a vector of colors

correct_type	<i>Correct type parameter</i>
--------------	-------------------------------

Description

Correct type parameter input by string similarity and synonym mapping.

Usage

```
correct_type(str)
```

Arguments

str	A character string representing a type name to correct.
-----	---

Value

A character string of the corrected type name.

Examples

```
correct_type("line")
```

count_to_tree	<i>Calculate tree based on count matrix</i>
---------------	---

Description

While we start analysis from count matrix not sequences alignment, we could use clustering methods to get main tree in phylo object class of output as Newick format file. If the samples or elements have group information, we could use weighted clustering method to get a clear grouped structure.

Usage

```
count_to_tree(count, group = NULL, weight = 0)
```

Arguments

count	a data frame containing numeric values of abundance or other count.
group	a vector of character containing the group information. The length of the vector should be same with the count columns number. If using unweighted clustering, should ignore this parameter.
weight	a number specifying the weight size of the group information. In most case, 1 is enough. If the value is between 0 and 1, it will make the weight of group information weak. If the value is more than 1, it will make the weight of group information strong.

Value

a phylo class object containing

edge	a vector of integers specifying edge id. The length of vector is double of node number
edge.length	a vector of numbers specifying edge length
tip.label	a vector of character specifying the tip label
Nnode	a number specifying the number of nodes
node.label	a vector of character specifying the node label. If the tree calculated from count matrix or other case, the node label will generated by ape::makeNodeLabel function. And the Most Recent Common Ancestors(MRCA) node will be named with weighted group information, if the parameter group is not null.

create_hub

Create itol.hub Object

Description

create a new object for itol.hub

Usage

```
create_hub(
  tree,
  field_tree = NULL,
  seq = NULL,
  abundance = NULL,
  taxonomy = NULL,
  node_data = NULL,
  tip_data = NULL
)
```

Arguments

tree	tree file
field_tree	todo
seq	todo
abundance	todo
taxonomy	todo
node_data	todo
tip_data	todo

Value

Returns a itol.hub object

Examples

```
TREE <- system.file("extdata", "tree_of_itol_templates.tree", package = "itol.toolkit")
create_hub(tree = TREE)
```

create_theme	<i>Create itol.theme Object</i>
--------------	---------------------------------

Description

create a new object for itol.theme

Usage

```
create_theme(unit = NULL, file = NULL, tree = NULL, ...)
```

Arguments

unit	unit object
file	template file
tree	tree file
...	Further arguments to be passed to subsequent functions.

Value

Returns a itol.theme object

create_unit	<i>Create itol.unit</i>
-------------	-------------------------

Description

Create itol.unit from simple input in R environment.

Usage

```
create_unit(
  data,
  key,
  type,
  style = "default",
  subtype = NULL,
  color = NULL,
  line_type = NULL,
  font_type = NULL,
```

```

size_factor = NULL,
position = NULL,
background_color = NULL,
rotation = NULL,
method = NULL,
shape = NULL,
fill = NULL,
tree
)

```

Arguments

data	if type == "COLLAPSE", a vector of characters specifying the tips or node used for collapsing used for extracting.
key	a character specifying the output file name for hub object.
type	a character specifying the template type used for extracting. Following choices are possible: "COLLAPSE", "PRUNE", "SPACING", "TREE_COLORS", "DATASET_STYLE", "LABEL", "DATASET_BINARY", "DATASET_GRADIENT", "DATASET_HEATMAP", "DATASET_SYMBOL", "DATASET_EXTERNALSHAPE", "DATASET_DOMAINS", "DATASET_SIMPLEBAR", "DATASET_MULTIBAR", "DATASET_BOXPLOT", "DATASET_LINECHART", "DATASET_PIECHART", "DATASET_ALIGNMENT", "DATASET_CONNECTION", "DATASET_IMAGE", "POPUP_INFO.
style	a character specifying the specific version of template type used for extracting. The default value is "default" style for all types.
subtype	a character specifying the subtype under type. If the type is "TREE_COLORS", the following choices are possible: "range", "clade", "branch", "label", "label_background".
color	a character specifying the color pattern name. The following choices are possible: "table2itol", "RColorBrewer", "ggsci".
line_type	a character specifying the normal or dashed line type used in clade and branch subtype.
font_type	a character specifying the bold, italic, and bold-italic font type used in label and branch subtype.
size_factor	a number specifying the line width used in clade and branch subtype and size factor in label subtype.
position	If type == "DATASET_STYLE", a character specifying the position: The following choices are possible: "node" and "clade". If type == "DATASET_TEXT", a number specifying the position of the text on the tree: -1 = external label; a number between 0 and 1 = internal label positioned at the specified value along the node branch (for example, position 0 is exactly at the start of node branch, position 0.5 is in the middle, and position 1 is at the end)
background_color	Only used while type == "DATASET_STYLE" and subtype == "label". a character or a vector of character specifying the background color in hexadecimal, RGB or RGBA notation.
rotation	Only used while type == "DATASET_TEXT". a number or a vector of number specifying the rotation angle of the text.

method	a character specifying the numeric data summarise method. If type == "DATASET_BINARY", the following choices are possible: "mean", "sum".
shape	a character or a vector of character specifying the symbol shape. If type == "DATASET_BINARY", the default is 2. If type == "DATASET_SYMBOL", the following choices are possible: 1 for rectangle, 2 for circle, 3 for star, 4 for left pointing triangle, 5 for right pointing triangle. If using NULL and there are data column, the functions will automatically help users to setup the shapes based on the levels of the data.
fill	If type == "DATASET_SYMBOL", 1/0 is specifying the shape outlier filled or not. If type == "DATASET_DOMAINS", the following choices are possible: "RE HH HV EL DI TR TL PL PR PU PD OC GP".
tree	a character specifying Newick format tree file path or a phylo object of main phylogenetic tree.

Value

a itol.unit object containing

type	This group holds information about the template type of the data only. This is a very critical piece of information. In many functions of the itol.toolkit package, the template type information is used to determine the different data processing and input/output methods.
sep	This group holds data separator information only. This is one of the most important parameters for data reading and output. It is a separate category because it is frequently used and is an input parameter for other subsequent parameters to be read.
profile	This group contains basic information about the dataset, such as the dataset name and a color label to distinguish the dataset. The dataset name is extremely important. This parameter is used almost throughout the data processing of the itol.toolkit package. With the content of this parameter as the key value, the data and theme information of the dataset are associated. In turn, high throughput learning and writing of large-scale data can be achieved. This parameter is not included in some template types with a particularly simple structure, so we choose a file name or a user-defined method as the key value.
field	This group contains information about each sample within the dataset, and this type of parameter exists only for multi-sample data. This information even includes the clustering tree between samples. This information is usually stored as part of the column names in the metadata part or abundance information of the itol.hub object.
common_themes	These themes are used at high frequency in different templates. These parameters are small in number but constitute some common features of iTOL visual style settings, such as legend, margin, etc.
specific_themes	These themes are used only in specific templates. The number of these parameters is very large. However, most of them are used in only one template to control the style details of the visualization. By unifying these parameters and

calling them according to the template type, users can perform secondary development and data processing with a high degree of parameter aggregation without worrying too much about the differences between different template types.

data This slot contains a list of two data frames with the nodes and tips data separately. The first column of the two data frames is the node or tip id. If the input data contains range id, it would be converted to node id by the `convert_range_to_node` function automatically.

Examples

```
tree <- system.file("extdata","tree_of_itol_templates.tree",package = "itol.toolkit")
data("template_groups")
data("template_parameters_count")
# COLLAPSE
group_names <- unique(template_groups$group)
object <- create_hub(tree = tree)
unit <- create_unit(data = group_names, key = "E001_collapse_1",
  type = "COLLAPSE", tree = tree)
object <- learn_data_from_unit(object,unit)
# PRUNE
select_note = c("theme_style","basic_plot")
unit <- create_unit(data = select_note, key = "E002_prune_1",
  type = "PRUNE", tree = tree)
object <- learn_data_from_unit(object,unit)
# SPACING
df_values = data.frame(id = row.names(template_parameters_count),
  values = rowSums(template_parameters_count))
unit <- create_unit(data = df_values, key = "E005_spacing_1",
  type = "SPACING", tree = tree)
object <- learn_data_from_unit(object,unit)
# TREE_COLORS
## range
unit <- create_unit(data = template_groups,
  key = "E006_tree_colors_1", type = "TREE_COLORS", subtype = "range",
  tree = tree)
object <- learn_data_from_unit(object,unit)
```

df_merge

Merge two data frame

Description

merge sub data frame into initial data frame

Usage

```
df_merge(df1, df2, by = "id")
```

Arguments

df1	initial data frame
df2	sub data frame
by	key column

Value

a data frame containing merged information

df_tree	<i>Data frame tree</i>
---------	------------------------

Description

build a tree by row and column names of a data frame.

Usage

```
df_tree(df, main = "col", order = "none", sep = "_")
```

Arguments

df	input data frame
main	col(default) or row
order	none or value
sep	default '_'

dt_transpose_header	<i>Transpose a data.table using the first column as new header</i>
---------------------	--

Description

Transpose a data.table such that the first column's values become the new column names, and the original column names (excluding the first) become a new 'Sample' column.

Usage

```
dt_transpose_header(dt)
```

Arguments

dt	A data.table to transpose. The first column contains the new column names.
----	--

Value

A transposed data.table with updated column names and a 'Sample' column.

fa_read	<i>Read fasta file</i>
---------	------------------------

Description

Read the fasta format sequences file into data.frame

Usage

```
fa_read(file)
```

Arguments

file	input file in fasta format
------	----------------------------

Value

a data frame with sequence id and sequence

fa_write	<i>Write fasta file</i>
----------	-------------------------

Description

Write the fasta format sequences file from data.frame. (Version 0.0.0.9000)

Usage

```
fa_write(object, file, id = "seq_name", seq = "sequence", append = FALSE)
```

Arguments

object	data.frame format data
file	input file in fasta format
id	id col
seq	seq col
append	append at the end of an already existing file

Value

No return value, only output a fasta file

file_get_dir	<i>Get file dir</i>
--------------	---------------------

Description

Get file dir from string

Usage

```
file_get_dir(str, up = FALSE)
```

Arguments

str	str
up	up dir

Value

a character specifying the dir path

file_get_name	<i>Get file name</i>
---------------	----------------------

Description

Get file name from string

Usage

```
file_get_name(str, with_ext = TRUE, keep_dir = FALSE)
```

Arguments

str	str
with_ext	with ext or not
keep_dir	keep file dir or not

Value

a character specifying the file name

file_to_unit	<i>Create itol.unit Object from file</i>
--------------	--

Description

create a new object for itol.unit

Usage

```
file_to_unit(file, tree, ...)
```

Arguments

file	template file
tree	tree file
...	Further arguments to be passed to subsequent functions.

Value

Returns a itol.unit object

get_color	<i>get_color</i>
-----------	------------------

Description

get color, support max length 40

Usage

```
get_color(n = 0, set = "table2itol")
```

Arguments

n	level length of a vector
set	a character specifying the palette set name. In default, table2itol is setted. The following choices are possible: wsanderson.

Value

a vector of colors

gradient_color	<i>Generate gradient colors</i>
----------------	---------------------------------

Description

generate a vector of gradient colors by start, mid, and end colors.

Usage

```
gradient_color(n, start, mid = NULL, end = "#FFFFFF")
```

Arguments

n	the length of vector
start	start color in hex format
mid	mid color in hex format, default is null.
end	end color in hex format, default is white.

Value

a vector of gradient colors

head_line	<i>head line</i>
-----------	------------------

Description

Head line for templates

Usage

```
head_line(function_name)
```

Arguments

function_name	parent function name
---------------	----------------------

Value

a character specifying the template type

hub_to_unit	<i>Create itol.unit Object from object</i>
-------------	--

Description

create a new object for itol.unit

Usage

```
hub_to_unit(object, theme, key)
```

Arguments

object	itol.hub object
theme	itol.theme object
key	key id of dataset name

Value

Returns a itol.unit object

inbuilt_themes	<i>inbuilt themes</i>
----------------	-----------------------

Description

Default themes learned from iTOL official template examples.

Usage

```
inbuilt_themes
```

Format

```
inbuilt_themes:
```

A list with 23 template themes:

COLLAPSE Default theme of collapse template

PRUNE Default theme of prune template

SPACING Default theme of spacing template

TREE_COLORS Default theme of tree colors template

DATASET_STYLE Default theme of style template

LABELS Default theme of labels template

DATASET_TEXT Default theme of text template

DATASET_COLORSTRIP Default theme of colorstrip template

DATASET_BINARY Default theme of binary template
DATASET_GRADIENT Default theme of gradient template
DATASET_HEATMAP Default theme of heatmap template
DATASET_SYMBOL Default theme of symbol template
DATASET_EXTERNALSHAPE Default theme of externalshape template
DATASET_DOMAINS Default theme of domains template
DATASET_SIMPLEBAR Default theme of simple bar template
DATASET_MULTIBAR Default theme of multi bar template
DATASET_BOXPLOT Default theme of box plot template
DATASET_LINECHART Default theme of line chart template
DATASET_PIECHART Default theme of pie chart template
DATASET_ALIGNMENT Default theme of alignment template
DATASET_CONNECTION Default theme of connection template
DATASET_IMAGE Default theme of image template
POPUP_INFO Default theme of popup info template ...

 itol.hub-class

The itol.hub Class

Description

The itol.hub object is an intermediate storage container used internally throughout the integration procedure to hold bits of data that are useful downstream.

Slots

tree a list of meta data table, usually raw, full, and analyze

seq identity of the active assay

abundance abundance

taxonomy taxonomy

meta.data other meta.data

theme itol theme

itol.theme-class *The itol.theme Class*

Description

The itol.theme object is an intermediate storage container used internally throughout the integration procedure to hold bits of data that are useful downstream.

Slots

type a list of meta data table, usually raw, full, and analyze
 sep identity of the active assay
 profile abundance
 field taxonomy
 common_themes other meta.data
 specific_themes itol theme

itol.unit-class *The itol.unit Class*

Description

The itol.unit object is an intermediate storage container used internally throughout the integration procedure to hold bits of data that are useful downstream.

Slots

type a list of meta data table, usually raw, full, and analyze
 sep identity of the active assay
 profile abundance
 field taxonomy
 common_themes other meta.data
 specific_themes itol theme
 data data

learn_data	<i>Learn data from template file</i>
------------	--------------------------------------

Description

Learn data from template file into data frame

Usage

```
learn_data(df1 = NULL, file, tree = NULL, ...)
```

Arguments

df1	initial data frame
file	template file
tree	tree file
...	Further arguments to be passed to subsequent functions.

Value

a list with two data frame of node and tip annotation data

learn_data_from_file	<i>Learn object data from file</i>
----------------------	------------------------------------

Description

Learn itol.hub object data from template file.

Usage

```
learn_data_from_file(object, file)
```

Arguments

object	itol.hub object
file	template file

Value

a itol.hub object with new data from template file

learn_data_from_files *Learn object data from files*

Description

Learn itol.hub object data from template file.

Usage

```
learn_data_from_files(object, files = NULL, dir = NULL, pattern = ".", ...)
```

Arguments

object	itol.hub object
files	template files path
dir	files path
pattern	file name pattern in regex
...	Further arguments to be passed to subsequent functions.

Value

a itol.hub object with new data from template files

learn_data_from_unit *Learn object data from unit*

Description

Learn itol.hub object data from unit object.

Usage

```
learn_data_from_unit(object, unit)
```

Arguments

object	itol.hub object
unit	itol.unit object

Value

a itol.hub object containing new data from itol.unit object

learn_data_from_unit_list
Learn object data from units

Description

Learn itol.hub object data from list of unit object.

Usage

```
learn_data_from_unit_list(object, units)
```

Arguments

object	itol.hub object
units	itol.unit object list

Value

a itol.hub object with new data from a list of itol.unit objects

learn_df *Learn from tree*

Description

Learn initial data frame from Newick format tree leaves.

Usage

```
learn_df(tree, node = FALSE, tip = TRUE)
```

Arguments

tree	Newick tree file or phylo object.
node	a logical to control output with node label or not. The default value is FALSE.
tip	a logical to control output tip label or not. The default value is TRUE.

Value

a list containing

node	a data frame with id column. The id information is from the node label in Newick format tree file or phylo object. If the node parameter set as FALSE, the node information will be NULL.
tip	a data frame with id column. The id information is from the tip label in Newick format tree file or phylo object. If the tip parameter set as FALSE, the tip information will be NULL.

Examples

```
tree <- system.file("extdata",
                    "tree_of_itol_templates.tree",
                    package = "itol.toolkit")
sub_df <- learn_df(tree,node=TRUE,tip=TRUE)
```

learn_field	<i>Learn field</i>
-------------	--------------------

Description

learn field paramters as list

Usage

```
learn_field(lines, sep)
```

Arguments

lines	a vector of character strings from template file.
sep	a character specifying the separator.

Value

a list of field parameters containing

labels	a vector of characters specifying the filed name. In DATASET_HEATMAP, the labels are shown as heatamp column names.
colors	define colors for each individual field column (use hexadecimal, RGB or RGBA notation; if using RGB/RGBA, COMMA cannot be used as SEPARATOR)
shapes	Shape should be a number between 1 and 6, or any protein domain shape definition. 1-square, 2-circle, 3-star, 4-right pointing triangle, 5-left pointing triangle, 6-checkmark

Examples

```
tree <- system.file("extdata",
                    "tree_of_itol_templates.tree",
                    package = "itol.toolkit")
df_frequence <- data.table::fread(system.file("extdata",
                                             "templates_frequence.txt",
                                             package = "itol.toolkit"))

## create unit
unit <- create_unit(data = df_frequence,
                    key = "Quickstart",
                    type = "DATASET_HEATMAP",
                    tree = tree)

## write unit
```

```

file <- tempfile()
write_unit(unit,file)
## Learn legend parameters
lines <- line_clean(file=file)
sep = learn_separator(file = file)
learn_field(lines = lines, sep = sep)

```

learn_legend

Learn legend

Description

learn legend paramters as list

Usage

```
learn_legend(lines, sep)
```

Arguments

lines a vector of character strings from template file.
sep a character specifying the separator.

Value

a list of legned parameters containing

title	a character specifying the title of legend. There should not be the character same with separater within.
position_x	a number specifying the x axis px value of the legend.
position_y	a number specifying the y axis px value of the legend.
horizontal	To order legend entries horizontally instead of vertically, set this parameter to 1
shapes	Shape should be a number between 1 and 6, or any protein domain shape definition. 1-square, 2-circle, 3-star, 4-right pointing triangle, 5-left pointing triangle, 6-checkmark
colors	define colors for each legend element (use hexadecimal, RGB or RGBA notation; if using RGB/RGBA, COMMA cannot be used as SEPARATOR)
labels	The legend element label. There should not be the character same with separater within.
shape_scales	For each shape, you can define a scaling factor between 0 and 1.

Examples

```

tree <- system.file("extdata",
                    "tree_of_itol_templates.tree",
                    package = "itol.toolkit")
df_frequence <- data.table::fread(system.file("extdata",
                                             "templates_frequence.txt",
                                             package = "itol.toolkit"))

## create unit
unit <- create_unit(data = df_frequence,
                    key = "Quickstart",
                    type = "DATASET_SIMPLEBAR",
                    method = "mean",
                    tree = tree)

## write unit
file <- tempfile()
write_unit(unit, file)
## Learn legend parameters
lines <- line_clean(file=file)
sep = learn_separator(file = file)
learn_legend(lines = lines, sep = sep)

```

learn_line

Learn paramter

Description

learn paramter name and values based on the key name in the front of line.

Usage

```
learn_line(lines, param, sep)
```

Arguments

lines	a vector of character strings from template file.
param	a charactor string of paramter key name. The key name should be uppercase letters or '_' without spacing.
sep	a charactor specifying the separator.

Value

a charactor string containing parameter value.

Examples

```

tree <- system.file("extdata",
                    "tree_of_itol_templates.tree",
                    package = "itol.toolkit")
data("template_groups")
df_group <- data.frame(id = unique(template_groups$group),
                      data = unique(template_groups$group))

## create unit
unit <- create_unit(data = df_group,
                   key = "Quickstart",
                   type = "DATASET_COLORSTRIP",
                   tree = tree)

## write unit
file <- tempfile()
write_unit(unit, file)
## Learn parameter
lines <- line_clean(file=file)
sep = learn_separator(file = file)
learn_line(lines = lines, param = "STRIP_WIDTH", sep = sep)

```

learn_profile

Learn profile

Description

learn profile parameters as list

Usage

```
learn_profile(lines, sep)
```

Arguments

`lines` a vector of character strings from template file.
`sep` a character specifying the separator.

Value

a list of profile parameters containing

`name` a character specifying label, which is used in the legend table
`color` dataset color in the legend (use hexadecimal, RGB or RGBA notation; if using RGB/RGBA, COMMA cannot be used as SEPARATOR)

Examples

```

tree <- system.file("extdata",
                    "tree_of_itol_templates.tree",
                    package = "itol.toolkit")
df_frequence <- data.table::fread(system.file("extdata",
                                             "templates_frequence.txt",
                                             package = "itol.toolkit"))

## create unit
unit <- create_unit(data = df_frequence,
                    key = "Quickstart",
                    type = "DATASET_HEATMAP",
                    tree = tree)

## write unit
file <- tempfile()
write_unit(unit, file)
## Learn legend parameters
lines <- line_clean(file=file)
sep = learn_separator(file = file)
learn_profile(lines = lines, sep = sep)

```

learn_separator

Learn separator

Description

Learn 3 types of separators: tab, space, and comma.

Usage

```
learn_separator(lines = NULL, file = NULL)
```

Arguments

lines	a vector of character strings from template file. If the file parameter is NULL, this parameter should be set.
file	a character specifying the template file path. If this parameter is setted, the lines parameter will be replaced.

Value

a character specifying the separator

Examples

```

tree <- system.file("extdata",
                    "tree_of_itol_templates.tree",
                    package = "itol.toolkit")
data("template_groups")
df_group <- data.frame(id = unique(template_groups$group),

```

```

                                data = unique(template_groups$group))
## create unit
unit <- create_unit(data = df_group,
                    key = "Quickstart",
                    type = "DATASET_COLORSTRIP",
                    tree = tree)
## write unit
file <- tempfile()
write_unit(unit, file)
## Learn template type
learn_separator(file = file)

```

learn_subdf	<i>Learn sub data frame</i>
-------------	-----------------------------

Description

Learn sub data frame from template file

Usage

```
learn_subdf(lines, type, sep, dataset_name = NULL, field_labels = NULL)
```

Arguments

lines	a vector of character strings from template file.
type	template type
sep	a character specifying the separator.
dataset_name	label in template file
field_labels	sample ids for binary, heatmap, and other multi-column value templates

Value

a data frame containing the data learned from template file

learn_theme_align	<i>Learn align</i>
-------------------	--------------------

Description

learn connection paramters as list

Usage

```
learn_theme_align(lines, sep)
```

Arguments

lines a vector of character strings from template file.
 sep a character specifying the separator.

Value

a list of align parameters containing

learn_theme_alignment *Learn alignment*

Description

learn alignment paramters as list

Usage

learn_theme_alignment(lines, sep)

Arguments

lines a vector of character strings from template file.
 sep a character specifying the separator.

Value

a list of alignment parameters containing

learn_theme_bar *Learn bar*

Description

learn bar paramters as list

Usage

learn_theme_bar(lines, sep)

Arguments

lines file lines
 sep a character specifying the separator.

Value

a list of bar parameters containing

`learn_theme_basic_plot`*Learn basic plot*

Description

learn basic plot paramters as list

Usage

```
learn_theme_basic_plot(lines, sep)
```

Arguments

`lines` a vector of character strings from template file.
`sep` a character specifying the separator.

Value

a list of basic plot parameters containing

`learn_theme_basic_theme`*Learn basic theme*

Description

learn basic theme paramters as list

Usage

```
learn_theme_basic_theme(lines, sep)
```

Arguments

`lines` a vector of character strings from template file.
`sep` a character specifying the separator.

Value

a list of basic theme parameters containing

learn_theme_binary *Learn binary*

Description

learn binary paramters as list

Usage

```
learn_theme_binary(lines, sep)
```

Arguments

lines a vector of character strings from template file.
sep a character specifying the separator.

Value

a list of binary chart parameters containing

learn_theme_border *Learn border*

Description

learn border paramters as list

Usage

```
learn_theme_border(lines, sep)
```

Arguments

lines a vector of character strings from template file.
sep a character specifying the separator.

Value

a list of border parameters containing

`learn_theme_common_themes`*Learn common themes*

Description

learn common theme paramters as list

Usage

```
learn_theme_common_themes(lines, sep)
```

Arguments

`lines` a vector of character strings from template file.
`sep` a character specifying the separator.

Value

a list of common theme parameters containing

`learn_theme_connection`*Learn connection*

Description

learn connection paramters as list

Usage

```
learn_theme_connection(lines, sep)
```

Arguments

`lines` a vector of character strings from template file.
`sep` a character specifying the separator.

Value

a list of connection parameters containing

learn_theme_domain *Learn domain*

Description

learn domain paramters as list

Usage

```
learn_theme_domain(lines, sep)
```

Arguments

lines a vector of character strings from template file.
sep a character specifying the separator.

Value

a list of domain parameters containing

learn_theme_externalshape
 Learn externalshape

Description

learn connection paramters as list

Usage

```
learn_theme_externalshape(lines, sep)
```

Arguments

lines a vector of character strings from template file.
sep a character specifying the separator.

Value

a list of external shape parameters containing

learn_theme_heatmap *Learn heatmap*

Description

learn heatmap paramters as list

Usage

```
learn_theme_heatmap(lines, sep)
```

Arguments

lines a vector of character strings from template file.
sep a character specifying the separator.

Value

a list of heatmap parameters containing

learn_theme_image *Learn image*

Description

learn connection paramters as list

Usage

```
learn_theme_image(lines, sep)
```

Arguments

lines a vector of character strings from template file.
sep a character specifying the separator.

Value

a list of image parameters containing


```

tab_id_group <- tab_tmp[,c(1,2)]
tab_tmp <- tab_tmp[,-c(1,2)]
tab_tmp_01 <- convert_01(object = tab_tmp)
tab_tmp_01 <- cbind(tab_id_group,tab_tmp_01)
order <- c("type","separator","profile","field","common themes",
  "specific themes","data")
tab_tmp_01_long <- tab_tmp_01 %>%
  tidyr::gather(key = "variable",
    value = "value",
    c(-parameter,-group))
template_start_group <- tab_tmp_01_long %>%
  group_by(group,variable) %>%
  summarise(sublen = sum(value)) %>%
  tidyr::spread(key=variable,
    value=sublen)
template_start_group$group <- factor(template_start_group$group,
  levels = order)
template_start_group <- template_start_group %>% arrange(group)
start_group <- data.frame(Var1 = template_start_group$group,
  Freq = apply(template_start_group[,-1], 1, max))
start_group$start <- 0
for (i in 2:nrow(start_group)) {
  start_group$start[i] <- sum(start_group$Freq[1:(i-1)])
}
template_start_group[template_start_group == 0] <- NA
template_end_group <- template_start_group[,2:(ncol(template_start_group)-1)] + start_group$start
template_end_group <- data.frame(group = order,template_end_group)
template_end_group_long <- template_end_group %>%
  tidyr::gather(key = "variable",
    value = "value",
    -group)
names(template_end_group_long)[3] <- "end"
template_end_group_long$start <- rep(start_group$start,
  length(unique(template_end_group_long$variable)))
template_end_group_long <- template_end_group_long %>% na.omit()
template_end_group_long$length <- sum(start_group$Freq)
template_end_group_long <- template_end_group_long[,c(2,5,4,3,1)]
template_end_group_long$group <- factor(template_end_group_long$group,levels = order)
unit <- create_unit(data = template_end_group_long,
  key = "Quickstart",
  type = "DATASET_DOMAINS",
  tree = tree)
file <- tempfile()
write_unit(unit,file)
lines <- line_clean(file=file)
sep = learn_separator(file = file)
learn_theme_label(lines,sep)

```

Description

learn_linechart paramters as list

Usage

```
learn_theme_linechart(lines, sep)
```

Arguments

lines	a vector of character strings from template file.
sep	a character specifying the separator.

Value

a list of line chart parameters containing

learn_theme_piechart *Learn piechart*

Description

learn_piechart paramters as list

Usage

```
learn_theme_piechart(lines, sep)
```

Arguments

lines	a vector of character strings from template file.
sep	a character specifying the separator.

Value

a list of pie chart parameters containing

`learn_theme_specific_themes`*Learn specific themes*

Description

learn specific theme paramters as list

Usage

```
learn_theme_specific_themes(lines, sep, type)
```

Arguments

<code>lines</code>	a vector of character strings from template file.
<code>sep</code>	a character specifying the separator.
<code>type</code>	template type

Value

a list of specific theme parameters containing

`learn_theme_strip_label`*Learn strip label*

Description

learn strip label paramters as list

Usage

```
learn_theme_strip_label(lines, sep)
```

Arguments

<code>lines</code>	a vector of character strings from template file.
<code>sep</code>	a charactor specifying the separator.

Value

a list of strip label parameters containing

display	0/1 specifying display or hide the individual label inside each colored strip (when defined in the data below)
width	a number specifying width of the colored strip
size	a number specifying strip label size factor (relative to the tree leaf labels)
color	define colors for each strip label element (use hexadecimal, RGB or RGBA notation; if using RGB/RGBA, COMMA cannot be used as SEPARATOR)
color_branches	1/0 specifying branches of the tree will or not be colored according to the colors of the strips above the leaves. When all children of a node have the same color, it will be colored the same, ie. the color will propagate inwards towards the root.
position	a character specifying position of the strip label within the box; 'top', 'center' or 'bottom'
shift	a number specifying strip label shift in pixels (positive or negative)
rotation	a number specifying rotation of the strip labels; used only in rectangular tree display mode
outline_width	a number specifying draw a black outline around the text (width in pixels)

Examples

```
tree <- system.file("extdata",
                    "tree_of_itol_templates.tree",
                    package = "itol.toolkit")
data("template_groups")
df_group <- data.frame(id = unique(template_groups$group),
                      data = unique(template_groups$group))

## create unit
unit <- create_unit(data = df_group,
                   key = "Quickstart",
                   type = "DATASET_COLORSTRIP",
                   tree = tree)

## write unit
file <- tempfile()
write_unit(unit, file)
## Learn parameter
lines <- line_clean(file=file)
sep = learn_separator(file = file)
learn_theme_strip_label(lines = lines, sep = sep)
```

learn_type

Learn template type

Description

Extract first line of template to learn type information.

Usage

```
learn_type(file)
```

Arguments

file template file. All the template files should follow the format rules as same with iTOL official template files. The files should start with the following headers: "COLLAPSE", "PRUNE", "SPACING", "TREE_COLORS", "DATASET_STYLE", "LABELS", "DATASET_TEXT", "DATASET_COLORSTRIP", "DATASET_BINARY", "DATASET_GRADIENT", "DATASET_HEATMAP", "DATASET_SYMBOL", "DATASET_EXTERNALSHAPE", "DATASET_DOMAINS", "DATASET_SIMPLEBAR", "DATASET_MULTIBAR", "DATASET_BOXPLOT", "DATASET_LINECHART", "DATASET_PIECHART", "DATASET_ALIGNMENT", "DATASET_CONNECTION", "DATASET_IMAGE", "POPOPUP_INFO".

Value

a character specifying header information

Examples

```
tree <- system.file("extdata",
                    "tree_of_itol_templates.tree",
                    package = "itol.toolkit")
data("template_groups")
df_group <- data.frame(id = unique(template_groups$group),
                      data = unique(template_groups$group))

## create unit
unit <- create_unit(data = df_group,
                   key = "Quickstart",
                   type = "DATASET_COLORSTRIP",
                   tree = tree)

## write unit
file <- tempfile()
write_unit(unit, file)
## Learn template type
learn_type(file)
```

line_clean

Filter out comments and empty lines

Description

Remove the lines start with # or without any information.

Usage

```
line_clean(lines = NULL, file = NULL)
```

Arguments

- lines a vector of character strings. The strings are containing the lines of template file. If the file parameter is NULL, this parameter should be set.
- file a character specifying the template file path. If this parameter is setted, the lines parameter will be replaced.

Value

a vector of character strings

Examples

```
strs <- c("#comment", "DATA")
line_clean(lines=strs)
```

line_split	<i>Split lines into two parts</i>
------------	-----------------------------------

Description

Split lines based on the data block marker

Usage

```
line_split(lines, param = "data")
```

Arguments

- lines a vector of character strings from template file.
- param "theme" or "data" for the theme paramters or the data lines

Value

a vector of character strings containing data or theme information

`longest_continuous_match`*Calculate longest continuous match between input and target strings*

Description

This function calculates the longest continuous matching substring between an input string and a target string.

Usage

```
longest_continuous_match(input_str, target_str)
```

Arguments

`input_str` A character string to match against the target string.

`target_str` A character string to compare with the input string.

Value

An integer value representing the longest continuous match.

`merge_unit`*Merge units*

Description

Merge two `itol.unit` with same type. The second unit data will be added into the first one.

Usage

```
merge_unit(obj1, obj2)
```

Arguments

`obj1` a `itol.unit` object specifying the first unit

`obj2` a `itol.unit` object specifying the second unit

Value

a `itol.unit` object with merged data

search_tree_file *Search tree file*

Description

Search Newick format tree file in dir

Usage

```
search_tree_file(
  dir = getwd(),
  n = "first",
  method = "mtime",
  max_size = 10240
)
```

Arguments

dir	a path with tree file and other template files
n	'first', 'last', 'all'
method	sort by 'mtime', 'ctime', 'atime', 'character'
max_size	limit file size to accelerate searching

Value

a vector of characters specifying the file name

show,itol.hub-method *show method for S4 class itol.hub*

Description

show method for S4 class itol.hub

Usage

```
## S4 method for signature 'itol.hub'
show(object)
```

Arguments

object	An object of class itol.hub
--------	-----------------------------

Value

a stdout screen information about itol.hub object

sort_color	<i>Sort colors</i>
------------	--------------------

Description

sort colors by similarity

Usage

```
sort_color(colors, root = NULL, rev = FALSE, plot = FALSE)
```

Arguments

colors	a vector of colors in hex format
root	sort from root color
rev	sort order by similarity(default) or difference
plot	preview color order

Value

a vector of sorted colors

template_groups	<i>template groups</i>
-----------------	------------------------

Description

Templates were clustered into 5 groups by parameter similarity.

Usage

```
template_groups
```

Format

template_groups:

A data frame with template group clustering result:

template All the 23 template types of iTOL

group 5 clustering groups: Tree structure: This group only controls the topology of tree branch merging, filtering, and spacing. There are no style and rich annotation data, even though most of the annotation data only include single-column id information and do not contain any dataset base information, sample information, or common and specific style information. It is a particularly simple type of template. Theme style: This does not change any topology or add any text information but only changes the color scheme, line type and width,

and font style and size of existing information. This is an extremely comprehensive and diverse type of annotation information. Text: This group contains any templates with added text information. With super flexible and convenient annotation methods, users can modify even a single character's style in HTML. Users can also modify the text annotation style of nodes and branches in batch based on matching conditions in itol.hub objects, which require regular expression replacement and precise data filtering. This high-frequency data processing is difficult to achieve and retain the workflow in the EXCEL-based editor. Basic plot: This group contains basic visualization methods. From a functional point of view, this is the most feature-rich class of templates. The similarity of the parameters within this part is very high. The structured and uniform organization of these templates can greatly reduce code redundancy and the user workload of data organizing. Moreover, boxplot, which is not a regular enough data annotation template, can be automatedly manipulated in R. The lack of template data structure makes using frequency unbalanced among research. Hence, the frequency of using these low-frequency templates can be increased. Advanced plot: Compared with the basic visualization methods, these visualization methods contain more comprehensive data types and often require third-party tools for input data processing. But they are the most extensible type of visualization methods for iTOL.

...

template_parameters_count

template parameters count

Description

Template types and parameters count matrix. The row names are template types. The column names are parameters short ids. The parameters are including the themes parameters and data column names. All the details are introduced in the full-page Excel file on GitHub.

Usage

template_parameters_count

Format

template_parameters_count:

A data frame with template types and parameters 0/1 count matrix:

V1 head. file type head notice

V2 separator. select the separator which is used to delimit the data below (TAB,SPACE or COMMA).This separator must be used throughout this file.

V3 dataset name. label is used in the legend table ...

train_theme	<i>Train inbuilt theme</i>
-------------	----------------------------

Description

The inbuilt theme is the template of all output file and unit. Using this function can train the inbuilt theme object by custom files.

Usage

```
train_theme(dir = getwd())
```

Arguments

dir the path of tree file and template files

Value

replace the global variable inbuilt_themes

unite_rows	<i>Paste rows</i>
------------	-------------------

Description

Paste rows group by key column

Usage

```
unite_rows(df)
```

Arguments

df input data frame

Value

a data frame with pasted row by same id

use.theme	<i>Extract theme from inbuilt_themes</i>
-----------	--

Description

Extract theme from 23 template types in inbuilt_themes data in package.

Usage

```
use.theme(type, style = "default")
```

Arguments

type	a character specifying the template type used for extracting. Following choices are possible: "COLLAPSE", "PRUNE", "SPACING", "TREE_COLORS", "DATASET_STYLE", "LABEL", "DATASET_BINARY", "DATASET_GRADIENT", "DATASET_HEATMAP", "DATASET_SYMBOL", "DATASET_EXTERNALSHAPE", "DATASET_DOMAINS", "DATASET_SIMPLEBAR", "DATASET_MULTIBAR", "DATASET_BOXPLOT", "DATASET_LINECHART", "DATASET_PIECHART", "DATASET_ALIGNMENT", "DATASET_CONNECTION", "DATASET_IMAGE", "POPUP_INFO.
style	a character specifying the specific version of template type used for extracting. The default value is "default" style for all types.

Value

a itol.theme object containing

type	This group holds information about the template type of the data only. This is a very critical piece of information. In many functions of the itol.toolkit package, the template type information is used to determine the different data processing and input/output methods.
sep	This group holds data separator information only. This is one of the most important parameters for data reading and output. It is a separate category because it is frequently used and is an input parameter for other subsequent parameters to be read.
profile	This group contains basic information about the dataset, such as the dataset name and a color label to distinguish the dataset. The dataset name is extremely important. This parameter is used almost throughout the data processing of the itol.toolkit package. With the content of this parameter as the key value, the data and theme information of the dataset are associated. In turn, high throughput learning and writing of large-scale data can be achieved. This parameter is not included in some template types with a particularly simple structure, so we choose a file name or a user-defined method as the key value.
field	This group contains information about each sample within the dataset, and this type of parameter exists only for multi-sample data. This information even includes the clustering tree between samples. This information is usually stored as part of the column names in the metadata part or abundance information of the itol.hub object.

`common_themes` These themes are used at high frequency in different templates. These parameters are small in number but constitute some common features of iTOL visual style settings, such as legend, margin, etc.

`specific_themes` These themes are used only in specific templates. The number of these parameters is very large. However, most of them are used in only one template to control the style details of the visualization. By unifying these parameters and calling them according to the template type, users can perform secondary development and data processing with a high degree of parameter aggregation without worrying too much about the differences between different template types.

Examples

```
theme <- use.theme("COLLAPSE")
```

vector_tree	<i>Vector tree</i>
-------------	--------------------

Description

build a tree by a vector of characters.

Usage

```
vector_tree(vector, branch_length = 1)
```

Arguments

`vector` input vector
`branch_length` branch length, default 1.

write_hub	<i>Write all data object into files</i>
-----------	---

Description

Write itol.hub object into template files.

Usage

```
write_hub(object, dir = getwd(), with_tree = FALSE)
```

Arguments

object	itol.hub object holds the complete data and theme information. This is an all-in-one object that collects all the information. Based on this object, it is possible to export template files directly. It can also be converted to an operation unit object for the detailed processing of individual datasets. The object can also be saved locally for reproducible visualization to share. This object contains species or sample clustering trees, sequence alignment, species abundance or gene expression table, multi-level taxonomic information, metadata, and a list of custom themes. Each element name in the theme list is prefixed with the column name of the metadata and is used to establish the association between the theme and the data. For some special dataset types, the storage location is not in the metadata, but it also conforms to the association with themes. The program automatically decides where to read the data according to the different output template types. The user only needs to explicitly define the theme name to be output consistent with the data name prefix.
dir	output dir path. Define the output files location using absolute or relative path. The template files will output by the key information from theme name in the hub object.
with_tree	output with tree file in newick format.

Value

No return value, only output template files

Examples

```
tree <- system.file("extdata",
                   "tree_of_itol_templates.tree",
                   package = "itol.toolkit")
hub <- create_hub(tree = tree)
data("template_groups")
df_group <- data.frame(id = unique(template_groups$group),
                      data = unique(template_groups$group))

## create unit
unit_1 <- create_unit(data = df_group,
                     key = "Quickstart_1",
                     type = "TREE_COLORS",
                     subtype = "clade",
                     line_type = c(rep("normal",4),"dashed"),
                     size_factor = 5,
                     tree = tree)
unit_2 <- create_unit(data = df_group,
                     key = "Quickstart_2",
                     type = "DATASET_COLORSTRIP",
                     tree = tree)

## write hub
hub <- hub + unit_1 + unit_2
write_hub(hub,tempdir())
```

write_raw	<i>Write raw data into files</i>
-----------	----------------------------------

Description

Write raw data in itol.hub object into files

Usage

```
write_raw(object, dir, title)
```

Arguments

object	itol.hub object holds the complete data and theme information. This is an all-in-one object that collects all the information. Based on this object, it is possible to export template files directly. It can also be converted to an operation unit object for the detailed processing of individual datasets. The object can also be saved locally for reproducible visualization to share. This object contains species or sample clustering trees, sequence alignment, species abundance or gene expression table, multi-level taxonomic information, metadata, and a list of custom themes. Each element name in the theme list is prefixed with the column name of the metadata and is used to establish the association between the theme and the data. For some special dataset types, the storage location is not in the metadata, but it also conforms to the association with themes. The program automatically decides where to read the data according to the different output template types. The user only needs to explicitly define the theme name to be output consistent with the data name prefix.
dir	output dir path. Define the output files location using absolute or relative path. The raw data will write into files. The following raw data will be outputted: main tree, sample tree, alignment sequences, abundance count table, taxonomy table, metadata on nodes and tips.
title	files name title string. This character specified the prefix of raw data files.

Value

No return value, only output raw data files

Examples

```
tree <- system.file("extdata",  
                   "tree_of_itol_templates.tree",  
                   package = "itol.toolkit")  
hub <- create_hub(tree = tree)  
df_values <- data.table::fread(system.file("extdata",  
                                         "templates_frequence.txt",  
                                         package = "itol.toolkit"))  
unit <- create_unit(data = df_values,
```

```

        key = "Quickstart",
        type = "DATASET_HEATMAP",
        tree = tree)
hub <- hub + unit
write_raw(hub, tempdir(), "Quickstart")

```

write_unit

Write unit object into file

Description

Write itol.unit object into template file. This function will using the type information in unit object to decide different output methods for the template formats.

Usage

```
write_unit(unit, file = getwd())
```

Arguments

unit	unit object. The unit object holds the data and theme of a single dataset. This is the smallest data operation unit. At this level, individual data can be fine-tuned. It is also possible to extract the style of a unit for use in other units. It is also possible to use many units to learn a complete itol.hub object. Almost all specific data operations behind the itol.toolkit package are performed at the unit level. Because itol.hub objects have comprehensive information, but to ensure that the correspondence with phylogenetic branches or nodes remains consistent when different data types are saved, many complex data aggregations are saved, which does not facilitate data processing. Therefore, in the actual data processing process, unit objects are generated from the itol.hub object and then processed.
file	output file path. Define the output file location and file name using absolute or relative path.

Value

No return value, only output a template file

Examples

```

tree <- system.file("extdata",
                    "tree_of_itol_templates.tree",
                    package = "itol.toolkit")
data("template_groups")
df_group <- data.frame(id = unique(template_groups$group),
                      data = unique(template_groups$group))
## create unit
unit <- create_unit(data = df_group,

```

```
        key = "Quickstart",  
        type = "DATASET_COLORSTRIP",  
        tree = tree)  
## write unit  
write_unit(unit,tempfile())
```

Index

- * **datasets**
 - inbuilt_themes, 18
 - template_groups, 45
 - template_parameters_count, 46
- * **objects**
 - itol.hub-class, 19
 - itol.theme-class, 20
 - itol.unit-class, 20
- * **object**
 - create_hub, 8
 - create_theme, 9
 - file_to_unit, 16
 - hub_to_unit, 18
- +, itol.hub, itol.unit-method, 3
- +, itol.unit, itol.unit-method
 - (+, itol.hub, itol.unit-method), 3
- color_distance, 4
- complex_html_text, 4
- convert_01, 5
- convert_01_to_connect, 5
- convert_range_to_node, 6
- correct_get_color, 6
- correct_type, 7
- count_to_tree, 7
- create_hub, 8
- create_theme, 9
- create_unit, 9
- df_merge, 12
- df_tree, 13
- dt_transpose_header, 13
- fa_read, 14
- fa_write, 14
- file_get_dir, 15
- file_get_name, 15
- file_to_unit, 16
- get_color, 16
- gradient_color, 17
- head_line, 17
- hub_to_unit, 18
- inbuilt_themes, 18
- itol.hub (itol.hub-class), 19
- itol.hub-class, 19
- itol.theme (itol.theme-class), 20
- itol.theme-class, 20
- itol.unit (itol.unit-class), 20
- itol.unit-class, 20
- learn_data, 21
- learn_data_from_file, 21
- learn_data_from_files, 22
- learn_data_from_unit, 22
- learn_data_from_unit_list, 23
- learn_df, 23
- learn_field, 24
- learn_legend, 25
- learn_line, 26
- learn_profile, 27
- learn_separator, 28
- learn_subdf, 29
- learn_theme_align, 29
- learn_theme_alignment, 30
- learn_theme_bar, 30
- learn_theme_basic_plot, 31
- learn_theme_basic_theme, 31
- learn_theme_binary, 32
- learn_theme_border, 32
- learn_theme_common_themes, 33
- learn_theme_connection, 33
- learn_theme_domain, 34
- learn_theme_externalshape, 34
- learn_theme_heatmap, 35
- learn_theme_image, 35
- learn_theme_label, 36
- learn_theme_linechart, 37

learn_theme_piechart, 38
learn_theme_specific_themes, 39
learn_theme_strip_label, 39
learn_type, 40
line_clean, 41
line_split, 42
longest_continuous_match, 43

merge_unit, 43

search_tree_file, 44
show, itol.hub-method, 44
sort_color, 45

template_groups, 45
template_parameters_count, 46
train_theme, 47

unite_rows, 47
use.theme, 48

vector_tree, 49

write_hub, 49
write_raw, 51
write_unit, 52