

Package ‘mSTEM’

May 8, 2026

Type Package

Title Multiple Testing of Local Extrema for Detection of Change Points

Version 1.0-1

Date 2019-09-1

Author Zhibing He and Dan Cheng

Maintainer Zhibing He <zhibingh@asu.edu>

Description A new approach to detect change points based on smoothing and multiple testing, which is for long data sequence modeled as piecewise constant functions plus stationary Gaussian noise, see Dan Cheng and Armin Schwartzman (2015) <[doi:10.48550/arXiv.1504.06384](https://doi.org/10.48550/arXiv.1504.06384)>.

Depends R (>= 3.1.0)

Imports parallel, foreach, doParallel, latex2exp

URL <https://arxiv.org/abs/1504.06384>

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

NeedsCompilation no

Repository CRAN

Date/Publication 2019-10-02 10:00:05 UTC

Contents

ch.est	2
conv	3
Fdr	3
fdr.gam	4
fdrBH	5
GenDY	6
GenMu	6
GenZ	7

illu.plot	8
which.cp	9
which.peaks	10

Index	11
--------------	-----------

ch.est	<i>Estimate s2,lambda2,lambda4,Delta</i>
--------	--

Description

Estimate **s2,lambda2,lambda4,Delta**

Usage

```
ch.est(nu, gamma, size, B = 100)
```

Arguments

nu	bandwidth of Gaussian kernel applied to White-noise, Whitenoise error if nu = 0
gamma	bandwidth of nonparameter smoothing
size	sample size
B	Montelarlo iteration times

Value

a list of s2,lambda2,lambda4,Delta

References

Multiple Testing of Local Extrema for Detection of Change Points <https://arxiv.org/abs/1504.06384>

See Also

[which.cp](#)

Examples

```
ch.est(nu=2, gamma=4, size=1000, B=100)
```

conv	<i>Compute convolution function using FFT, similar to the function 'conv' in matlab</i>
------	---

Description

Compute convolution function using FFT, similar to the function 'conv' in matlab

Usage

```
conv(u, v, shape = c("same", "full"))
```

Arguments

u	vector
v	vector
shape	if 'same', return central part of the convolution, the same size as u; otherwise return the whole sequence with size $\text{lenth}(u)+\text{length}(v)-1$

Value

a vector of convolution, as specified by shape.

References

Matlab document on 'conv' <https://www.mathworks.com/help/matlab/ref/conv.html>

Examples

```
u = c(-1,2,3,-2,0,1,2)
v = c(2,4,-1,1)
w = conv(u,v,'same')
```

Fdr	<i>Evaluate performance of estimated change points</i>
-----	--

Description

Evaluate performance of estimated change points

Usage

```
Fdr(uh, b, th)
```

Arguments

uh	a vector of estimated change points locations
b	a scalar of location tolerance, specified by user
th	a vector of true change points locations

Value

	a list of vector of FDR and Power
FDR	a scalar of fdr (false discovery rate)
Power	a scalar of power (true positive rate)

See Also

[which.cp](#)

Examples

```
Fdr(uh=c(7,15,32,47),b=4,th=c(10,20,30,40,50))
```

fdr.gam	<i>Parallel computing fdr and power of change points estimation for different gamma and nu</i>
---------	--

Description

Parallel computing fdr and power of change points estimation for different gamma and nu

Usage

```
fdr.gam(c, mu, Gamma, Nu, b, th, B = 100, level = 0.1, iter = 100)
```

Arguments

c	number of cpu cores used for parallel computing
mu	a vector of piecewise constant
Gamma	a vector of different gammas
Nu	a vector of different nus
b	a scalar of location tolerance, specified by user
th	a vector of true change points locations
B	Montelarlo iteration times
level	FDR control level
iter	iteration times for each combination of gamma and nu

Value

a list of matrix with the same length as Nu, FDR and Power for different Gamma are displayed within each matrix

Examples

```
size=12000
a = 1
A = a*(1:119)
H = seq(100,11900,100)
mu = GenMu(A,H,size=size)
z = GenZ(nu=2,size=size)
Gamma = seq(1,5,1)
Nu = seq(0,2,0.5)
model = fdr.gam(2,mu,Gamma,Nu,8,H,iter=100)
```

fdrBH

FDR threshold based on the Benjamini-Hochberg algorithm

Description

FDR threshold based on the Benjamini-Hochberg algorithm

Usage

```
fdrBH(p, q)
```

Arguments

p	a vector of p-values
q	False Discovery Rate level

Value

p-value threshold based on independence or positive dependence

See Also

[which.cp](#)

Examples

```
fdrBH(seq(0.01,0.1,0.01),q=0.1)
```

GenDY *Generate first-order differential of a smoothed sequence Y*

Description

Generate first-order differential of a smoothed sequence Y

Usage

```
GenDY(mu, z, gamma)
```

Arguments

mu	a vector of piecewise constant
z	a vector of stationary Gaussian random error
gamma	bandwidth of nonparameter smoothing

Value

a vector of the differential of Y

See Also

[GenMu/GenZ](#)

Examples

```
mu = GenMu(x=1:10, pos=seq(10, 100, 10), size=150)
z = GenZ(nu=2, size=150)
GenDY(mu=mu, z=z, gamma=4)
```

GenMu *Generate a piecewise constant sequence starting from 0*

Description

Generate a piecewise constant sequence starting from 0

Usage

```
GenMu(x, pos, size)
```

Arguments

x	a vector containing all values of change points
pos	positions of change points, corresponding to x
size	sample size

Value

a piecewise constant sequence

See Also

[GenDY](#)

Examples

```
GenMu(x=1:10, pos=seq(10, 100, 10), size=150)
```

GenZ	<i>Generate Gaussian autocorrelated random error sequence based on White-noise and Gaussian kernel</i>
------	--

Description

Generate Gaussian autocorrelated random error sequence based on White-noise and Gaussian kernel

Usage

```
GenZ(nu, size)
```

Arguments

nu	bandwidth of Gaussian kernel applied to White-noise, Whitenoise error if nu = 0
size	sample size

Value

a vector of random error

See Also

[GenDY](#)

Examples

```
GenZ(nu=2, size=1000)
```

illu.plot

Illustration plot of the procedure t0 detect change points

Description

Illustration plot of the procedure t0 detect change points

Usage

```
illu.plot(mu, z, gamma, whichcp, b, Tmax, Tmin)
```

Arguments

mu	a vector of piecewise constant
z	a vector of stationary Gaussian random error
gamma	bandwidth of nonparameter smoothing
whichcp	output of the function which.cp
b	a scalar of location tolerance, specified by user
Tmax	a vector of true peak locations
Tmin	a vector true valley locations

Value

a figure plot showing detection of change points

Examples

```
set.seed(2019)
L = 1200
A = c(2.8, 0, -2.4, 0, -3, 0.5, 3, 5, 2, 0)/1.5
Tmax = c(150, 410, 680, 770, 980)
Tmin = c(250, 320, 550, 1000, 1100)
H = c(150, 250, 320, 410, 550, 680, 770, 980, 1000, 1100)
mu = GenMu(A, H, L); z = GenZ(nu=2, L)
y1 = GenDY(mu=mu, z=z, gamma=6)
chest = ch.est(nu=2, gamma=6, size=L, B=100)
chp= which.cp(y1, chest, level=0.1)
illu.plot(mu, z, gamma=6, chp, b=5, Tmax, Tmin)
```

which.cp	<i>Find locations of change points</i>
----------	--

Description

Find locations of change points

Usage

```
which.cp(y1, chest, level = 0.1)
```

Arguments

y1	a vector of the differential of sequence Y
chest	output of function ch.est
level	FDR control level

Value

a list of components	
peak	a vector of peaks location
vall	a vector of valleys location
pval	a scalar of adjusted p-value based on FDR control
thresh	a scalar of threshold for y1

See Also

[ch.est/fdrBH](#)

Examples

```
mu = GenMu(x=1:10, pos=seq(10, 100, 10), size=150)
z = GenZ(nu=2, size=150)
y1 = GenDY(mu, z, gamma=4)
chest = ch.est(nu=2, gamma=8, size=150, B=100)
which.cp(y1, chest, level=0.1)
```

`which.peaks`*Find local maxima and minima in a sequence*

Description

Find local maxima and minima in a sequence

Usage

```
which.peaks(x, partial = FALSE, decreasing = FALSE)
```

Arguments

<code>x</code>	a vector with maxima or minima
<code>partial</code>	endpoints will be considered if 'true'
<code>decreasing</code>	find local minima if 'true', otherwise local maxima

Value

a vector of positions of local maxima or minima

Examples

```
a = 100:1  
which.peaks(a*sin(a/3))
```

Index

ch.est, [2](#), [9](#)
conv, [3](#)

Fdr, [3](#)
fdr.gam, [4](#)
fdrBH, [5](#), [9](#)

GenDY, [6](#), [7](#)
GenMu, [6](#), [6](#)
GenZ, [6](#), [7](#)

illu.plot, [8](#)

which.cp, [2](#), [4](#), [5](#), [8](#), [9](#)
which.peaks, [10](#)