

# Package ‘manhplot’

May 8, 2026

**Type** Package

**Title** The Manhattan++ Plot

**Depends** R (>= 3.4.0)

**Version** 1.1

**Date** 2019-11-25

**Author** Chris Grace <cgrace@well.ox.ac.uk>

**Maintainer** Chris Grace <cgrace@well.ox.ac.uk>

**Description** This plot integrates annotation into a manhattan plot. The plot is implemented as a heatmap, which is binned using  $-\log_{10}(\text{p-value})$  and chromosome position. Annotation currently supported is minor allele frequency and gene function high impact variants.

**License** GPL (>= 2)

**RoxygenNote** 6.1.1

**Imports** reshape2, ggplot2, ggrepel, gridExtra

**Suggests** R.utils, testthat

**URL** <https://github.com/cgrace1978/manhplot/>

**BugReports** <https://github.com/cgrace1978/manhplot/issues>

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2019-11-25 16:40:03 UTC

## Contents

manhplot-package . . . . .	2
manhplusplot . . . . .	3
<b>Index</b>	<b>5</b>

---

manhplot-package	<i>The Manhattan++ Plot</i>
------------------	-----------------------------

---

## Description

This plot integrates annotation into a manhattan plot. The plot is implemented as a heatmap, which is binned using  $-\log_{10}(\text{p-value})$  and chromosome position. Annotation currently supported is minor allele frequency and gene function high impact variants.

## Details

The DESCRIPTION file:

```

Package:      manhplot
Type:         Package
Title:        The Manhattan++ Plot
Depends:      R (>= 3.4.0)
Version:      1.1
Date:         2019-11-25
Author:       Chris Grace <cgrace@well.ox.ac.uk>
Maintainer:  Chris Grace <cgrace@well.ox.ac.uk>
Description:  This plot integrates annotation into a manhattan plot. The plot is implemented as a heatmap, which is bi
License:      GPL (>= 2)
RoxygenNote: 6.1.1
Imports:      reshape2, ggplot2, ggrepel, gridExtra
Suggests:    R.utils, testthat
URL:          https://github.com/cgrace1978/manhplot/
BugReports:   https://github.com/cgrace1978/manhplot/issues
NeedsCompilation: no
Packaged:    2019-11-25 15:02:16 UTC; cgrace
Repository:   CRAN
Date/Publication: 2019-06-04 11:40:03 UTC

```

Index of help topics:

manhplot-package	The Manhattan++ Plot
manhplusplot	Generate the manhattan++ plot

## Author(s)

Chris Grace <cgrace@well.ox.ac.uk>

Maintainer: Chris Grace <cgrace@well.ox.ac.uk>

---

manhplusplot                      *Generate the manhattan++ plot*

---

## Description

Generate the manhattan++ plot

## Usage

```
manhplusplot(infile, outfile, configfile, snpfile, drawastiff = F,
  GWS = 5e-08, FDR = 0.001, MAF = 0.05, chrname = "chr",
  posname = "pos", pvalname = "pvalue", frqname = "maf",
  conseqname = "conseq", showgenes = F, showsids = F,
  pos.split = 3e+06, pval.split = 0.125, max.pval = 20)
```

## Arguments

infile	Input GWAS summary statistics
outfile	Output file prefix for the manhattan++ plot
configfile	Configuration file
snpfile	Table of SNPs to visualize
drawastiff	If TRUE draw a Tiff file, if FALSE draw a PDF file
GWS	Genome wise significance pvalue threshold (5E-8 by default)
FDR	False discovery Rate pvalue threshold (1E-3 by default)
MAF	Minor Allele Frequency threshold
chrname	Column name for chromosome in GWAS infile
posname	Column name for position in GWAS infile
pvalname	Column name for pvalue in GWAS infile
frqname	column name for allele frequency in GWAS infile
conseqname	column name for variant annotation consequence in GWAS infile
showgenes	If T shows known genes as bubbles on main manhattan plot, if F show positions of interest as bubbles
showsids	If showgenes is T, then show the rsids, rather than genes
pos.split	The bin lengths for positions
pval.split	The bin lengths for pvalues
max.pval	The maximum pvalue to display

## Details

For file formats see github page <https://github.com/cgrace1978/manhplot>

**Author(s)**

Chris Grace

**Examples**

```
library(manhplot)
## Load R.utils for gzip functionality
library(R.utils)

## unzip the data included with this package
gunzip(system.file("extdata","cad.add.160614_manhformat.txt.gz",package = "manhplot"))

infile<-system.file("extdata","cad.add.160614_manhformat.txt",package = "manhplot")
configfile<-system.file("extdata","config.txt", package = "manhplot")
snpfile<-system.file("extdata","56cad.add.160614.variants.txt", package = "manhplot")

manhplusplot(infile = infile,outfile = file.path(tempdir(), "default-plot"),
             configfile = configfile, snpfile = snpfile)

## zip the data
gzip(system.file("extdata","cad.add.160614_manhformat.txt",package = "manhplot"))
```

# Index

**\* package**

manhplot-package, [2](#)

manhplot (manhplot-package), [2](#)

manhplot-package, [2](#)

manhplusplot, [3](#)