

# Package ‘omsvg’

May 9, 2026

**Type** Package

**Version** 0.1.0

**Title** Build and Transform 'SVG' Objects

**Description** Build 'SVG' components using element-based functions. With an 'svg' object, we can modify its graphical elements with a suite of transform functions.

**License** MIT + file LICENSE

**URL** <https://github.com/rich-iannone/omsvg>

**BugReports** <https://github.com/rich-iannone/omsvg/issues>

**Encoding** UTF-8

**LazyData** true

**ByteCompile** true

**RoxygenNote** 7.1.1

**Depends** R (>= 3.2.1)

**Imports** dplyr (>= 1.0.3), gt (>= 0.2.2), htmltools (>= 0.5.1.1), magrittr, rlang (>= 0.4.5), sass (>= 0.3.0), xml2 (>= 1.3.2)

**Suggests** covr, knitr, testthat

**NeedsCompilation** no

**Author** Richard Iannone [aut, cre] (ORCID:  
<<https://orcid.org/0000-0003-3925-190X>>)

**Maintainer** Richard Iannone <riannone@me.com>

**Repository** CRAN

**Date/Publication** 2021-02-10 10:50:06 UTC

## Contents

anims . . . . .	2
anim_opacity . . . . .	5
anim_position . . . . .	6

anim_rotation . . . . .	7
anim_scale . . . . .	8
cubic_bezier . . . . .	9
ease_in . . . . .	10
ease_in_out . . . . .	10
ease_out . . . . .	11
filter_dilate . . . . .	11
filter_drop_shadow . . . . .	12
filter_erode . . . . .	13
filter_gaussian_blur . . . . .	14
filter_image . . . . .	15
filter_offset . . . . .	16
info_lineawesome . . . . .	17
linear . . . . .	18
step_end . . . . .	18
step_start . . . . .	18
SVG . . . . .	19
SVG_ . . . . .	20
svg_attrs_pres . . . . .	21
svg_circle . . . . .	25
svg_ellipse . . . . .	27
svg_filter . . . . .	28
svg_group . . . . .	30
svg_image . . . . .	31
SVG_import . . . . .	33
SVG_la . . . . .	34
svg_line . . . . .	35
svg_path . . . . .	37
svg_polygon . . . . .	38
svg_polyline . . . . .	40
svg_rect . . . . .	41
SVG_t . . . . .	44
svg_text . . . . .	45

<b>Index</b>	<b>47</b>
--------------	-----------

---

anims

*Express animations for an element*

---

## Description

All SVG element functions in **omsvg** (the `svg_*`() functions) are animatable through their `anims` argument. The `anims()` function should be used with that argument should we want to express animations for the element. Within the `anims()` function call, we can insert a list of formulas that incorporate calls to any of the `anim_*`() functions (e.g., `anim_position()`, `anim_rotation()`, etc.), and, have keyframe times as part of the formula.

## Usage

```
anims(...)
```

## Arguments

... One or more animations that included the use of `anim_*()` functions, expressed as two-sided formulas. The LHS provides the keyframe time (in units of seconds) and the RHS is the associated `anim_*()` call.

## Details

A useful template to use for an `anims()` call within an `svg_*()` function is:

```
anims = anims(
  <time_i> ~ <anim_fn>(…),
  …,
  <time_n> ~ <anim_fn>(…)
)
```

We can also use multiple calls to `anim_*()` functions for each distinct keyframe time by placing those calls in a list:

```
anims = anims(
  <time_i> ~ list(
    <anim_fn_x>(…),
    <anim_fn_y>(…)
  ),
  …,
  <time_n> ~ list(
    <anim_fn_x>(…),
    <anim_fn_y>(…)
  )
)
```

## Value

A tibble of animation directives.

## Examples

```
if (interactive()) {

# Basic animation of an element's
# position (moving to a new `x` and
# `y` position)
svg_1 <-
  SVG(width = 300, height = 300) %>%
  svg_rect(
    x = 50, y = 50,
```

```

width = 50, height = 50,
attrs = svg_attrs_pres(
  stroke = "magenta",
  fill = "lightblue"
),
anims = anims(
  2.0 ~ anim_position(x = 100, y = 50)
)
)

# We can define multiple animations
# for a single element: put them in a
# `list()`; the `easing_fn` function for
# both `anim_*()` function is no longer
# linear but now eases in and out
svg_2 <-
SVG(width = 300, height = 300) %>%
svg_rect(
  x = 50, y = 50,
  width = 50, height = 50,
  attrs = svg_attrs_pres(
    stroke = "black",
    fill = "yellow"
  ),
  anims = anims(
    0.5 ~ list(
      anim_position(x = 50, y = 50, easing_fn = ease_in_out()),
      anim_rotation(0, easing_fn = ease_in_out())
    ),
    2.0 ~ list(
      anim_position(x = 200, y = 50, easing_fn = ease_in_out()),
      anim_rotation(90, easing_fn = ease_in_out())
    )
  )
)

# The initial state of the element
# can be used in any `anim_*()`
# function with `initial = TRUE`
svg_3 <-
SVG(width = 300, height = 300) %>%
svg_rect(
  x = 50, y = 50,
  width = 50, height = 50,
  attrs = svg_attrs_pres(
    stroke = "black",
    fill = "yellow"
  ),
  anims = anims(
    1.0 ~ list(
      anim_position(initial = TRUE),
      anim_rotation(initial = TRUE)
    ),
  ),

```

```

    3.0 ~ list(
      anim_position(x = 200, y = 50),
      anim_rotation(90)
    ),
    5.0 ~ list(
      anim_position(initial = TRUE),
      anim_rotation(initial = TRUE)
    )
  )
}

```

---

anim\_opacity

*Animate an element through an opacity change*


---

### Description

Within an [anims\(\)](#) call, itself passed to any `anims` argument, the `anim_opacity()` function can be used to express an animation where the target element undergoes a change in opacity with time.

### Usage

```
anim_opacity(opacity = NULL, easing_fn = NULL, initial = FALSE)
```

### Arguments

<code>opacity</code>	The opacity value of the element at the keyframe time (given as the LHS value in the <a href="#">anims()</a> call).
<code>easing_fn</code>	The timing or easing function to use for the animation. If not provided, the <a href="#">linear()</a> timing function will be used (which is doesn't use any easing in the animation, just a linear movement). The other timing and easing functions are: <a href="#">step_start()</a> , <a href="#">step_end()</a> , <a href="#">ease_in()</a> , <a href="#">ease_out()</a> , and <a href="#">ease_in_out()</a> .
<code>initial</code>	Should this opacity value be the initial opacity value of the element? If so, use <code>TRUE</code> and any value provided to <code>opacity</code> will be disregarded.

### Value

An `anim_opacity` object, which is to be used as part of an [anims\(\)](#) call.

### Examples

```

if (interactive()) {

  # Basic animation of an element's
  # opacity value (moving to a new
  # `opacity` value of `0`)
  SVG(width = 300, height = 300) %>%

```

```

svg_rect(
  x = 50, y = 50,
  width = 50, height = 50,
  attrs = svg_attrs_pres(
    stroke = "magenta",
    fill = "lightblue"
  ),
  anims = anims(
    2.0 ~ anim_opacity(opacity = 0)
  )
)
}

```

---

anim\_position

*Animate the position of an element*


---

### Description

Within an [anims\(\)](#) call, itself passed to any anims argument, the `anim_position()` function can be used to express an animation where the position of the target element changes with time.

### Usage

```
anim_position(x = NULL, y = NULL, easing_fn = NULL, initial = FALSE)
```

### Arguments

<code>x, y</code>	The position of the element, expressed as <code>x</code> and <code>y</code> , at the keyframe time (given as the LHS value in the <a href="#">anims()</a> call).
<code>easing_fn</code>	The timing or easing function to use for the animation. If not provided, the <a href="#">linear()</a> timing function will be used (which is doesn't use any easing in the animation, just a linear movement). The other timing and easing functions are: <a href="#">step_start()</a> , <a href="#">step_end()</a> , <a href="#">ease_in()</a> , <a href="#">ease_out()</a> , and <a href="#">ease_in_out()</a> .
<code>initial</code>	Should this position be the initial position of the element? If so, use <code>TRUE</code> and any values provided to <code>x</code> and <code>y</code> will be disregarded.

### Value

An `anim_opacity` object, which is to be used as part of an [anims\(\)](#) call.

### Examples

```

if (interactive()) {

# Basic animation of an element's
# position (moving to a new `x` and
# `y` position)

```

```

SVG(width = 300, height = 300) %>%
  svg_rect(
    x = 50, y = 50,
    width = 50, height = 50,
    attrs = svg_attrs_pres(
      stroke = "magenta",
      fill = "lightblue"
    ),
    anims = anims(
      2.0 ~ anim_position(x = 100, y = 50)
    )
  )
}

```

---

anim_rotation	<i>Animate an element through rotation</i>
---------------	--

---

### Description

Within an `anims()` call, itself passed to any `anims` argument, the `anim_rotation()` function can be used to express an animation where the target element undergoes a rotation change with time.

### Usage

```

anim_rotation(
  rotation = NULL,
  anchor = "center",
  easing_fn = NULL,
  initial = FALSE
)

```

### Arguments

<code>rotation</code>	The rotation value of the element at the keyframe time (given as the LHS value in the <code>anims()</code> call).
<code>anchor</code>	The location of the element anchor about which rotation will occur. By default, this is the keyword "center".
<code>easing_fn</code>	The timing or easing function to use for the animation. If not provided, the <code>linear()</code> timing function will be used (which is doesn't use any easing in the animation, just a linear movement). The other timing and easing functions are: <code>step_start()</code> , <code>step_end()</code> , <code>ease_in()</code> , <code>ease_out()</code> , and <code>ease_in_out()</code> .
<code>initial</code>	Should this rotation value be the initial rotation state of the element? If so, use TRUE and any value provided to <code>rotation</code> will be disregarded.

### Value

An `anim_opacity` object, which is to be used as part of an `anims()` call.

**Examples**

```

if (interactive()) {

# This is a basic animation of an
# element's rotation state (moving to
# a new `rotation` value)
SVG(width = 300, height = 300) %>%
  svg_rect(
    x = 50, y = 50,
    width = 50, height = 50,
    attrs = svg_attrs_pres(
      stroke = "magenta",
      fill = "lightblue"
    ),
    anims = anims(
      2.0 ~ anim_rotation(rotation = 180)
    )
  )
}

```

---

anim\_scale

*Animate an element through scaling*


---

**Description**

Within an `anims()` call, itself passed to any `anims` argument, the `anim_scale()` function can be used to express an animation where the target element undergoes a scaling change with time.

**Usage**

```
anim_scale(scale = NULL, easing_fn = NULL)
```

**Arguments**

scale	The scale value of the element at the keyframe time (given as the LHS value in the <code>anims()</code> call). If providing a single scaling value, the scaling will operate in the x and y directions (relative to the center of the element). If two values are provided, these will be taken as scaling values in the x and y directions.
easing_fn	The timing or easing function to use for the animation. If not provided, the <code>linear()</code> timing function will be used (which is doesn't use any easing in the animation, just a linear movement). The other timing and easing functions are: <code>step_start()</code> , <code>step_end()</code> , <code>ease_in()</code> , <code>ease_out()</code> , and <code>ease_in_out()</code> .

**Value**

An `anim_opacity` object, which is to be used as part of an `anims()` call.

## Examples

```
if (interactive()) {  
  
  # Basic animation of an element's  
  # scaling state (moving to a new  
  # `scale` value)  
  SVG(width = 300, height = 300) %>%  
    svg_rect(  
      x = 50, y = 50,  
      width = 50, height = 50,  
      attrs = svg_attrs_pres(  
        stroke = "magenta",  
        fill = "lightblue"  
      ),  
      anims = anims(  
        2.0 ~ anim_scale(scale = 2)  
      )  
    )  
}
```

---

cubic\_bezier

*Create a custom easing function for animation*

---

## Description

Create a custom easing function for animation

## Usage

```
cubic_bezier(x1 = 0.5, y1 = 0.5, x2 = 0.5, y2 = 0.5)
```

## Arguments

x1, y1, x2, y2      The x and y values for the first and second bezier control points.

## Value

A cubic-bezier function call as a string for use as a CSS property.

---

ease_in	<i>Use an 'easing in' animation</i>
---------	-------------------------------------

---

**Description**

The `ease_in()` function can be used as a value for the `easing_fn` argument, which is available in every `anim_*`() function (e.g., `anim_position()`).

**Usage**

```
ease_in(power = "basic")
```

**Arguments**

power	The preset to use for the easing in cubic bezier function.
-------	--

**Value**

A cubic-bezier function call as a string for use as a CSS property.

---

ease_in_out	<i>Use an 'easing in and out' animation</i>
-------------	---

---

**Description**

The `ease_in_out()` function can be used as a value for the `easing_fn` argument, which is available in every `anim_*`() function (e.g., `anim_position()`).

**Usage**

```
ease_in_out(power = "basic")
```

**Arguments**

power	The preset to use for the easing in cubic bezier function.
-------	--

**Value**

A cubic-bezier function call as a string for use as a CSS property.

---

ease_out	<i>Use an 'easing out' animation</i>
----------	--------------------------------------

---

**Description**

The `ease_out()` function can be used as a value for the `easing_fn` argument, which is available in every `anim_*`() function (e.g., [anim\\_position\(\)](#)).

**Usage**

```
ease_out(power = "basic")
```

**Arguments**

power	The preset to use for the easing in cubic bezier function.
-------	--

**Value**

A cubic-bezier function call as a string for use as a CSS property.

---

filter_dilate	<i>Filter: add a dilation effect to an element</i>
---------------	--

---

**Description**

The `filter_dilate()` filter applies a dilation effect to a source graphic by a given radius value. The higher the radius, the greater the dilation potential.

**Usage**

```
filter_dilate(radius = 1)
```

**Arguments**

radius	The extent to which the source graphic will be dilated. If a vector of two values are provided, the first value represents the x-radius and the second one the y-radius. If one value is provided, then that value is used for both x and y.
--------	--

**Value**

An svg object.

**Examples**

```

if (interactive()) {

# Add a text element to an
# SVG drawing and erode it with
# the `filter_dilate()` filter
SVG(width = 200, height = 100) %>%
  svg_filter(
    id = "dilate",
    filters = list(
      filter_dilate(radius = c(0, 1))
    )
  ) %>%
  svg_text(
    x = 10, y = 40,
    text = "Dilation",
    attrs = svg_attrs_pres(
      font_size = "3em",
      filter = "dilate"
    )
  )
}

```

---

filter\_drop\_shadow      *Filter: add a drop shadow to an element*

---

**Description**

With the `filter_drop_shadow()` drop shadow appears beneath the input image or shape and its offset is controlled by `dx` and `dy`. The blurring of the drop shadow is set by the `stdev` value.

**Usage**

```
filter_drop_shadow(dx = 0.2, dy = 0.2, stdev = 1, color = "black", opacity = 1)
```

**Arguments**

<code>dx, dy</code>	The offset of the drop shadow compared to the position of the input image or shape.
<code>stdev</code>	The number of standard deviations for the blur effect.
<code>color</code>	The color of the drop shadow.
<code>opacity</code>	The opacity of the drop shadow. We can use a real number from 0 to 1 or a value in percentage units.

**Value**

An `svg` object.

**Examples**

```

if (interactive()) {

# Apply a drop shadow filter on a
# text element (orange in color,
# and semi-opaque)
SVG(width = 250, height = 100) %>%
  svg_filter(
    id = "shadow",
    filters = list(
      filter_drop_shadow(
        dx = 1, dy = 2,
        color = "orange",
        opacity = 0.5
      )
    )
  ) %>%
  svg_text(
    x = 10, y = 40,
    text = "Shadowed",
    attrs = svg_attrs_pres(
      font_size = "2em",
      fill = "#555555",
      font_weight = "bolder",
      filter = "shadow"
    )
  )
}

```

---

filter\_erode

*Filter: add an erosion effect to an element*


---

**Description**

The `filter_erode()` filter effectively thins out a source graphic by a given radius value. The higher the radius, the greater the extent of thinning.

**Usage**

```
filter_erode(radius = 1)
```

**Arguments**

**radius**            The extent to which the source graphic will be eroded. If a vector of two values are provided, the first value represents the x-radius and the second one the y-radius. If one value is provided, then that value is used for both x and y.

**Value**

An svg object.

**Examples**

```
if (interactive()) {

# Add a text element to an
# SVG drawing and erode it with
# the `filter_erode()` filter
SVG(width = 200, height = 100) %>%
  svg_filter(
    id = "erode",
    filters = list(
      filter_erode(radius = c(1, 0))
    )
  ) %>%
  svg_text(
    x = 10, y = 40,
    text = "Erosion",
    attrs = svg_attrs_pres(
      font_size = "3em",
      font_weight = "bolder",
      filter = "erode"
    )
  )
}
```

---

filter\_gaussian\_blur *Filter: add a gaussian blur to an element*

---

**Description**

A gaussian blur effectively blurs an input image or shape by the amount specified in `stdev`. The standard deviation of `stdev` is in direct reference to the gaussian distribution that governs the extent of blurring.

**Usage**

```
filter_gaussian_blur(stdev = 1, what = "source")
```

**Arguments**

<code>stdev</code>	The number of standard deviations for the blur effect.
<code>what</code>	What exactly should be blurred? By default, it is the "source" image.

**Value**

An svg object.

**Examples**

```
if (interactive()) {

# Add a green ellipse to an SVG and
# then apply the `filter_gaussian_blur()`
# filter to blur the edges
SVG(width = 200, height = 100) %>%
  svg_filter(
    id = "blur",
    filters = list(
      filter_gaussian_blur(stdev = 2)
    )
  ) %>%
  svg_ellipse(
    x = 40, y = 40,
    width = 50, height = 30,
    attrs = svg_attrs_pres(
      fill = "green",
      filter = "blur"
    )
  )
}
```

---

filter\_image

*Filter: display an image*

---

**Description**

Display an image using a URL or a relative path to an on-disk resource.

**Usage**

```
filter_image(image)
```

**Arguments**

image            A link or path to an image resource.

**Value**

An svg object.

## Examples

```
if (interactive()) {  
  
  # Place an image (obtained via an image  
  # link) within a rectangle element using  
  # the `filter_image()` filter  
  SVG(width = 500, height = 500) %>%  
    svg_filter(  
      id = "image",  
      filters = list(  
        filter_image(  
          image = "https://www.r-project.org/logo/Rlogo.png"  
        )  
      )  
    ) %>%  
    svg_rect(  
      x = 25, y = 25,  
      width = "50%", height = "50%",  
      attrs = svg_attrs_pres(filter = "image")  
    )  
}
```

---

filter\_offset

*Filter: offset an element a specified amount*

---

## Description

The offset filter applies an offset in the x and y directions to an existing element. The offset is handled by setting values for dx and dy.

## Usage

```
filter_offset(dx = NULL, dy = NULL, what = "source")
```

## Arguments

dx, dy            The offset of the element position compared to its initial position.  
what             What exactly should be offset? By default, it is the "source" image.

## Value

An svg object.

## Examples

```
if (interactive()) {  
  
  # Add a circle element to an  
  # SVG drawing and offset it  
  # by 10px to the right  
  SVG(width = 150, height = 150) %>%  
    svg_filter(  
      id = "offset_right",  
      filters = list(  
        filter_offset(dx = 50, dy = 0)  
      )  
    ) %>%  
    svg_circle(  
      x = 30, y = 30,  
      diameter = 40,  
      attrs = svg_attrs_pres(  
        fill = "red",  
        filter = "offset_right"  
      )  
    )  
}
```

---

info\_lineawesome

*Get an information table showing all Line Awesome icons*

---

## Description

This informative table shows which Line Awesome icons are available inside of **omsvg**. The icons are composed of lines and they look awesome! There are plenty to choose from also, nearly *1400* icons across *69* categories. Just take note of the ones you like and get their names, you'll need them when using the `SVG_la()` function.

## Usage

```
info_lineawesome()
```

## Value

Invisibly returns NULL. The side effect of displaying a table of icons is the purpose of this function.

---

linear	<i>Use a linear movement for animation</i>
--------	--

---

**Description**

The `linear()` function can be used as a value for the `easing_fn` argument, which is available in every `anim_*`() function (e.g., [anim\\_position\(\)](#)).

**Usage**

```
linear()
```

**Value**

A linear function call as a string for use as a CSS property.

---

step_end	<i>Use a 'step-end' animation</i>
----------	-----------------------------------

---

**Description**

The `step_end()` function can be used as a value for the `easing_fn` argument, which is available in every `anim_*`() function (e.g., [anim\\_position\(\)](#)).

**Usage**

```
step_end()
```

**Value**

A step-end function call as a string for use as a CSS property.

---

step_start	<i>Use a 'step-start' animation</i>
------------	-------------------------------------

---

**Description**

The `step_start()` function can be used as a value for the `easing_fn` argument, which is available in every `anim_*`() function (e.g., [anim\\_position\(\)](#)).

**Usage**

```
step_start()
```

**Value**

A step-start function call as a string for use as a CSS property.

**Description**

The `SVG()` function is the entry point for building an SVG from the ground up. We can provide predefined `height` and `width` attributes that define the canvas size for the SVG. From here, we would want to use functions that add elements to the SVG object (e.g., `svg_rect()`, `svg_circle()`, etc.) and thus progressively build the graphic.

**Usage**

```
SVG(
  width = NULL,
  height = NULL,
  viewBox = NULL,
  title = NULL,
  desc = NULL,
  incl_xmlns = FALSE,
  oneline = FALSE,
  anim_iterations = "infinite"
)
```

**Arguments**

<code>width, height</code>	The <code>width</code> and <code>height</code> attributes on the top-level <code>&lt;svg&gt;</code> element. Both of these attributes are optional but, if provided, take in a variety of dimensions and keywords. If numerical values are solely used, they are assumed to be 'px' length values. Dimensions can be percentage values (i.e., "75%") or length values with the following units: "em", "ex", "px", "in", "cm", "mm", "pt", and "pc". Using <code>NULL</code> , the default, excludes the attribute.
<code>viewbox</code>	An optional set of dimensions that defines the SVG <code>viewBox</code> attribute. The <code>viewBox</code> for an SVG element is the position and dimension, in user space, of an SVG viewport. If supplied, this could either be in the form of a four-element, numeric vector corresponding to the "min-x", "min-y", "width", and "height" of the rectangle, or, as <code>TRUE</code> which uses the vector <code>c(0, 0, width, height)</code> . Using <code>NULL</code> , the default, excludes this attribute.
<code>title</code>	The <code>&lt;title&gt;</code> tag for the finalized SVG.
<code>desc</code>	The <code>&lt;desc&gt;</code> tag for the finalized SVG.
<code>incl_xmlns</code>	Should the <code>xmlns</code> attribute be included in the <code>&lt;svg&gt;</code> tag? This attribute is only required on the outermost <code>svg</code> element of SVG documents, and, it's unnecessary for inner <code>svg</code> elements or inside of HTML documents. By default, this is set to <code>FALSE</code> .
<code>oneline</code>	An option to compress the resulting SVG tags such that they are reduced to one line.

**anim\_iterations**

How many should an SVG animation (if defined by use of the `anims()` function) be played? By default this is "infinite" (i.e., looped indefinitely) but we can specify the animation iteration count as a positive number.

**Value**

An svg object.

**Examples**

```
if (interactive()) {  
  
  # Create an SVG with nothing drawn  
  # within it  
  svg <- SVG(width = 200, height = 100)  
  
  # Add a rectangle and then a circle  
  svg <-  
    svg %>%  
    svg_rect(x = 20, y = 20, width = 40, height = 40) %>%  
    svg_circle(x = 100, y = 40, diameter = 40)  
}
```

---

**SVG\_***Create a compact svg object*

---

**Description**

The `SVG_()` function is a variation on `SVG()` (the entry point for building an SVG) in that the output tags will be as compact as possible (fewer linebreaks, less space characters). This is a reasonable option if the eventual use for the generated SVG is as inline SVG within HTML documents.

**Usage**

```
SVG_(width = NULL, height = NULL, viewBox = TRUE)
```

**Arguments**

**width** The width and height attributes on the top-level `<svg>` element. Both of these attributes are optional but, if provided, take in a variety of dimensions and keywords. If numerical values are solely used, they are assumed to be 'px' length values. Dimensions can be percentage values (i.e., "75%") or length values with the following units: "em", "ex", "px", "in", "cm", "mm", "pt", and "pc". Using `NULL`, the default, excludes the attribute.

height	The width and height attributes on the top-level <svg> element. Both of these attributes are optional but, if provided, take in a variety of dimensions and keywords. If numerical values are solely used, they are assumed to be 'px' length values. Dimensions can be percentage values (i.e., "75%") or length values with the following units: "em", "ex", "px", "in", "cm", "mm", "pt", and "pc". Using NULL, the default, excludes the attribute.
viewbox	An optional set of dimensions that defines the SVG viewBox attribute. The viewBox for an SVG element is the position and dimension, in user space, of an SVG viewport. If supplied, this could either be in the form of a four-element, numeric vector corresponding to the "min-x", "min-y", "width", and "height" of the rectangle, or, as TRUE which uses the vector c(0, 0, width, height). Using NULL, the default, excludes this attribute.

**Value**

An svg object.

**Examples**

```
if (interactive()) {

# Create a simple SVG with a rectangle and a circle
svg <-
  SVG(width = 100, height = 50) %>%
  svg_rect(x = 0, y = 0, width = 30, height = 20) %>%
  svg_circle(x = 50, y = 10, diameter = 20)
}
```

---

 svg\_attrs\_pres

*Define SVG presentation attributes for an element*


---

**Description**

The `svg_attrs_pres()` helper function can be used to more easily generate a valid presentation attribute list for the `attrs` argument that is present in every SVG element function (e.g., `svg_rect()`, `svg_text()`, etc.). All of the presentation attributes formally included here as options can be animated.

**Usage**

```
svg_attrs_pres(
  stroke = NULL,
  stroke_width = NULL,
  stroke_opacity = NULL,
  fill = NULL,
  fill_opacity = NULL,
  font_family = NULL,
```

```
font_size = NULL,  
font_weight = NULL,  
font_style = NULL,  
text_decoration = NULL,  
transform = NULL,  
filter = NULL,  
mask = NULL,  
clip_path = NULL,  
clip_rule = NULL,  
stroke_dasharray = NULL,  
stroke_dashoffset = NULL,  
stroke_linecap = NULL,  
stroke_linejoin = NULL,  
stroke_miterlimit = NULL,  
fill_rule = NULL,  
color = NULL,  
opacity = NULL,  
color_interpolation = NULL,  
color_interpolation_filters = NULL,  
lighting_color = NULL,  
flood_color = NULL,  
flood_opacity = NULL,  
stop_color = NULL,  
stop_opacity = NULL,  
font_variant = NULL,  
font_stretch = NULL,  
font_size_adjust = NULL,  
text_anchor = NULL,  
letter_spacing = NULL,  
word_spacing = NULL,  
dominant_baseline = NULL,  
alignment_baseline = NULL,  
baseline_shift = NULL,  
direction = NULL,  
writing_mode = NULL,  
overflow = NULL,  
marker_start = NULL,  
marker_mid = NULL,  
marker_end = NULL,  
pointer_events = NULL,  
cursor = NULL,  
vector_effect = NULL,  
shape_rendering = NULL,  
color_rendering = NULL,  
text_rendering = NULL,  
image_rendering = NULL,  
display = NULL,  
visibility = NULL
```

)

**Arguments**

stroke	The color used to paint the outline of the shape.
stroke_width	The width of the stroke to be applied to the shape. Can be expressed in px or percentage units.
stroke_opacity	The opacity of the stroke of a shape. We can use a real number from 0 to 1 or a value in percentage units.
fill	The color used to fill the inside of the element.
fill_opacity	The opacity of the color or the content the current object is filled with. We can use a real number from 0 to 1 or a value in percentage units.
font_family	Which font family will be used to render the text of the element?
font_size	The size of the font.
font_weight	The weight or boldness of the font. Possible values are "normal", "bold", "lighter", "bolder", and the values 100, 200, and so on, up to 900.
font_style	Whether a font should be styled with a "normal", "italic", or "oblique" face from its font_family.
text_decoration	Add decorative lines on text. Options are "underline", "overline", "line-through", and "blink".
transform	A list of transform definitions that are applied to an element and the element's children.
filter	The filter effects defined by a <filter> element that shall be applied to its element. Requires a reference to a <filter> id attribute.
mask	The mask defined by a <mask> element that shall be applied to its element. Requires a reference to a <mask> id attribute.
clip_path	The clipping path defined by a <clipPath> element that shall be applied to its element. Requires a reference to a <clipPath> id attribute.
clip_rule	A rule for determining what side of a path is inside of a shape in order to know how clip_path should clip its target. Options are "nonzero", "evenodd", and "inherit".
stroke_dasharray	The pattern of dashes and gaps used to paint the outline of the shape.
stroke_dashoffset	Defines an offset on the rendering of the associated dash array.
stroke_linecap	The shape to be used at the end of open subpaths when they are stroked. We can use the options "butt", "round", or "square".
stroke_linejoin	The shape to be used at the corners of paths when they are stroked ("arcs", "bevel", "miter", "miter-clip", and "round").
stroke_miterlimit	The limit on the ratio of the miter length to the stroke_width Used to draw a miter join. A numeric value should be used to define the limit.

fill_rule	A rule for determining what side of a path is inside of a shape. Options are "nonzero", "evenodd", and "inherit".
color	Potentially provides an indirect value (as the currentColor) for fill, stroke, stop_color, flood_color and lighting_color options.
opacity	Specifies the transparency of an object or a group of objects. We can use a real number from 0 to 1 or a value in percentage units.
color_interpolation	The color space for gradient interpolations, color animations, and alpha compositing. Allowed values are: "auto", "sRGB", "linearRGB", and "inherit".
color_interpolation_filters	The color space for imaging operations performed via filter effects. Allowed values are: "auto", "sRGB", "linearRGB", and "inherit".
lighting_color	The color of the light source for filter primitives elements <feSpecularLighting> and <feDiffuseLighting>.
flood_color, flood_opacity	The color and opacity level to use to flood the current filter primitive subregion defined through the <feFlood> or <feDropShadow> element.
stop_color, stop_opacity	Sets the color and opacity at a gradient stop.
font_variant	Determines whether a font should be used with some of their variation such as small caps or ligatures.
font_stretch	Allows for a selection of a normal, condensed, or expanded face from a font.
font_size_adjust	Specifies that the font size should be chosen based on the height of lowercase letters rather than the height of capital letters.
text_anchor	The vertical alignment a string of text. We can use the values "start", "middle", "end", or "inherit".
letter_spacing, word_spacing	The spacing between text characters and between words.
dominant_baseline	The baseline used to align the box's text and inline-level contents. The options for this are: "auto", "text-bottom", "alphabetic", "ideographic", "middle", "central", "mathematical", "hanging", and "text-top".
alignment_baseline	Determines how an object is to be aligned along the font baseline with respect to its parent. Allowed values are: "auto", "baseline", "before-edge", "text-before-edge", "middle", "central", "after-edge", "text-after-edge", "ideographic", "alphabetic", "hanging", "mathematical", and "inherit".
baseline_shift	An option for repositioning of the dominant-baseline relative to the dominant-baseline of the parent text content element. Valid options are: "auto", "baseline", "super", "sub", "inherit", a length value, or a percentage value.
direction	The base writing direction of text. Can be either "ltr", "rtl", or "inherit".
writing_mode	The initial inline-progression-direction for a <text> element (can be left-to-right, right-to-left, or top-to-bottom). Valid values are "lr-tb", "rl-tb", "tb-rl", "lr", "rl", "tb", or "inherit".

overflow	The overflow behavior for the content of a block-level element when it overflows the element's box. Options are: "visible", "hidden", "scroll", "auto", and "inherit".
marker_start, marker_mid, marker_end	The arrowhead or polymarker that will be drawn at the first node, the final node, or, the in-between nodes. This applies to a <path> element or a basic shape. These attributes can be applied to any element but only have an effect on the following seven elements: <rect>, <circle>, <ellipse>, <line>, <path>, <polygon>, and <polyline>. Requires a reference to a <marker> id attribute (defined within the SVG's <defs> area).
pointer_events	Defines whether or when an element may be the target of a mouse event. Options are: "bounding-box", "visiblePainted", "visibleFil", "visibleStroke", "visible "painted", "fill", "stroke", "all", and "none".
cursor	The mouse cursor displayed when the mouse pointer is over an element.
vector_effect	The vector effect to use when drawing an object. Options are: "default", "non-scaling", "stroke", and "inherit".
shape_rendering, color_rendering, text_rendering, image_rendering	A quality setting parameter for shapes, color interpolation and compositing, text, and image processing. All of the rendering attributes can use the "auto" and "optimizeSpeed" directives. For shape rendering, we can elect for "crispEdges", "geometricPrecision", or just "inherit". When rendering color, additional choices are "optimizeQuality" and "inherit". Text rendering allows us the additional "optimizeLegibility", "geometricPrecision", and "inherit" options. With image rendering, we can furthermore choose to "optimizeSpeed".
display	Allows for control of the rendering of graphical or container elements. A value of "none" indicates that the given element and its children will not be rendered. Any value other than "none" or "inherit" indicates that the given element will be rendered by the browser.
visibility	The visibility attribute lets us control the visibility of graphical elements. With a value of "hidden" or "collapse", the element is invisible.

**Value**

A named list of presentational SVG properties. This object can be used as a value for the `attrs` argument, which is present in every SVG element function (e.g., `svg_rect()`).

---

 svg\_circle

*Addition of a circle element*


---

**Description**

The `svg_circle()` function adds a circle to an `svg` object. The position of the circle is given by `x` and `y`, and this refers to the center point of the point of the circle. The diameter of the circle is given in units of `px`.

## Usage

```
svg_circle(  
    svg,  
    x,  
    y,  
    diameter,  
    stroke = NULL,  
    stroke_width = NULL,  
    fill = NULL,  
    opacity = NULL,  
    attrs = list(),  
    anims = list(),  
    filters = list(),  
    id = NULL  
)
```

## Arguments

svg	The svg object that is created using the <a href="#">SVG()</a> function.
x, y	The x and y positions of the center of the circle to be drawn. The x and y values are relative to upper left of the SVG drawing area.
diameter	The diameter of the circle shape in units of px.
stroke	The color of the stroke applied to the element (i.e., the outline).
stroke_width	The width of the stroke in units of pixels.
fill	The fill color of the element.
opacity	The opacity of the element. Must be a value in the range of 0 to 1.
attrs	A presentation attribute list. The helper function <a href="#">svg_attrs_pres()</a> can help us easily generate this named list object. For the most part, the list's names are the presentation attribute names and the corresponding values are the matching attribute values.
anims	An animation directive list for the element. This should be structured using the <a href="#">anims()</a> function.
filters	A filter directive list for the element. This is easily created by using a list of <a href="#">filter_*()</a> functions (e.g., <code>list(filter_gaussian_blur(2), filter_drop_shadow(2, 2))</code> ).
id	An optional ID value to give to the built tag. This is useful for modifying this element in a later function call or for interacting with CSS.

## Value

An svg object.

## Examples

```
if (interactive()) {  
  
  # Create an SVG with a single  
  # circle element  
  svg <-  
    SVG(width = 80, height = 80) %>%  
      svg_circle(  
        x = 30, y = 30,  
        diameter = 40,  
        stroke = "magenta",  
        fill = "olive"  
      )  
}
```

---

svg\_ellipse

*Addition of an ellipse element*

---

## Description

The `svg_ellipse()` function adds an ellipse to an `svg` object. The position of the ellipse is given by `x` and `y`, and they refer to the center point of the point of the ellipse. The width and the height, both in units of px, provide the horizontal and vertical extents of the ellipse.

## Usage

```
svg_ellipse(  
  svg,  
  x,  
  y,  
  width,  
  height,  
  stroke = NULL,  
  stroke_width = NULL,  
  fill = NULL,  
  opacity = NULL,  
  attrs = list(),  
  anims = list(),  
  filters = list(),  
  id = NULL  
)
```

## Arguments

<code>svg</code>	The <code>svg</code> object that is created using the <code>SVG()</code> function.
<code>x, y</code>	The <code>x</code> and <code>y</code> positions of the center of the ellipse to be drawn. The <code>x</code> and <code>y</code> values are relative to upper left of the SVG drawing area.

width, height	The width and height of the ellipse that is to be drawn. The width is the overall width of the ellipse in the 'x' direction, centered on point x. The height is the distance in the 'y' direction, centered on point y.
stroke	The color of the stroke applied to the element (i.e., the outline).
stroke_width	The width of the stroke in units of pixels.
fill	The fill color of the element.
opacity	The opacity of the element. Must be a value in the range of 0 to 1.
attrs	A presentation attribute list. The helper function <code>svg_attrs_pres()</code> can help us easily generate this named list object. For the most part, the list's names are the presentation attribute names and the corresponding values are the matching attribute values.
anims	An animation directive list for the element. This should be structured using the <code>anims()</code> function.
filters	A filter directive list for the element. This is easily created by using a list of <code>filter_*</code> ( <code>)</code> functions (e.g., <code>list(filter_gaussian_blur(2), filter_drop_shadow(2, 2))</code> ).
id	An optional ID value to give to the built tag. This is useful for modifying this element in a later function call or for interacting with CSS.

### Value

An svg object.

### Examples

```
if (interactive()) {

# Create an SVG with a single
# ellipse element
svg <-
  SVG(width = 60, height = 60) %>%
    svg_ellipse(
      x = 30, y = 30,
      width = 50, height = 30,
      fill = "purple"
    )
}
```

---

svg\_filter

*Build an SVG <filter>*

---

### Description

The `svg_filter()` lets us create a named `<filter>` element that we can apply to any SVG elements (such as shapes). We can bundle one or more filter elements by supplying a list of `filter_*`(`)` calls to the `filters` argument.

**Usage**

```
svg_filter(svg, id, width = NULL, height = NULL, filters = list())
```

**Arguments**

svg	The svg object that is created using the <a href="#">SVG()</a> function.
id	The ID value to assign to the filter. This must be provided and it should be unique among all <filter> elements.
width, height	The lengths of width and height define the extent of the filter.
filters	A list of <code>filter_*()</code> function calls. Examples include <a href="#">filter_image()</a> and <a href="#">filter_gaussian_blur()</a> .

**Value**

An svg object.

**Examples**

```
if (interactive()) {

# Set up an `svg_filter()` (called
# `"blur"`) that has the blur effect
# (using the `filter_gaussian_blur()`
# function); have the ellipse element
# use the filter by referencing it
# by name via the `"filter"` attribute
SVG(width = 200, height = 100) %>%
  svg_filter(
    id = "blur",
    filters = list(
      filter_gaussian_blur(stdev = 2)
    )
  ) %>%
  svg_ellipse(
    x = 40, y = 40,
    width = 50, height = 30,
    attrs = svg_attrs_pres(
      fill = "green",
      filter = "blur"
    )
  )
}
```

---

 svg\_group

*Addition of a group element*


---

### Description

The `svg_group()` function allows for grouping of several SVG elements. This is useful if we'd like to pass presentation attributes to several elements at once.

### Usage

```
svg_group(
  svg,
  ...,
  .list = list2(...),
  attrs = list(),
  anims = list(),
  filters = list(),
  id = NULL
)
```

### Arguments

<code>svg</code>	The <code>svg</code> object that is created using the <code>SVG()</code> function.
<code>...</code>	a collection of named arguments that consist of presentation attributes (e.g., <code>stroke = "blue"</code> ) and formulas that represent elements (e.g., <code>~ svg_rect(. , x = 60, y = 60, width = 50, height = 50)</code> ).
<code>.list</code>	Allows for the use of a list as an input alternative to <code>...</code>
<code>attrs</code>	A presentation attribute list. The helper function <code>svg_attrs_pres()</code> can help us easily generate this named list object. For the most part, the list's names are the presentation attribute names and the corresponding values are the matching attribute values.
<code>anims</code>	An animation directive list for the element. This should be structured using the <code>anims()</code> function.
<code>filters</code>	A filter directive list for the element. This is easily created by using a list of <code>filter_*()</code> functions (e.g., <code>list(filter_gaussian_blur(2), filter_drop_shadow(2, 2))</code> ).
<code>id</code>	An optional ID value to give to the built tag. This is useful for modifying this element in a later function call or for interacting with CSS.

### Value

An `svg` object.

**Examples**

```

if (interactive()) {

# Create an SVG with two rectangles
# contained within a group
SVG(width = 300, height = 300) %>%
  svg_group(
    fill = "steelblue", stroke = "red", opacity = 0.5,
    ~ svg_rect(., x = 20, y = 20, width = 50, height = 50),
    ~ svg_rect(., x = 40, y = 40, width = 50, height = 50, fill = "red")
  )

# Create an SVG with two rectangles
# that are nested within two
# different groups
SVG(width = 300, height = 300) %>%
  svg_group(
    fill = "green", stroke = "red",
    ~ svg_rect(., x = 30, y = 30, width = 40, height = 50),
    ~ svg_group(.,
      fill = "steelblue", opacity = 0.5,
      ~ svg_rect(., x = 60, y = 60, width = 50, height = 50)
    )
  )
}

```

---

 svg\_image

*Addition of an image element*


---

**Description**

The `svg_image()` function adds an image to an `svg` object. The starting position is defined by `x` and `y` values. The image width and height are also required. All of these attributes are expressed in units of `px`.

**Usage**

```

svg_image(
  svg,
  x,
  y,
  image,
  width = NULL,
  height = NULL,
  preserve_aspect_ratio = NULL,
  opacity = NULL,
  attrs = list(),

```

```

  anims = list(),
  filters = list(),
  id = NULL
)

```

### Arguments

svg	The svg object that is created using the <code>SVG()</code> function.
x, y	The x and y positions of the upper left of the image to be included. The x and y values are relative to upper left of the SVG drawing area itself.
image	The URL for the image file.
width, height	The width and height of the rectangle in which the image will be placed. If both are not provided, the image's original dimensions will be used. If one of these is provided, then the image will be scaled to the provided value with the aspect ratio intact. Providing both will result in the image placed in center of the rectangle with the aspect ratio preserved.
preserve_aspect_ratio	Controls how the aspect ratio of the image is preserved. Use "none" if the image's original aspect ratio should not be respected; this will fill the rectangle defined by width and height with the image (and this is only if both values are provided).
opacity	The opacity of the element. Must be a value in the range of 0 to 1.
attrs	A presentation attribute list. The helper function <code>svg_attrs_pres()</code> can help us easily generate this named list object. For the most part, the list's names are the presentation attribute names and the corresponding values are the matching attribute values.
anims	An animation directive list for the element. This should be structured using the <code>anims()</code> function.
filters	A filter directive list for the element. This is easily created by using a list of <code>filter_*()</code> functions (e.g., <code>list(filter_gaussian_blur(2), filter_drop_shadow(2, 2))</code> ).
id	An optional ID value to give to the built tag. This is useful for modifying this element in a later function call or for interacting with CSS.

### Value

An svg object.

### Examples

```

if (interactive()) {

# Create an SVG with an SVG image
# (the R logo) contained within it
svg <-
  SVG(width = 300, height = 300) %>%
  svg_image(

```

```

    x = 20, y = 20,
    width = 100,
    height = 100,
    image = "https://www.r-project.org/logo/Rlogo.svg"
  )
}

```

---

 SVG\_import

---

*Import an SVG file and create an svg object*


---

### Description

Import an SVG file and create an svg object

### Usage

```

SVG_import(
  data = NULL,
  width = NULL,
  height = NULL,
  viewBox = NULL,
  title = NULL,
  desc = NULL,
  incl_xmlns = FALSE,
  oneline = FALSE,
  anim_iterations = "infinite"
)

```

### Arguments

data	Either a file path to an SVG file or the SVG code itself as a character vector of length 1.
width	The width and height attributes on the top-level <svg> element. Both of these attributes are optional but, if provided, take in a variety of dimensions and keywords. If numerical values are solely used, they are assumed to be 'px' length values. Dimensions can be percentage values (i.e., "75%") or length values with the following units: "em", "ex", "px", "in", "cm", "mm", "pt", and "pc". Using NULL, the default, excludes the attribute.
height	The width and height attributes on the top-level <svg> element. Both of these attributes are optional but, if provided, take in a variety of dimensions and keywords. If numerical values are solely used, they are assumed to be 'px' length values. Dimensions can be percentage values (i.e., "75%") or length values with the following units: "em", "ex", "px", "in", "cm", "mm", "pt", and "pc". Using NULL, the default, excludes the attribute.

viewbox	An optional set of dimensions that defines the SVG viewBox attribute. The viewBox for an SVG element is the position and dimension, in user space, of an SVG viewport. If supplied, this could either be in the form of a four-element, numeric vector corresponding to the "min-x", "min-y", "width", and "height" of the rectangle, or, as TRUE which uses the vector c(0, 0, width, height). Using NULL, the default, excludes this attribute.
title	The <title> tag for the finalized SVG.
desc	The <desc> tag for the finalized SVG.
incl_xmlns	Should the xmlns attribute be included in the <svg> tag? This attribute is only required on the outermost svg element of SVG documents, and, it's unnecessary for inner svg elements or inside of HTML documents. By default, this is set to FALSE.
oneline	An option to compress the resulting SVG tags such that they are reduced to one line.
anim_iterations	How many should an SVG animation (if defined by use of the <code>anim()</code> function) be played? By default this is "infinite" (i.e., looped indefinitely) but we can specify the animation iteration count as a positive number.

**Value**

An svg object.

---

SVG\_la

*Create an svg object with a Line Awesome glyph*

---

**Description**

Create an svg object with a Line Awesome glyph

**Usage**

```
SVG_la(
  name = "500px",
  height = "0.75em",
  width = NULL,
  viewBox = NULL,
  title = NULL,
  desc = NULL,
  incl_xmlns = FALSE,
  anim_iterations = "infinite"
)
```

**Arguments**

name	The name of the Line Awesome glyph.
height	The width and height attributes on the top-level <svg> element. Both of these attributes are optional but, if provided, take in a variety of dimensions and keywords. If numerical values are solely used, they are assumed to be 'px' length values. Dimensions can be percentage values (i.e., "75%") or length values with the following units: "em", "ex", "px", "in", "cm", "mm", "pt", and "pc". Using NULL, the default, excludes the attribute.
width	The width and height attributes on the top-level <svg> element. Both of these attributes are optional but, if provided, take in a variety of dimensions and keywords. If numerical values are solely used, they are assumed to be 'px' length values. Dimensions can be percentage values (i.e., "75%") or length values with the following units: "em", "ex", "px", "in", "cm", "mm", "pt", and "pc". Using NULL, the default, excludes the attribute.
viewbox	An optional set of dimensions that defines the SVG viewBox attribute. The viewBox for an SVG element is the position and dimension, in user space, of an SVG viewport. If supplied, this could either be in the form of a four-element, numeric vector corresponding to the "min-x", "min-y", "width", and "height" of the rectangle, or, as TRUE which uses the vector c(0, 0, width, height). Using NULL, the default, excludes this attribute.
title	The <title> tag for the finalized SVG.
desc	The <desc> tag for the finalized SVG.
incl_xmlns	Should the xmlns attribute be included in the <svg> tag? This attribute is only required on the outermost svg element of SVG documents, and, it's unnecessary for inner svg elements or inside of HTML documents. By default, this is set to FALSE.
anim_iterations	How many should an SVG animation (if defined by use of the <a href="#">anims()</a> function) be played? By default this is "infinite" (i.e., looped indefinitely) but we can specify the animation iteration count as a positive number.

**Value**

An svg object.

---

 svg\_line
 

---



---

*Addition of an line element*


---

**Description**

The `svg_line()` function adds a line to an `svg` object. The line is drawn using a start point (`x1` and `y1`) and an end point (`x2` and `y2`) points. These positions are in units of `px`.

**Usage**

```
svg_line(
  svg,
  x1,
  y1,
  x2,
  y2,
  stroke = NULL,
  stroke_width = NULL,
  opacity = NULL,
  attrs = list(),
  anims = list(),
  filters = list(),
  id = NULL
)
```

**Arguments**

svg	The svg object that is created using the <a href="#">SVG()</a> function.
x1, y1	The x and y positions of the line's start point.
x2, y2	The x and y positions of the line's end point.
stroke	The color of the stroke applied to the element (i.e., the outline).
stroke_width	The width of the stroke in units of pixels.
opacity	The opacity of the element. Must be a value in the range of 0 to 1.
attrs	A presentation attribute list. The helper function <a href="#">svg_attrs_pres()</a> can help us easily generate this named list object. For the most part, the list's names are the presentation attribute names and the corresponding values are the matching attribute values.
anims	An animation directive list for the element. This should be structured using the <a href="#">anims()</a> function.
filters	A filter directive list for the element. This is easily created by using a list of <a href="#">filter_*()</a> functions (e.g., <code>list(filter_gaussian_blur(2), filter_drop_shadow(2, 2))</code> ).
id	An optional ID value to give to the built tag. This is useful for modifying this element in a later function call or for interacting with CSS.

**Value**

An svg object.

**Examples**

```
if (interactive()) {
  # Create an SVG with a single
  # line element
```

```
svg <-  
  SVG(width = 100, height = 50) %>%  
    svg_line(  
      x1 = 5, y1 = 5,  
      x2 = 95, y2 = 45,  
      stroke = "blue"  
    )  
}
```

---

svg\_path

*Addition of an path element*

---

## Description

The `svg_path()` function adds a path to an `svg` object. A path can potentially be quite complex (with an interplay of line and curve commands), so, a hand-encoded path string is not often done by hand. For this reason, the `path` argument accepts only a formatted string that complies with the input requirements for the `d` attribute of the SVG `<path>` tag. All point positions are in units of px.

## Usage

```
svg_path(  
  svg,  
  path,  
  stroke = NULL,  
  stroke_width = NULL,  
  fill = NULL,  
  opacity = NULL,  
  attrs = list(),  
  anims = list(),  
  filters = list(),  
  id = NULL  
)
```

## Arguments

<code>svg</code>	The <code>svg</code> object that is created using the <code>SVG()</code> function.
<code>path</code>	A single-length character vector that holds the formatted path string.
<code>stroke</code>	The color of the stroke applied to the element (i.e., the outline).
<code>stroke_width</code>	The width of the stroke in units of pixels.
<code>fill</code>	The fill color of the element.
<code>opacity</code>	The opacity of the element. Must be a value in the range of 0 to 1.
<code>attrs</code>	A presentation attribute list. The helper function <code>svg_attrs_pres()</code> can help us easily generate this named list object. For the most part, the list's names are the presentation attribute names and the corresponding values are the matching attribute values.

anims	An animation directive list for the element. This should be structured using the <code>anims()</code> function.
filters	A filter directive list for the element. This is easily created by using a list of <code>filter_*()</code> functions (e.g., <code>list(filter_gaussian_blur(2), filter_drop_shadow(2, 2))</code> ).
id	An optional ID value to give to the built tag. This is useful for modifying this element in a later function call or for interacting with CSS.

### Value

An svg object.

### Examples

```
if (interactive()) {
  # Create an SVG with a single
  # path element
  svg <-
    SVG(width = 300, height = 300) %>%
      svg_path(
        path = "M 50 160 q 100 -300 200 0",
        stroke = "magenta",
        stroke_width = 5,
        fill = "lightblue"
      )
}
```

---

svg\_polygon

*Addition of an polygon element*

---

### Description

The `svg_polygon()` function adds a polygon to an svg object. In the context of an SVG shape a polygon is similar to a polyline (defined by a series of points) except that the path will be automatically closed (i.e., last point connects to the first point). Like a polyline, a polygon is drawn by connecting a series of points with straight lines. The points can be provided as a vector that's exactly divisible by two, or, as a formatted string that adheres to the specification of the points attribute of the SVG `<polygon>` tag. All point positions are in units of px.

### Usage

```
svg_polygon(
  svg,
  points,
  stroke = NULL,
  stroke_width = NULL,
```

```

    fill = NULL,
    opacity = NULL,
    attrs = list(),
    anims = list(),
    filters = list(),
    id = NULL
  )

```

## Arguments

svg	The svg object that is created using the <a href="#">SVG()</a> function.
points	A numeric vector of points (with alternating values for x and y positions) that define the polygon. This can also be a single-length character vector that holds the formatted points string (space-separated x and y values, and comma-separated points).
stroke	The color of the stroke applied to the element (i.e., the outline).
stroke_width	The width of the stroke in units of pixels.
fill	The fill color of the element.
opacity	The opacity of the element. Must be a value in the range of 0 to 1.
attrs	A presentation attribute list. The helper function <a href="#">svg_attrs_pres()</a> can help us easily generate this named list object. For the most part, the list's names are the presentation attribute names and the corresponding values are the matching attribute values.
anims	An animation directive list for the element. This should be structured using the <a href="#">anims()</a> function.
filters	A filter directive list for the element. This is easily created by using a list of <a href="#">filter_*()</a> functions (e.g., <code>list(filter_gaussian_blur(2), filter_drop_shadow(2, 2))</code> ).
id	An optional ID value to give to the built tag. This is useful for modifying this element in a later function call or for interacting with CSS.

## Value

An svg object.

## Examples

```

if (interactive()) {

# Create an SVG with a single
# polygon element
svg <-
  SVG(width = 300, height = 300) %>%
  svg_polygon(
    points = "100,10 40,198 190,78 10,78 160,198",
    stroke = "orange",
    stroke_width = 4,

```

```
        fill = "yellow"  
    )  
}
```

---

svg\_polyline

*Addition of an polyline element*

---

## Description

The `svg_polyline()` function adds a polyline to an `svg` object. The polyline is drawn by connecting a series of points with straight lines. The points can be provided as a vector that's exactly divisible by two, or, as a formatted string that adheres to the specification of the `points` attribute of the SVG `<polyline>` tag. All point positions are in units of `px`.

## Usage

```
svg_polyline(  
  svg,  
  points,  
  stroke = NULL,  
  stroke_width = NULL,  
  fill = NULL,  
  opacity = NULL,  
  attrs = list(),  
  anims = list(),  
  filters = list(),  
  id = NULL  
)
```

## Arguments

<code>svg</code>	The <code>svg</code> object that is created using the <code>SVG()</code> function.
<code>points</code>	A numeric vector of points (with alternating values for <code>x</code> and <code>y</code> positions) that define the polyline. This can also be a single-length character vector that holds the formatted points string (space-separated <code>x</code> and <code>y</code> values, and comma-separated points).
<code>stroke</code>	The color of the stroke applied to the element (i.e., the outline).
<code>stroke_width</code>	The width of the stroke in units of pixels.
<code>fill</code>	The fill color of the element.
<code>opacity</code>	The opacity of the element. Must be a value in the range of 0 to 1.
<code>attrs</code>	A presentation attribute list. The helper function <code>svg_attrs_pres()</code> can help us easily generate this named list object. For the most part, the list's names are the presentation attribute names and the corresponding values are the matching attribute values.

anims	An animation directive list for the element. This should be structured using the <code>anims()</code> function.
filters	A filter directive list for the element. This is easily created by using a list of <code>filter_*</code> () functions (e.g., <code>list(filter_gaussian_blur(2), filter_drop_shadow(2, 2))</code> ).
id	An optional ID value to give to the built tag. This is useful for modifying this element in a later function call or for interacting with CSS.

### Value

An svg object.

### Examples

```
if (interactive()) {

# Create an SVG with a single
# polyline element; here `points`
# is a numeric vector where pairs
# of values are the `x` and `y`
# point position
svg_1 <-
  SVG(width = 300, height = 300) %>%
  svg_polyline(
    points = c(
      10, 10, 15, 20, 20, 15, 25, 30, 30, 25,
      35, 40, 40, 35, 45, 50, 50, 45
    ),
    stroke = "blue"
  )

# Create the same SVG with a single
# polyline element; this time `points`
# is a formatted points string
svg_2 <-
  SVG(width = 300, height = 300) %>%
  svg_polyline(
    points =
      "10,10 15,20 20,15 25,30 30,25 35,40 40,35 45,50 50,45",
    stroke = "blue"
  )
}
```

## Description

The `svg_rect()` function adds a rectangle to an `svg` object. The position of the rectangle is given by `x` and `y`, and this refers to the upper left point of the rectangle. The width and the height are the dimensions of the rectangle. All of these dimensions are in units of `px`. The optional `rx` and `ry` parameter are corner radius values (again, in `px` units) that define `x` and `y` radius of the corners of the rectangle.

## Usage

```
svg_rect(
  svg,
  x,
  y,
  width,
  height,
  rx = NULL,
  ry = NULL,
  stroke = NULL,
  stroke_width = NULL,
  fill = NULL,
  opacity = NULL,
  attrs = list(),
  anims = list(),
  filters = list(),
  id = NULL
)
```

## Arguments

<code>svg</code>	The <code>svg</code> object that is created using the <code>SVG()</code> function.
<code>x, y</code>	The <code>x</code> and <code>y</code> positions of the upper left point of the rectangle to be drawn. The <code>x</code> and <code>y</code> values are relative to upper left of the SVG drawing area.
<code>width, height</code>	The width and height of the element that is to be drawn. The width is the distance in the 'x' direction from point <code>x</code> (proceeding right) and the height is the distance in the 'y' direction from point <code>y</code> (proceeding downward).
<code>rx, ry</code>	Optional corner radius values in the 'x' and 'y' directions. Applies to all corners of the rectangle. If only one value is provided (say, just for <code>rx</code> ) then the unset value will take that set value as well.
<code>stroke</code>	The color of the stroke applied to the element (i.e., the outline).
<code>stroke_width</code>	The width of the stroke in units of pixels.
<code>fill</code>	The fill color of the element.
<code>opacity</code>	The opacity of the element. Must be a value in the range of 0 to 1.
<code>attrs</code>	A presentation attribute list. The helper function <code>svg_attrs_pres()</code> can help us easily generate this named list object. For the most part, the list's names are the presentation attribute names and the corresponding values are the matching attribute values.

anims	An animation directive list for the element. This should be structured using the <code>anims()</code> function.
filters	A filter directive list for the element. This is easily created by using a list of <code>filter_*</code> ( <code>)</code> functions (e.g., <code>list(filter_gaussian_blur(2), filter_drop_shadow(2, 2))</code> ).
id	An optional ID value to give to the built tag. This is useful for modifying this element in a later function call or for interacting with CSS.

### Value

An svg object.

### Examples

```
if (interactive()) {

# Create an SVG with a single
# rectangle element
svg_1 <-
  SVG(width = 100, height = 100) %>%
  svg_rect(
    x = 20, y = 10,
    width = 40, height = 15,
    stroke = "blue", fill = "yellow"
  )

# Create an SVG with a single
# rectangle element that moves
# to new `x` positions
svg_2 <-
  SVG(width = 300, height = 300) %>%
  svg_rect(
    x = 50, y = 50,
    width = 50, height = 50,
    stroke = "magenta", fill = "lightblue",
    anims = anims(
      0.5 ~ list(
        anim_position(
          x = 50, y = 50,
          easing_fn = ease_out()
        ),
        anim_rotation(rotation = 0)
      ),
      2.0 ~ list(
        anim_position(
          x = 200, y = 50,
          easing_fn = ease_in_out()
        ),
        anim_rotation(rotation = 90)
      )
    )
  )
}
```

```
}

```

---

 SVG\_t

*Create a text-height svg object*


---

### Description

The `SVG_t()` function is a variation on `SVG()` (the entry point for building an SVG) in that the output tags will be both as compact as possible (fewer linebreaks, less space characters) and the height is relative to line height of text (at `"0.75em"`). This is a good option if the eventual use for the generated SVG is to be integrated with text in HTML `<p>` elements. For scaling to function properly, the provision of the `viewbox` is required here.

### Usage

```
SVG_t(height = "0.75em", viewBox)
```

### Arguments

<code>height</code>	The <code>height</code> attribute on the top-level <code>&lt;svg&gt;</code> element. The default of <code>"0.75em"</code> is recommended here so that SVGs are scaled nicely to any adjacent text.
<code>viewbox</code>	An optional set of dimensions that defines the SVG <code>viewBox</code> attribute. The <code>viewBox</code> for an SVG element is the position and dimension, in user space, of an SVG viewport. If supplied, this could either be in the form of a four-element, numeric vector corresponding to the <code>"min-x"</code> , <code>"min-y"</code> , <code>"width"</code> , and <code>"height"</code> of the rectangle, or, as <code>TRUE</code> which uses the vector <code>c(0, 0, width, height)</code> . Using <code>NULL</code> , the default, excludes this attribute.

### Value

An `svg` object.

### Examples

```
if (interactive()) {

# Create a simple SVG with a rectangle and a circle
svg <-
  SVG_t(viewbox = c(0, 0, 60, 20)) %>%
  svg_rect(x = 0, y = 0, width = 30, height = 20) %>%
  svg_circle(x = 50, y = 10, diameter = 20)
}
```

---

 svg\_text

*Addition of a text element*


---

### Description

The `svg_text()` function adds text to an `svg` object. As with many of the functions that create shape elements (such as `svg_rect()`), the starting position is defined by `x` and `y` values. All point positions are in units of `px`.

### Usage

```
svg_text(
  svg,
  x,
  y,
  text,
  fill = NULL,
  opacity = NULL,
  path = NULL,
  attrs = list(),
  anims = list(),
  filters = list(),
  id = NULL
)
```

### Arguments

<code>svg</code>	The <code>svg</code> object that is created using the <code>SVG()</code> function.
<code>x, y</code>	The <code>x</code> and <code>y</code> positions of the upper left of the text to be drawn. The <code>x</code> and <code>y</code> values are relative to upper left of the SVG drawing area itself.
<code>text</code>	A character vector that contains the text to be rendered.
<code>fill</code>	The color of the text.
<code>opacity</code>	The opacity of the element. Must be a value in the range of 0 to 1.
<code>path</code>	A single-length character vector that holds the formatted path string.
<code>attrs</code>	A presentation attribute list. The helper function <code>svg_attrs_pres()</code> can help us easily generate this named list object. For the most part, the list's names are the presentation attribute names and the corresponding values are the matching attribute values.
<code>anims</code>	An animation directive list for the element. This should be structured using the <code>anims()</code> function.
<code>filters</code>	A filter directive list for the element. This is easily created by using a list of <code>filter_*()</code> functions (e.g., <code>list(filter_gaussian_blur(2), filter_drop_shadow(2, 2))</code> ).
<code>id</code>	An optional ID value to give to the built tag. This is useful for modifying this element in a later function call or for interacting with CSS.

**Value**

An svg object.

# Index

anim\_opacity, 5  
anim\_position, 6  
anim\_position(), 2, 10, 11, 18  
anim\_rotation, 7  
anim\_rotation(), 2  
anim\_scale, 8  
anims, 2  
anims(), 5–8, 20, 26, 28, 30, 32, 34–36, 38, 39, 41, 43, 45

cubic\_bezier, 9

ease\_in, 10  
ease\_in(), 5–8  
ease\_in\_out, 10  
ease\_in\_out(), 5–8  
ease\_out, 11  
ease\_out(), 5–8

filter\_dilate, 11  
filter\_drop\_shadow, 12  
filter\_erode, 13  
filter\_gaussian\_blur, 14  
filter\_gaussian\_blur(), 29  
filter\_image, 15  
filter\_image(), 29  
filter\_offset, 16

info\_lineawesome, 17

linear, 18  
linear(), 5–8

step\_end, 18  
step\_end(), 5–8  
step\_start, 18  
step\_start(), 5–8  
SVG, 19  
SVG(), 20, 26, 27, 29, 30, 32, 36, 37, 39, 40, 42, 44, 45  
SVG\_, 20  
svg\_attrs\_pres, 21  
svg\_attrs\_pres(), 26, 28, 30, 32, 36, 37, 39, 40, 42, 45  
svg\_circle, 25  
svg\_circle(), 19  
svg\_ellipse, 27  
svg\_filter, 28  
svg\_group, 30  
svg\_image, 31  
SVG\_import, 33  
SVG\_la, 34  
SVG\_la(), 17  
svg\_line, 35  
svg\_path, 37  
svg\_polygon, 38  
svg\_polyline, 40  
svg\_rect, 41  
svg\_rect(), 19, 21, 25, 45  
SVG\_t, 44  
svg\_text, 45  
svg\_text(), 21