

Package ‘once’

May 9, 2026

Title Execute Expensive Operations Only Once

Version 0.4.1

Description Allows you to easily execute expensive compute operations only once, and save the resulting object to disk.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.1.1

Imports magrittr (>= 2.0.3)

URL <https://gdmcdonald.github.io/once/>

NeedsCompilation no

Author Gordon McDonald [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-2890-527X>>)

Maintainer Gordon McDonald <gordon.mcdonald@sydney.edu.au>

Repository CRAN

Date/Publication 2022-08-31 19:20:06 UTC

Contents

once	1
Index	3

once	<i>Execute Expensive Operations Only Once</i>
------	---

Description

The `once()` function allows you to easily execute expensive compute operations only once, and save the resulting object to disk.

Usage

```
once(expr, file_path = NULL, rerun = FALSE)
```

Arguments

<code>expr</code>	The expensive expression to evaluate
<code>file_path</code>	File path for saving the output object as an Rds file. Note that if no file name is provided it will not save!
<code>rerun</code>	Rerun the expression anyway and save the result? Defaults to false.

Value

the results of `expr`

Examples

```
save_file <- tempfile(fileext = ".Rds")
# temporary file path - replace with your preferred saved file path
my_out <-
  runif(1e8) %>% # some expensive operation
  mean() %>%
  once(file_path = save_file)
# only do it once, save output to this file.
```

Index

once, [1](#)