

Package ‘piiR’

May 9, 2026

Type Package

Title Predictive Information Index ('PII')

Version 0.3.0

Maintainer Kevin E. Wells <kevin.e.wells@usm.edu>

Description A simple implementation of the Predictive Information Index ('PII').

Encoding UTF-8

License MIT + file LICENSE

Imports stats (>= 3.6.0)

VignetteBuilder knitr

Suggests knitr, rmarkdown

RoxygenNote 7.3.2

NeedsCompilation no

Author Kevin E. Wells [aut, cre]

Repository CRAN

Date/Publication 2025-07-01 23:40:02 UTC

Contents

pii	2
pii_plot	2
Index	4

pii	<i>Predictive Information Index (PII)</i>
-----	---

Description

Computes the Predictive Information Index using one of three methods: "r2" (R-squared ratio), "rm" (RMSE-based), or "v" (variance ratio).

Usage

```
pii(y, score_pred, full_pred = NULL, type = c("r2", "rm", "v"))
```

Arguments

- y Observed outcome vector.
- score_pred Predictions from score-based model.
- full_pred Predictions from the full model.
- type Character. One of "r2", "rm", or "v".

Value

A numeric value between 0 and 1.

Examples

```
set.seed(1)
y <- rnorm(100)
full <- y + rnorm(100, sd = 0.3)
score <- y + rnorm(100, sd = 0.5)
pii(y, score, full, type = "r2")
pii(y, score, full, type = "rm")
pii(y, score, full, type = "v")
```

pii_plot	<i>Plot Score vs Outcome for Visual PII Insight</i>
----------	---

Description

Plot Score vs Outcome for Visual PII Insight

Usage

```
pii_plot(score, outcome, bins = 10)
```

Arguments

score	Numeric score vector
outcome	Numeric outcome vector
bins	Number of bins for discretization

Value

A base R plot

Index

`pii`, [2](#)
`pii_plot`, [2](#)