

Package ‘plotscaper’

May 9, 2026

Title Explore Your Data with Interactive Figures

Version 0.2.8

Description A framework for creating interactive figures for data exploration.

All plots are automatically linked and support several kinds of interactive features, including selection, zooming, panning, and parameter manipulation. The figures can be interacted with either manually, using a mouse and a keyboard, or by running code from inside an active R session.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.2

Depends R (>= 4.1)

Imports htmlwidgets (>= 1.6), httpuv (>= 1.6), jsonlite (>= 1.8), knitr, stats, uuid

Suggests rmarkdown, ggplot2, patchwork, palmerpenguins, dplyr

Config/testthat/edition 3

URL <https://bartonicek.github.io/plotscaper/>,
<https://github.com/bartonicek/plotscaper>

VignetteBuilder knitr

BugReports <https://github.com/bartonicek/plotscaper/issues>

NeedsCompilation no

Author Adam Bartonicek [aut, cre, cph]

Maintainer Adam Bartonicek <bartonicek@gmail.com>

Repository CRAN

Date/Publication 2025-02-23 08:30:02 UTC

Contents

add_barplot	2
add_bibarplot	3

add_fluctplot	3
add_histogram	4
add_histogram2d	5
add_pcoords	5
add_plot	6
add_scatterplot	6
assigned_cases	7
assign_cases	7
clear_layout	8
create_schema	8
dispatch_message	9
get_plot_ids	9
get_scale	10
id	11
normalize	12
plotscaper-shiny	12
plotscaper_global	13
pop_plot	13
reducer	14
remove_plot	15
render	15
reset	16
selected_cases	16
select_cases	17
set_layout	17
set_parameters	18
set_scale	19
start_server	20
zoom	20

Index	21
--------------	-----------

add_barplot	<i>Add a barplot to a scene or schema</i>
-------------	---

Description

This function adds a barplot to a plotscaper scene or schema.

Usage

```
add_barplot(x, variables = NULL, options = NULL)
```

Arguments

x	A plotscaper scene or schema object
variables	A vector of variable names: one discrete (required), one continuous (optional)
options	A list of options

Value

The scene or schema back, with the plot added appropriately

See Also

[add_plot\(\)](#)

add_bibarplot	<i>Add a mirrored barplot to a scene or schema</i>
---------------	--

Description

This function adds a mirrored barplot to a plotscaper scene or schema.

Usage

```
add_bibarplot(x, variables = NULL, options = NULL)
```

Arguments

x	A plotscaper scene or schema object
variables	A vector of variable names: one discrete (required), one or two continuous (required)
options	A list of options

Value

The scene or schema back, with the plot added appropriately

See Also

[add_plot\(\)](#)

add_fluctplot	<i>Add a fluctuation diagram to a scene or schema</i>
---------------	---

Description

This function adds a fluctuation diagram to a plotscaper scene or schema.

Usage

```
add_fluctplot(x, variables = NULL, options = NULL)
```

Arguments

x	A plotscaper scene or schema object
variables	A vector of variable names: two discrete (required), one continuous (optional)
options	A list of options

Value

The scene or schema back, with the plot added appropriately

See Also

[add_plot\(\)](#)

add_histogram	<i>Add a histogram to a scene or schema</i>
---------------	---

Description

This function adds a histogram to a plotscaper scene or schema.

Usage

```
add_histogram(x, variables = NULL, options = NULL)
```

Arguments

x	A plotscaper scene or schema object
variables	A vector of variable names: one continuous (required), one continuous (optional)
options	A list of options

Value

The scene or schema back, with the plot added appropriately

See Also

[add_plot\(\)](#)

add_histogram2d	<i>Add a 2D histogram to a scene or schema</i>
-----------------	--

Description

This function adds a 2D histogram to a plotscafer scene or schema.

Usage

```
add_histogram2d(x, variables = NULL, options = NULL)
```

Arguments

x	A plotscafer scene or schema object
variables	A vector of variable names: two continuous (required), one continuous (optional)
options	A list of options

Value

The scene or schema back, with the plot added appropriately

See Also

[add_plot\(\)](#)

add_pcoords	<i>Add a parallel coordinates plot to a scene or schema</i>
-------------	---

Description

This function adds a parallel coordinates plot to a plotscafer scene or schema.

Usage

```
add_pcoords(x, variables = NULL, options = NULL)
```

Arguments

x	A plotscafer scene or schema object
variables	A vector of variable names: at least two continuous or discrete variables
options	A list of options

Value

The scene or schema back, with the plot added appropriately

See Also[add_plot\(\)](#)

add_plot	<i>Add a plot to a scene or schema</i>
----------	--

Description

This function adds a plot to an existing plotscaper scene or schema. Not meant to be called directly but instead with a wrapper function such as [add_scatterplot\(\)](#).

Usage

```
add_plot(x, spec)
```

Arguments

x	A plotscaper scene or schema
spec	A list with the plot specification

Value

The scene or schema back

add_scatterplot	<i>Add a scatterplot to a scene or schema</i>
-----------------	---

Description

This function adds a scatterplot to a plotscaper scene or schema.

Usage

```
add_scatterplot(x, variables = NULL, options = NULL)
```

Arguments

x	A plotscaper scene or schema object
variables	A vector of variable names: two continuous or discrete (required), one continuous (optional)
options	A list of options

Value

The scene or schema back, with the plot added appropriately

See Also[add_plot\(\)](#)

assigned_cases	<i>Get assigned cases</i>
----------------	---------------------------

Description

This function returns the cases of the data which are assigned to a specific permanent group within a plotscafer scene.

Usage

```
assigned_cases(x, group = 1)
```

Arguments

x	A plotscafer scene
group	The group to retrieve the cases of (can be: 1, 2, or 3)

Value

A numeric vector of case ids

assign_cases	<i>Assign cases to a group</i>
--------------	--------------------------------

Description

This function assigns specific cases (rows of the data) to a permanent group within a plotscafer scene or schema. Permanent group assignments are only removed by double-clicking.

Usage

```
assign_cases(x, cases = NULL, group = 1)
```

Arguments

x	A plotscafer scene or schema
cases	The cases (rows) to select
group	The group to assign the cases to (can be 1, 2, or 3)

Value

The scene or schema back

clear_layout	<i>Set interactive scene layout</i>
--------------	-------------------------------------

Description

This function clears an existing layout. See [set_layout\(\)](#).

Usage

```
clear_layout(x)
```

Arguments

x	A plotscaper scene
---	--------------------

Value

The scene or schema back

create_schema	<i>Create a plotscaper schema</i>
---------------	-----------------------------------

Description

This function constructs a schema of an interactive plotscaper figure.

Usage

```
create_schema(data = NULL, options = NULL)
```

Arguments

data	A dataframe
options	A list of options

Value

An object of class plotscaper_schema

Examples

```
create_schema(mtcars) |> add_scatterplot(c("wt", "mpg")) |> render()
```

dispatch_message *Dispatches a message to a plotscaper scene or schema*

Description

Dispatches a message to a plotscaper scene or schema

Usage

```
dispatch_message(x, message)
```

Arguments

x A plotscaper scene or schema
message A list that will get converted to JSON message at appropriate time

Value

The scene or schema back

get_plot_ids *Return a list of plot ids from a plotscaper scene or schema*

Description

Return a list of plot ids from a plotscaper scene or schema

Usage

```
get_plot_ids(x)
```

Arguments

x A plotscaper scene or schema

Value

The scene or schema back

 get_scale

Get a plot scale

Description

This function returns a specific scale from a specific plot in a plotscaper scene.

Usage

```
get_scale(x, id = NULL, scale = NULL)
```

Arguments

x	A plotscaper scene
id	A string id of the plot. See id
scale	A string id of the scale (x, y, width, height, area, or size)

Details

This function is primarily meant for internal use, however, you can use it to learn how plotscaper implements scales. The output can look a bit overwhelming, however, it's not too complicated once you understand how plotscaper scales work.

Each scale has two important properties:

- Domain: The space values are translated *from*
- Codomain: The space values are translated *to*

For example, in a typical scatterplot, the x scale might have the range of the data (e.g. [1, 10]) as its domain and the width of the plotting region as its codomain (e.g. [0, 800] pixels).

The scale's job is to link the domain and codomain, such that we can *push* values forward through the scale, first through the domain and then the codomain. This is done by translating to an intermediate range [0, 1]. For example, using the x scale above, we might first translate the value 5.5 to 0.5 (midpoint of the domain) and then translate 0.5 to 400 (midpoint of the codomain). We may also be able to reverse the process and *pull* values back through the scale, first through the codomain and then through the domain.

Scale, domain, and codomain each have props and defaults properties which store the relevant values. For example, for a continuous scale, props and defaults store the min and max as well as a transformation function and its inverse (trans, inv), for a discrete point scale, they store the vector of labels, their order, etc...

On scale, the props and defaults store the following properties: zero, one, scale, mult. The zero and one properties modify where the normalized domain values get placed in the codomain, and vice versa. Suppose our x ([1, 10], [0, 800] px) scale had zero = 0.1 and one = 0.9. Then data values get pushed to the following intermediate values:

- The value 1 to 0.1 since $0.1 + (1 - 1) / (10 - 1) * (0.9 - 0.1) = 0.1$
- The value 2 to 0.1889 since $0.1 + (2 - 1) / (10 - 1) * (0.9 - 0.1) = 0.1889$

- The value 3 to 0.2778 since $0.1 + ((3 - 1) / (10 - 1)) * (0.9 - 0.1) = 0.2778$
- ...
- The value 10 to 0.9 since $0.1 + ((10 - 1) / (10 - 1)) * (0.9 - 0.1) = 0.9$

When those values get translated to the space of the codomain, we end up with 10% margins on each side, i.e.

- The value 1 gets pushed to 80 pixels
- ...
- The value 10 gets pushed to 720 pixels

The scale and mult properties both multiply the normalized domain values. They work the same way, however, they are different semantically: scale is meant to be constant whereas mult may change dynamically, through interaction. For example, by default, in a barplot, the width scale gets assigned the scale value of $1 / k$, where k is the number of categories/bars, and a mult value of 0.9. This means that each bar is $1 / k * 0.9 * [\text{plot width in pixels}]$ wide, and we can dynamically make it wider or narrower by pressing the +/- keys to modify the mult property (but not the scale property).

Value

A list of scale properties

id	<i>Plot id</i>
----	----------------

Description

A string which uniquely identifies a plot plotscaper scene or schema.

Usage

id

Format

An object of class NULL of length 0.

Details

id is a string that uniquely identifies a plot within a plotscaper scene or schema. It can match a plot based on its position (e.g. "plot1", "plot2", ...), in the order the plots were added, left-to-right top-to-bottom, or it can match plot based on type (e.g. "scatter1" or "barplot3"), again, in order of addition.

If the plot is matched based on type, the morphemes "plot" and "gram" are ignored, such that e.g. "scatterplot1" is the same as "scatter1" and "histogram2d4" is the same as "histo2d4".

The string can also be shortened, e.g. "p1" for "plot1", "s2" for "scatter2", or "hh3" for "histo2d3".

normalize	<i>Normalize a plot</i>
-----------	-------------------------

Description

This function switches the representation of a plot to a normalized one, e.g. spineplot, spinogram, etc...

Usage

```
normalize(x, id = NULL)
```

Arguments

x	A plotscaper scene
id	A string id of the plot. See id

Value

The scene or schema back

plotscaper-shiny	<i>Shiny bindings for plotscaper</i>
------------------	--------------------------------------

Description

Output and render functions for using plotscaper within Shiny applications and interactive Rmd documents.

Usage

```
plotscaperOutput(outputId, width = "100%", height = "400px")

renderPlotscaper(expr, env = parent.frame(), quoted = FALSE)
```

Arguments

outputId	output variable to read from
width, height	Must be a valid CSS unit (like '100%', '400px', 'auto') or a number, which will be coerced to a string and have 'px' appended.
expr	An expression that generates a plotscaper
env	The environment in which to evaluate expr.
quoted	Is expr a quoted expression (with quote())? This is useful if you want to save an expression in a variable.

Value

- A Shiny widget output
- A rendered Shiny widget

plotscaper_global *A Plotscaper Global Configuration Object*

Description

Used mainly for setting up the HTTP server for communication between an interactive R session and the figure.

Usage

plotscaper_global

Format

An object of class environment of length 7.

pop_plot *Remove the last plot from a scene or schema*

Description

This function removes the last plot from a plotscaper scene or schema.

Usage

pop_plot(x)

Arguments

x A plotscaper scene or schema

Value

The scene or schema back

reducer	<i>Create a reducer</i>
---------	-------------------------

Description

Constructs a reducer that can be used to show alternative summaries in a plotscapet plot.

Usage

```
reducer(initialfn = NULL, reducefn = NULL, name = NULL)
```

Arguments

<code>initialfn</code>	An JavaScript initializing function
<code>reducefn</code>	A JavaScript reducer function specified
<code>name</code>	A name for the reducer (a string)

Details

`reducefn` and `initialfn` should be strings interpretable as JavaScript functions. Further:

- `initialfn` should take 0 arguments and just return some value (i.e. a thunk).
- `reducefn` should take two arguments `previous` and `next` and return a result of the same type as `previous`.

Value

A reducer (which is really just a list with some additional formatting)

Examples

```
r <- reducer(initialfn = "() => 0",
             reducefn = "(x, y) => Math.max(x, y)",
             name = "max")
create_schema(mtcars) |>
  add_barplot(c("cyl", "mpg"), options = list(reducer = r))
```

remove_plot	<i>Remove specific plot from a scene or schema</i>
-------------	--

Description

This function removes a specific plot from a plotscaper scene or schema.

Usage

```
remove_plot(x, id = NULL)
```

Arguments

x	A plotscaper scene or schema
id	A string id of the plot. See id

Value

The scene or schema back

render	<i>Render a schema into an interactive scene</i>
--------	--

Description

This function takes a plotscaper schema and renders it as a concrete htmlwidgets widget.

Usage

```
render(
  schema,
  launch_server = TRUE,
  width = NULL,
  height = NULL,
  elementId = NULL,
  options = NULL
)
```

Arguments

schema	A plotscaper schema object
launch_server	Whether to launch a httpuv server for interaction with figure
width	Width
height	Height
elementId	Id of the HTML element to render the scene in (optional)
options	A list of options

Value

An object of class `plotscaper_scene`

<code>reset</code>	<i>Reset a scene or schema</i>
--------------------	--------------------------------

Description

This function resets a `plotscaper` scene or schema. All selection/group assignment will be removed, and axis limits/levels of zoom will be restored to default.

Usage

```
reset(x)
```

Arguments

`x` A `plotscaper` scene or schema

Value

The scene or schema back

<code>selected_cases</code>	<i>Get selected cases</i>
-----------------------------	---------------------------

Description

This function returns the cases of the data which are selected within a `plotscaper` scene.

Usage

```
selected_cases(x)
```

Arguments

`x` A `plotscaper` scene

Value

A numeric vector of case ids

select_cases	<i>Select cases of the data</i>
--------------	---------------------------------

Description

This function selects specific cases (rows of the data) within a plotscaper scene or schema by assigning them to transient selection. Transient group assignment is removed by clicking.

Usage

```
select_cases(x, cases = NULL)
```

Arguments

x	A plotscaper scene or schema
cases	The cases (rows) to select

Value

The scene or schema back

set_layout	<i>Set interactive scene layout</i>
------------	-------------------------------------

Description

This function sets a layout for a plotscaper scene. Similar to the `graphics::layout` function.

Usage

```
set_layout(x, layout = NULL)
```

Arguments

x	A plotscaper scene
layout	A numeric matrix of plot ids, arranged into contiguous rectangles

Value

The scene or schema back

set_parameters	<i>Set reactive parameters</i>
----------------	--------------------------------

Description

This functions sets reactive parameters on a plot such as a histogram.

Usage

```
set_parameters(  
  x,  
  id = NULL,  
  width = NULL,  
  anchor = NULL,  
  width_x = NULL,  
  anchor_x = NULL,  
  width_y = NULL,  
  anchor_y = NULL  
)
```

Arguments

x	A plotscaper scene
id	A string id of the plot. See id
width	Histogram binwidth
anchor	Histogram anchor
width_x	2D histogram binwidth (x-axis)
anchor_x	2D histogram anchor (x-axis)
width_y	2D histogram binwidth (y-axis)
anchor_y	2D histogram anchor (y-axis)

Value

The scene or schema back

set_scale	<i>Set values of a scale</i>
-----------	------------------------------

Description

This function sets the values of a scale within one plot inside a `plotscaper` scene or schema.

Usage

```
set_scale(
  x,
  id = NULL,
  scale = NULL,
  min = NULL,
  max = NULL,
  transformation = NULL,
  breaks = NULL,
  zero = NULL,
  one = NULL,
  direction = NULL,
  mult = NULL,
  default = NULL,
  unfreeze = NULL
)
```

Arguments

<code>x</code>	A <code>plotscaper</code> scene or schema
<code>id</code>	A string id of the plot. See id
<code>scale</code>	A string identifying scale. Can be: "x", "y", "area", or "size".
<code>min</code>	Scale minimum (continuous scales only)
<code>max</code>	Scale maximum (continuous scales only)
<code>transformation</code>	A transformation to apply ("log10" or "sqrt", continuous only)
<code>breaks</code>	A vector of discrete breaks (discrete scale only)
<code>zero</code>	The proportion of codomain to which the smallest/first value gets mapped to
<code>one</code>	The proportion of codomain to which largest/last value gets mapped to
<code>direction</code>	Scale direction. Can be 1 or -1
<code>mult</code>	Scale multiplier
<code>default</code>	Whether to set other arguments as scale defaults
<code>unfreeze</code>	Whether to unfreeze frozen parameters (such as the lower y-axis limit in barplot)

Value

The scene or schema back

start_server	<i>Start a server for communication between the R session and plotscaper scenes</i>
--------------	---

Description

This function starts an httpuv server for an interactive communication between the R session and plotscaper scenes. Uses plotscaper_global options.

Usage

```
start_server(random_port = FALSE)
```

Arguments

random_port Whether to use a random port number. Useful if the default port is already taken.

Value

Nothing (called for side effects)

zoom	<i>Zoom into an area of a plot</i>
------	------------------------------------

Description

This function zooms into a rectangular area of the specified plot. The coordinates of the rectangular area can be specified with either percentages of the plotting region, absolute coordinates (pixels), or data coordinates.

Usage

```
zoom(x, id = NULL, coords = NULL, units = "pct")
```

Arguments

x A plotscaper scene or schema

id A string id of the plot. See [id](#)

coords The coordinates of a rectangle to zoom into, in the following order: x0, y0, x1, y1

units The units with which to interpret the coordinates. Can be "pct" (percentages of the plotting region), "abs" (absolute screen coordinates, in pixels), or "data" (data coordinates; only works if both scales are continuous).

Value

The scene or schema back

Index

- * **datasets**
 - id, [11](#)
 - plotscaper_global, [13](#)
- add_barplot, [2](#)
- add_bibarplot, [3](#)
- add_fluctplot, [3](#)
- add_histogram, [4](#)
- add_histogram2d, [5](#)
- add_pcoords, [5](#)
- add_plot, [6](#)
- add_plot(), [3–7](#)
- add_scatterplot, [6](#)
- add_scatterplot(), [6](#)
- assign_cases, [7](#)
- assigned_cases, [7](#)

- clear_layout, [8](#)
- create_schema, [8](#)

- dispatch_message, [9](#)

- get_plot_ids, [9](#)
- get_scale, [10](#)

- id, [10](#), [11](#), [12](#), [15](#), [18–20](#)

- normalize, [12](#)

- plotscaper-shiny, [12](#)
- plotscaper_global, [13](#)
- plotscaperOutput (plotscaper-shiny), [12](#)
- pop_plot, [13](#)

- reducer, [14](#)
- remove_plot, [15](#)
- render, [15](#)
- renderPlotscaper (plotscaper-shiny), [12](#)
- reset, [16](#)

- select_cases, [17](#)

- selected_cases, [16](#)
- set_layout, [17](#)
- set_layout(), [8](#)
- set_parameters, [18](#)
- set_scale, [19](#)
- start_server, [20](#)

- zoom, [20](#)