

# Package ‘ppRep’

May 9, 2026

**Version** 0.42.3

**Date** 2023-10-19

**Author** Samuel Pawel [aut, cre] (ORCID:  
<<https://orcid.org/0000-0003-2779-320X>>)

**Maintainer** Samuel Pawel <[samuel.pawel@uzh.ch](mailto:samuel.pawel@uzh.ch)>

**Title** Analysis of Replication Studies using Power Priors

**Description** Provides functionality for Bayesian analysis of replication studies using power prior approaches (Pawel et al., 2023) <[doi:10.1007/s11749-023-00888-5](https://doi.org/10.1007/s11749-023-00888-5)>.

**License** GPL-3

**Encoding** UTF-8

**Imports** hypergeo

**Suggests** roxygen2, tinytest, cubature

**NeedsCompilation** no

**RoxygenNote** 7.2.3

**URL** <https://github.com/SamCH93/ppRep>

**BugReports** <https://github.com/SamCH93/ppRep/issues>

**Repository** CRAN

**Date/Publication** 2023-10-19 17:20:02 UTC

## Contents

bfPPalpha . . . . .	2
bfPPtheta . . . . .	3
margLik . . . . .	4
plotPP . . . . .	5
postPP . . . . .	6
postPPalpha . . . . .	7
postPPtheta . . . . .	8

<b>Index</b>	<b>11</b>
--------------	-----------

---

 bfPPalpha

*Bayes factor for testing power parameter*


---

### Description

This function computes the Bayes factor contrasting  $H_1: \alpha = 1$  to  $H_0: \alpha < 1$  for the replication data assuming a normal likelihood. The power parameter  $\alpha$  indicates how much the normal likelihood of the original data is raised to and then incorporated in the prior for the effect size  $\theta$  (e.g., for  $\alpha = 0$  the original data are completely discounted). Under  $H_0$ , the power parameter can either be fixed to 0, or it can have a beta distribution  $\alpha|H_0 \sim \text{Beta}(1, y)$ . For the fixed power parameter case, the specification of an unit-information prior  $\theta \sim N(0, uv)$  for the effect size  $\theta$  is required as the prior is otherwise not proper.

### Usage

```
bfPPalpha(tr, sr, to, so, y = 2, uv = NA, ...)
```

### Arguments

tr	Effect estimate of the replication study.
sr	Standard error of the replication effect estimate.
to	Effect estimate of the original study.
so	Standard error of the replication effect estimate.
y	Number of failures parameter for beta prior of power parameter under $H_0$ . Has to be larger than 1 so that density is monotonically decreasing. Defaults to 2 (a linearly decreasing prior with zero density at 1). Is only taken into account when $uv = NA$ .
uv	Variance of the unit-information prior for the effect size that is used for testing the simple hypothesis $H_0: \alpha = 0$ . Defaults to NA.
...	Additional arguments passed to <code>stats::integrate</code> .

### Value

Bayes factor (BF > 1 indicates evidence for  $H_0$ , whereas BF < 1 indicates evidence for  $H_1$ )

### Author(s)

Samuel Pawel

### See Also

[bfPPtheta](#)

**Examples**

```
## use unit variance of 2
bfPPalpha(tr = 0.09, sr = 0.0518, to = 0.205, so = 0.0506, uv = 2)

## use beta prior alpha|H1 ~ Be(1, y = 2)
bfPPalpha(tr = 0.09, sr = 0.0518, to = 0.205, so = 0.0506, y = 2)
```

---

bfPPtheta	<i>Bayes factor for testing effect size</i>
-----------	---

---

**Description**

This function computes the Bayes factor contrasting  $H_0: \theta = 0$  to  $H_1: \theta \sim f(\theta|to, so, \alpha)$  for the replication data assuming a normal likelihood. The prior of the effect size  $\theta$  under  $H_1$  is the posterior of the effect size obtained from combining a normal likelihood of the original data raised to the power of  $\alpha$  with a flat initial prior with a. Under  $H_1$ , the power parameter can either be fixed to some value between 0 and 1, or it can have a beta distribution  $\alpha|H_1 \sim \text{Beta}(x, y)$ .

**Usage**

```
bfPPtheta(tr, sr, to, so, x = 1, y = 1, alpha = NA, ...)
```

**Arguments**

tr	Effect estimate of the replication study.
sr	Standard error of the replication effect estimate.
to	Effect estimate of the original study.
so	Standard error of the replication effect estimate.
x	Number of successes parameter for beta prior of power parameter under $H_1$ . Defaults to 1. Is only taken into account when <code>alpha = NA</code> .
y	Number of failures parameter for beta prior of power parameter under $H_1$ . Defaults to 1. Is only taken into account when <code>alpha = NA</code> .
alpha	Power parameter under $H_1$ . Can be set to a number between 0 and 1. Defaults to NA.
...	Additional arguments passed to <code>stats::integrate</code> .

**Value**

Bayes factor (BF > 1 indicates evidence for  $H_0$ , whereas BF < 1 indicates evidence for  $H_1$ )

**Author(s)**

Samuel Pawel

**See Also**[bfPPalpha](#)**Examples**

```
## uniform prior on power parameter
bfPPtheta(tr = 0.09, sr = 0.0518, to = 0.205, so = 0.0506)

## power parameter fixed to alpha = 1
bfPPtheta(tr = 0.090, sr = 0.0518, to = 0.205, so = 0.0506, alpha = 1)
```

margLik

*Marginal likelihood of replication effect estimate***Description**

This function computes the marginal likelihood of the replication effect estimate `tr` under the power prior model

$$f(\text{tr}|\text{to}, \text{so}, \text{sr}, x, y) = \int_0^1 \int_{-\infty}^{\infty} \text{N}(\text{tr}; \theta, \text{sr}^2) \times \text{N}(\theta; \mu, \phi) \times \text{Beta}(\alpha; x, y) \, d\theta \, d\alpha$$

with  $\phi = 1/(1/v + \alpha/\text{so}^2)$  and  $\mu = \phi\{(\alpha \times \text{to})/\text{so}^2 + m/v\}$  using numerical integration.

**Usage**

```
margLik(tr, to, sr, so, x = 1, y = 1, m = 0, v = Inf, ...)
```

**Arguments**

<code>tr</code>	Effect estimate of the replication study.
<code>to</code>	Effect estimate of the original study.
<code>sr</code>	Standard error of the replication effect estimate.
<code>so</code>	Standard error of the replication effect estimate.
<code>x</code>	Number of successes parameter of beta prior for $\alpha$ . Defaults to 1.
<code>y</code>	Number of failures parameter of beta prior for $\alpha$ . Defaults to 1.
<code>m</code>	Mean parameter of initial normal prior for $\theta$ . Defaults to 0.
<code>v</code>	Variance parameter of initial normal prior for $\theta$ . Defaults to Inf (uniform prior).
<code>...</code>	Additional arguments passed to <code>stats::integrate</code> .

**Value**

Marginal likelihood

**Author(s)**

Samuel Pawel

plotPP

*Plot joint and marginal posterior distributions***Description**

This convenience function computes and, if desired, visualizes the joint posterior density of effect size  $\theta$  and power parameter  $\alpha$ , as well as the marginal posterior densities of effect size  $\theta$  and power parameter  $\alpha$  individually. See the functions [postPP](#), [postPPalpha](#), and [postPPtheta](#) for more details on their computation.

**Usage**

```
plotPP(
  tr,
  sr,
  to,
  so,
  x = 1,
  y = 1,
  m = 0,
  v = Inf,
  thetaRange = c(tr - 3 * sr, tr + 3 * sr),
  alphaRange = c(0, 1),
  nGrid = 100,
  plot = TRUE,
  CI = FALSE,
  ...
)
```

**Arguments**

tr	Effect estimate of the replication study.
sr	Standard error of the replication effect estimate.
to	Effect estimate of the original study.
so	Standard error of the replication effect estimate.
x	Number of successes parameter of beta prior for $\alpha$ . Defaults to 1.
y	Number of failures parameter of beta prior for $\alpha$ . Defaults to 1.
m	Mean parameter of initial normal prior for $\theta$ . Defaults to 0.
v	Variance parameter of initial normal prior for $\theta$ . Defaults to Inf (uniform prior).
thetaRange	Range of effect sizes. Defaults to three standard errors around the replication effect estimate.
alphaRange	Range of power parameters. Defaults to the range between zero and one.
nGrid	Number of grid points. Defaults to 100.

plot	Logical indicating whether data should be plotted. If FALSE only the data used for plotting are returned.
CI	Logical indicating whether 95% highest posterior credible intervals should be plotted. Defaults to FALSE.
...	Additional arguments passed to <code>stats::integrate</code> for computation of posterior densities and highest posterior density credible intervals.

**Value**

Plots joint and marginal posterior densities, invisibly returns a list with the data for the plots.

**Author(s)**

Samuel Pawel

**See Also**

[postPP](#), [postPPalpha](#), [postPPtheta](#)

**Examples**

```
plotPP(tr = 0.2, sr = 0.05, to = 0.15, so = 0.05)
```

---

postPP

*Posterior density of effect size and power parameter*

---

**Description**

This function computes the posterior density of effect size  $\theta$  and power parameter  $\alpha$  assuming a normal likelihood for original and replication effect estimate. A power prior for  $\theta$  is constructed by updating an initial normal prior  $\theta \sim N(m, v)$  with the likelihood of the original data raised to the power of  $\alpha$ . A marginal beta prior  $\alpha \sim \text{Beta}(x, y)$  is assumed.

**Usage**

```
postPP(theta, alpha, tr, sr, to, so, x = 1, y = 1, m = 0, v = Inf, ...)
```

**Arguments**

theta	Effect size. Has to be of length one or the same length as alpha.
alpha	Power parameter. Has to be of length one or the same length as theta.
tr	Effect estimate of the replication study.
sr	Standard error of the replication effect estimate.
to	Effect estimate of the original study.
so	Standard error of the replication effect estimate.
x	Number of successes parameter of beta prior for $\alpha$ . Defaults to 1.

**y**                    Number of failures parameter of beta prior for  $\alpha$ . Defaults to 1.  
**m**                    Mean parameter of initial normal prior for  $\theta$ . Defaults to 0.  
**v**                    Variance parameter of initial normal prior for  $\theta$ . Defaults to Inf (uniform prior).  
**...**                Additional arguments passed to `stats::integrate`.

**Value**

Posterior density

**Author(s)**

Samuel Pawel

**See Also**

[postPPalpha](#), [postPPtheta](#), [plotPP](#)

**Examples**

```

alpha <- seq(0, 1, length.out = 200)
theta <- seq(0, 0.3, length.out = 200)
parGrid <- expand.grid(alpha = alpha, theta = theta)
postdens <- postPP(theta = parGrid$theta, alpha = parGrid$alpha, tr = 0.1,
                  sr = 0.05, to = 0.2, so = 0.05)
postdensMat <- matrix(data = postdens, ncol = 200, byrow = TRUE)
filled.contour(x = theta, y = alpha, z = postdensMat,
              xlab = bquote("Effect size" ~ theta),
              ylab = bquote("Power parameter" ~ alpha), nlevels = 15,
              color.palette = function(n) hcl.colors(n = n, palette = "viridis"))
  
```

---

postPPalpha

*Marginal posterior distribution of power parameter*

---

**Description**

These functions compute the marginal posterior of the power parameter  $\alpha$ . A power prior for  $\theta$  is constructed by updating an initial normal prior  $\theta \sim N(m, v)$  with the likelihood of the original data raised to the power of  $\alpha$ . A marginal beta prior  $\alpha \sim \text{Beta}(x, y)$  is assumed.

**Usage**

```
postPPalpha(alpha, tr, sr, to, so, x = 1, y = 1, m = 0, v = Inf, ...)
```

```
postPPalphaHPD(level = 0.95, tr, sr, to, so, x = 1, y = 1, m = 0, v = Inf, ...)
```

**Arguments**

alpha	Power parameter. Can be a vector.
tr	Effect estimate of the replication study.
sr	Standard error of the replication effect estimate.
to	Effect estimate of the original study.
so	Standard error of the replication effect estimate.
x	Number of successes parameter of beta prior $\alpha$ . Defaults to 1.
y	Number of failures parameter of beta prior $\alpha$ . Defaults to 1.
m	Mean parameter of initial normal prior for $\theta$ . Defaults to 0.
v	Variance parameter of initial normal prior for $\theta$ . Defaults to Inf (uniform prior).
...	Additional arguments passed to <code>stats::integrate</code> .
level	Credibility level of the highest posterior density interval. Defaults to 0.95.

**Value**

postPPalpha returns the marginal posterior density of the power parameter.

postPPalphaHPD returns the highest marginal posterior density interval of the power parameter.

**Author(s)**

Samuel Pawel

**See Also**

[postPP](#), [postPPtheta](#), [plotPP](#)

**Examples**

```
alpha <- seq(0, 1, 0.001)
margpostdens <- postPPalpha(alpha = alpha, tr = 0.1, to = 0.2, sr = 0.05, so = 0.05)
plot(alpha, margpostdens, type = "l", xlab = bquote("Power parameter" ~ alpha),
      ylab = "Marginal posterior density", las = 1)
```

---

postPPtheta

*Marginal posterior distribution of effect size*

---

**Description**

These functions compute the marginal posterior of the effect size  $\theta$ . A power prior for  $\theta$  is constructed by updating an initial normal prior  $\theta \sim N(m, v)$  with likelihood of the original data raised to the power of  $\alpha$ . The power parameter  $\alpha$  can either be fixed to some value between 0 and 1 or it can have a beta prior distribution  $\alpha \sim \text{Beta}(x, y)$ .

**Usage**

```

postPPtheta(
  theta,
  tr,
  sr,
  to,
  so,
  x = 1,
  y = 1,
  alpha = NA,
  m = 0,
  v = Inf,
  hypergeo = FALSE,
  ...
)

postPPthetaHPD(
  level,
  tr,
  sr,
  to,
  so,
  x = 1,
  y = 1,
  alpha = NA,
  m = 0,
  v = Inf,
  thetaRange = tr + c(-1, 1) * stats::qnorm(p = (1 + level)/2) * sr * 3,
  quantileRange = c((1 - level) * 0.2, (1 - level) * 0.8),
  ...
)

```

**Arguments**

theta	Effect size. Can be a vector.
tr	Effect estimate of the replication study.
sr	Standard error of the replication effect estimate.
to	Effect estimate of the original study.
so	Standard error of the replication effect estimate.
x	Number of successes parameter for beta prior of power parameter $\alpha$ . Defaults to 1. Is only taken into account when <code>alpha = NA</code> .
y	Number of failures parameter for beta prior of power parameter $\alpha$ . Defaults to 1. Is only taken into account when <code>alpha = NA</code> .
alpha	Power parameter. Can be set to a number between 0 and 1. Defaults to NA (a beta prior on the power parameter).
m	Mean parameter of initial normal prior for $\theta$ . Defaults to 0.

v	Variance parameter of initial normal prior for $\theta$ . Defaults to Inf (uniform prior).
hypergeo	Logical indicating whether for uniform priors, the marginal posterior should be computed with the hypergeometric function. Defaults to FALSE (using numerical integration instead).
...	Additional arguments passed to <code>stats::integrate</code> or <code>hypergeo::genhypergeo</code> (depending on the <code>hypergeo</code> argument).
level	Credibility level of the highest posterior density interval. Defaults to 0.95.
thetaRange	The numerical search range for the effect size. Defaults to the <code>level*100%</code> confidence interval range inflated by a factor of three. We recommend changing this argument only if there are numerical problems in calculating the HPD interval.
quantileRange	The numerical search range for the lower posterior quantile of the HPD interval. Defaults to the range between $(1 - \text{level}) * 0.2$ and $(1 - \text{level}) * 0.8$ . We recommend changing this argument only if there are numerical problems in calculating the HPD interval.

**Value**

`postPPtheta` returns the marginal posterior density of the effect size.

`postPPthetaHPD` returns the highest marginal posterior density interval of the effect size (this may take a while).

**Author(s)**

Samuel Pawel

**See Also**

[postPP](#), [postPPalpha](#), [plotPP](#)

**Examples**

```
theta <- seq(0, 0.6, 0.001)
margpostdens <- postPPtheta(theta = theta, tr = 0.1, to = 0.2, sr = 0.05, so = 0.05)
plot(theta, margpostdens, type = "l", xlab = bquote("Effect size" ~ theta),
      ylab = "Marginal posterior density", las = 1)
```

# Index

bfPPalpha, [2](#), [4](#)

bfPPtheta, [2](#), [3](#)

margLik, [4](#)

plotPP, [5](#), [7](#), [8](#), [10](#)

postPP, [5](#), [6](#), [6](#), [8](#), [10](#)

postPPalpha, [5-7](#), [7](#), [10](#)

postPPalphaHPD (postPPalpha), [7](#)

postPPtheta, [5-8](#), [8](#)

postPPthetaHPD (postPPtheta), [8](#)