

# Package ‘presens’

May 9, 2026

**Type** Package

**Title** Interface for PreSens Fiber Optic Data

**Version** 2.1.0

**Date** 2016-07-29

**Author** Matthew A. Birk

**Maintainer** Matthew A. Birk <matthewabirk@gmail.com>

**Description** Makes output files from select PreSens Fiber Optic Oxygen Transmitters easier to work with in R. See <<http://www.presens.de>> for more information about PreSens (Precision Sensing GmbH). Note: this package is neither created nor maintained by PreSens.

**Imports** marelac (>= 2.1.4), measurements, stats, utils

**License** GPL-3

**Encoding** UTF-8

**RoxygenNote** 5.0.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2016-07-29 18:27:12

## Contents

import_o2 . . . . .	2
last_o2 . . . . .	4
o2_unit_conv . . . . .	5
presens . . . . .	6

<b>Index</b>	<b>7</b>
--------------	----------

---

import\_o2

*Import data from PreSens O2 transmitter*


---

### Description

Imports the standard txt file output from most PreSens fiber optic O2 transmitters and converts the data into a data frame.

### Usage

```
import_o2(file, o2_unit = "percent_a.s.", date = "%d/%m/%y",
          salinity = 35)
```

### Arguments

file	a character string. The filepath for the file to be read.
o2_unit	a character string. The unit of O2 measurement to be output in the data.frame. Options are: <b>percent_a.s. (percent air saturation)</b> <b>percent_o2</b> <b>hPa</b> <b>kPa</b> <b>torr</b> <b>mmHg</b> <b>inHg</b> <b>mg_per_l</b> <b>umol_per_l</b> <b>ml_per_l</b>
date	a character string. The date format to be passed to <a href="#">strptime</a> .
salinity	salinity of water sample (psu). Default is 35 psu.

### Details

The following PreSens fiber optic O2 transmitters are supported:

**Fibox 3**

**Fibox 3 trace**

**Fibox 3 LCD trace**

**Microx TX3**

**Microx TX3 trace**

**OXY-4 mini**

**OXY-4 micro**

**OXY-4 trace**

**OXY-10 mini****OXY-10 micro****OXY-10 trace**

It is very important to note that the PreSens fiber optics O2 transmitters that are supported with this function DO NOT account for salinity (i.e. they assume salinity = 0 ppt). If the water sample measured was not fresh water, the oxygen concentrations (e.g. mg per liter or umol per liter) are incorrect in the PreSens txt file. This function corrects these O2 concentrations based on the salinity value defined by the `salinity` argument. Absolute partial pressures (i.e. hPa and torr) will also be slightly different due to the slight influence of salinity on water's vapor pressure. This difference is typically ~0.05% of the recorded value.

**Value**

A data frame with seven columns is returned.

**TIME** Date and time, POSIXct format.

**DURATION** Duration of measurement trial (minutes).

**oxygen** Oxygen measurement in desired unit. Column name changes based on `o2_unit` argument.

**PHASE** Phase recorded. Phase is inversely related to O2.

**AMPLITUDE** Amplitude recorded. Amplitude is an indicator of the quality of the signal. A low amplitude warning is produced by the transmitter below 2500.

**TEMPERATURE** Temperature recorded or defined at beginning of measurement trial.

**ERROR\_CODE** Error code from transmitter. See PreSens user manual for translation of error code.

**Note**

Conversions are estimates based on the [marelac](#) package and therefore differ slightly from the conversions provided by PreSens.

**Author(s)**

Matthew A. Birk, <matthewabirk@gmail.com>

**See Also**

[last\\_o2](#)

**Examples**

```
## Not run:
file <- system.file('extdata', 'all_o2_units.txt', package = 'presens')
import_o2(file, o2_unit = 'umol_per_l', salinity = 25)

## End(Not run)
```

---

last_o2	<i>Extract latest O2 values</i>
---------	---------------------------------

---

**Description**

Extracts the last O2 values from a PreSens text file.

**Usage**

```
last_o2(file, n_last = 10)
```

**Arguments**

file            a character string. The filepath for the file to be read.  
n\_last          integer. The number of O2 values to extract and return. Default is 10.

**Value**

A vector of numeric O2 values with a length of n\_last.

**Author(s)**

Matthew A. Birk, <matthewabirk@gmail.com>

**See Also**

[import\\_o2](#)

**Examples**

```
## Not run:  
file <- system.file('extdata', 'all_o2_units.txt', package = 'presens')  
last_o2(file)  
last_o2(file, n_last = 5)  
  
## End(Not run)
```

---

o2_unit_conv	<i>Convert units of dissolved oxygen</i>
--------------	--

---

### Description

Given a measurement of dissolved O<sub>2</sub>, a list of commonly used units of oxygen partial pressures and concentrations are returned.

### Usage

```
o2_unit_conv(o2 = 100, from = "percent_a.s.", to = "all", salinity = 35,
            temp = 25, air_pres = 1.013253)
```

### Arguments

o2	a numeric vector of the O <sub>2</sub> value(s). Default is 100.
from	a string describing the unit used to measure o <sub>2</sub> . Default is "percent_a.s." Options are:  <b>percent_a.s. (percent air saturation)</b> <b>percent_o2</b> <b>hPa</b> <b>kPa</b> <b>torr</b> <b>mmHg</b> <b>inHg</b> <b>mg_per_l</b> <b>umol_per_l</b> <b>ml_per_l</b>
to	a single string either describing the unit to which the conversion should be conducted (options are the same as in from), or the string "all" to return all units.
salinity	salinity of water sample (psu). Default is 35 psu.
temp	temperature of water sample (°C). Default is 25 °C.
air_pres	pressure of air overlying water sample (bar). Default is 1.013253 bar.

### Details

Conversions are based on relationships and values from the package [marelac](#).

### Author(s)

Matthew A. Birk, <matthewabirk@gmail.com>

**Examples**

```
o2_unit_conv(o2 = 50)
o2_unit_conv(o2 = 1:50, from = "umol_per_l", to = "ml_per_l", salinity = 0, temp = 10,
air_pres = 1.2)
o2_unit_conv()[c('mmHg', 'kPa')]
```

---

presens

*Interface for PreSens Fiber Optic Data*

---

**Description**

Makes output files from select PreSens Fiber Optic Oxygen Transmitters easier to work with in R. See [www.presens.de](http://www.presens.de) for more information about PreSens (Precision Sensing GmbH). Note: this package is neither created nor maintained by PreSens.

**Author(s)**

Matthew A. Birk, <matthewabirk@gmail.com>

# Index

`import_o2`, [2](#), [4](#)

`last_o2`, [3](#), [4](#)

`marelac`, [3](#), [5](#)

`o2_unit_conv`, [5](#)

`presens`, [6](#)

`presens-package (presens)`, [6](#)

`strptime`, [2](#)