

Package ‘rpinterest’

May 9, 2026

Type Package
Title Access Pinterest API
Version 0.3.1
Date 2016-08-17
Author Colin FAY
Maintainer Colin FAY <contact@colinfay.me>
Description Get information (boards, pins and users) from the Pinterest <<http://www.pinterest.com>> API.
License GPL-3
LazyData TRUE
Imports httr, rjson, magrittr
RoxygenNote 5.0.1
NeedsCompilation no
Repository CRAN
Date/Publication 2016-08-17 11:00:03

Contents

BoardPinsByID	2
BoardPinsByName	2
BoardSpecByID	3
BoardSpecByName	4
PinSpecByID	4
UserSpecByID	5
UserSpecByName	6
Index	7

BoardPinsByID	<i>Get board pins using board ID</i>
---------------	--------------------------------------

Description

Get information about all the pins on a pinterest board using the board ID.

Usage

```
BoardPinsByID(boardID, token)
```

Arguments

boardID	a character string with a board ID.
token	a character string with an access token generated at https://developers.pinterest.com/tools/access_token/

Details

Takes a board ID and an access token, returns a data.frame.

Value

Always returns a data.frame, with a warning when appropriate.

Examples

```
BoardPinsByID(boardID = "42080646457333782", token = "your_token")
```

BoardPinsByName	<i>Get board pins using board name</i>
-----------------	----------------------------------------

Description

Get information about all the pins on a pinterest board using the board name.

Usage

```
BoardPinsByName(user, board, token)
```

Arguments

user	a character string with a user name.
board	a character string with a board name.
token	a character string with an access token generated at https://developers.pinterest.com/tools/access_token/

Details

Takes a user name, a board name and an access token, returns a data.frame.

Value

Always returns a data.frame, with a warning when appropriate.

Examples

```
BoardPinsByName(user = "colinfay", board = "blanc-mon-amour", token = "your_token")
```

BoardSpecByID	<i>Get board using its ID</i>
---------------	-------------------------------

Description

Get information about a pinterest board using the board ID.

Usage

```
BoardSpecByID(boardID, token)
```

Arguments

boardID	a character string with a board ID.
token	a character string with an access token generated at https://developers.pinterest.com/tools/access_token/

Details

Takes a board ID and an access token, returns a data.frame.

Value

Always returns a data.frame, with a warning when appropriate.

Examples

```
BoardSpecByID(boardID = "42080646457333782", token = "your_token")
```

BoardSpecByName	<i>Get board using its name</i>
-----------------	---------------------------------

Description

Get information about a pinterest board using the board name.

Usage

```
BoardSpecByName(user, board, token)
```

Arguments

user	a character string with an user name.
board	a character string with a board name.
token	a character string with an access token generated at https://developers.pinterest.com/tools/access_token/

Details

Takes a user name, a board name and an access token.

Value

Always returns a data.frame, with a warning when appropriate.

Examples

```
BoardSpecByName(user = "colinfay", board = "blanc-mon-amour", token = "your_token")
```

PinSpecByID	<i>Get pin using its ID</i>
-------------	-----------------------------

Description

Get information about a pinterest pin using the pin ID.

Usage

```
PinSpecByID(pinID, token)
```

Arguments

pinID	a character string with a pin ID.
token	a character string with an access token generated at https://developers.pinterest.com/tools/access_token/

Details

Takes a pin ID and an access token, returns a data.frame.

Value

Always returns a data.frame, with a warning when appropriate.

Examples

```
PinSpecByID(pinID = "42080577745042298", token = "your_token")
```

UserSpecByID	<i>Get a user using its ID</i>
--------------	--------------------------------

Description

Get information about a pinterest user using the user ID.

Usage

```
UserSpecByID(userID, token)
```

Arguments

userID	a character string with a user ID.
token	a character string with an access token generated at https://developers.pinterest.com/tools/access_token/

Details

Takes a user ID and an access token, returns a data.frame.

Value

Always returns a data.frame, with a warning when appropriate.

Examples

```
UserSpecByID(userID = "42080715176677612", token = "your_token")
```

UserSpecByName *Get a user using its name*

Description

Get information about a pinterest user using the user ID.

Usage

```
UserSpecByName(user, token)
```

Arguments

user a character string with a user ID.
token a character string with an access token generated at https://developers.pinterest.com/tools/access_token/

Details

Takes a user ID and an access token, returns a data.frame.

Value

Always returns a data.frame, with a warning when appropriate.

Examples

```
UserSpecByName(user = "colinfay", token = "your_token")
```

Index

[BoardPinsByID](#), [2](#)
[BoardPinsByName](#), [2](#)
[BoardSpecByID](#), [3](#)
[BoardSpecByName](#), [4](#)

[PinSpecByID](#), [4](#)

[UserSpecByID](#), [5](#)
[UserSpecByName](#), [6](#)