

Package ‘rquery’

May 9, 2026

Type Package

Title Relational Query Generator for Data Manipulation at Scale

Version 1.4.99

Date 2023-08-19

Maintainer John Mount <jmount@win-vector.com>

URL <https://github.com/WinVector/rquery/>,
<https://winvector.github.io/rquery/>

BugReports <https://github.com/WinVector/rquery/issues>

Description A piped query generator based on Edgar F. Codd's relational algebra, and on production experience using 'SQL' and 'dplyr' at big data scale. The design represents an attempt to make 'SQL' more teachable by denoting composition by a sequential pipeline notation instead of nested queries or functions. The implementation delivers reliable high performance data processing on large data systems such as 'Spark', databases, and 'data.table'. Package features include: data processing trees or pipelines as observable objects (able to report both columns produced and columns used), optimized 'SQL' generation as an explicit user visible table modeling step, plus explicit query reasoning and checking.

License GPL-2 | GPL-3

Encoding UTF-8

Depends R (>= 3.4.0), wrapr (>= 2.0.9)

Imports utils, stats, methods

Suggests DBI, RSQLite, rqdatatable (>= 1.3.2), igraph, knitr,
rmarkdown, yaml, tinytest

RoxygenNote 7.2.3

ByteCompile true

VignetteBuilder knitr

NeedsCompilation no

Author John Mount [aut, cre],
Win-Vector LLC [cph]

Repository CRAN

Date/Publication 2023-08-20 02:40:02 UTC

Contents

rquery-package	4
actualize_join_plan	5
affine_transform	6
apply_right.relop	7
apply_right_S4,ANY,rquery_db_info-method	9
apply_right_S4,data.frame,relap_arrow-method	10
apply_right_S4,relap_arrow,relap_arrow-method	10
arrow	11
assign_slice	12
build_join_plan	13
columns_used	14
column_names	14
commencify	15
complete_design	17
convert_yaml_to_pipeline	18
count_null_cols	19
db_td	20
describe_tables	21
drop_columns	22
ex	23
execute	24
expand_grid	25
extend	26
extend_se	28
format_node	29
getDBOption	29
graph_join_plan	30
if_else_block	31
if_else_op	33
inspect_join_plan	34
key_inspector_all_cols	36
key_inspector_postgresql	37
key_inspector_sqlite	37
local_td	38
lookup_by_column	39
make_assignments	40
map_column_values	41
mark_null_cols	42
materialize	43
materialize_node	45
mk_td	46
natural_join	47

non_sql_node	49
normalize_cols	50
null_replace	51
op_diagram	52
orderby	53
order_expr	54
order_expr_se	55
order_rows	56
pick_top_k	57
pre_sql_sub_expr	58
project	59
project_se	60
quantile_cols	61
quantile_node	62
quote_identifier	63
quote_literal	64
quote_string	64
quote_table_name	65
rename_columns	65
row_counts	66
rquery_apply_to_data_frame	67
rquery_db_info	68
rquery_default_db_info	69
rq_colnames	69
rq_coltypes	70
rq_connection_advice	71
rq_connection_name	72
rq_connection_tests	73
rq_copy_to	74
rq_execute	75
rq_get_query	76
rq_head	76
rq_nrow	77
rq_remove_table	77
rq_table_exists	78
rstr	79
rsummary	80
rsummary_node	81
select_columns	82
select_rows	83
select_rows_se	84
setDBOpt	85
setDBOption	85
set_indicator	86
sql_expr_set	87
sql_node	88
tables_used	90
theta_join	91

theta_join_se	93
topo_sort_tables	94
to_sql	95
to_transport_representation	96
unionall	97
wrap	97

Index	99
--------------	-----------

rquery-package	rquery: <i>Relational Query Generator for Data Manipulation</i>
----------------	---

Description

rquery supplies a piped query generator based on Edgar F. Codd's relational algebra and operator names (plus experience using SQL and dplyr at big data scale). The design represents an attempt to make SQL more teachable by denoting composition a sequential pipeline notation instead of nested queries or functions. Package features include: data processing trees or pipelines as observable objects (able to report both columns produced and columns used), optimized SQL generation as an explicit user visible modeling step, and convenience methods for applying query trees to in-memory data.frames.

Details

Note: rquery is a "database first" design. This means choices are made that favor database implementation. These include: capturing the entire calculation prior to doing any work (and using recursive methods to inspect this object, which can limit the calculation depth to under 1000 steps at a time), preferring "tame column names" (which isn't a bad idea in 'R' anyway as columns and variables are often seen as cousins), and not preserving row or column order (or supporting numeric column indexing). Also, rquery does have a fast in-memory implementation: rdatatable (thanks to the data.table, so one can in fact use 'rquery' without a database.

Author(s)

Maintainer: John Mount <jmount@win-vector.com>

Other contributors:

- Win-Vector LLC [copyright holder]

See Also

Useful links:

- <https://github.com/WinVector/rquery/>
- <https://winvector.github.io/rquery/>
- Report bugs at <https://github.com/WinVector/rquery/issues>

actualize_join_plan *Execute an ordered sequence of left joins.*

Description

Please see `vignette('DependencySorting', package = 'rquery')` and `vignette('joinController', package = 'rquery')` for more details.

Usage

```
actualize_join_plan(
  columnJoinPlan,
  ...,
  jointype = "LEFT",
  add_ind_cols = FALSE,
  checkColClasses = FALSE
)
```

Arguments

`columnJoinPlan` columns to join, from `build_join_plan` (and likely altered by user). Note: no column names must intersect with names of the form `table_CLEANEDTABNAME_present`.

`...` force later arguments to bind by name.

`jointype` character, type of join to perform ("LEFT", "INNER", "RIGHT", ...).

`add_ind_cols` logical, if TRUE add indicators showing which tables supplied rows.

`checkColClasses` logical if true check for exact class name matches

Value

join optree

See Also

[describe_tables](#), [build_join_plan](#), [inspect_join_plan](#), [graph_join_plan](#)

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  # example data
  DBI::dbWriteTable(my_db,
                    "meas1",
                    data.frame(id= c(1,2),
                               weight= c(200, 120),
                               height= c(60, 14)))
  DBI::dbWriteTable(my_db,
```

```

      "meas2",
      data.frame(pid= c(2,3),
                 weight= c(105, 110),
                 width= 1))
# get the initial description of table defs
tDesc <- describe_tables(my_db, qc(meas1, meas2))
# declare keys (and give them consistent names)
tDesc$keys[[1]] <- list(PatientID= 'id')
tDesc$keys[[2]] <- list(PatientID= 'pid')
# build the column join plan
columnJoinPlan <- build_join_plan(tDesc)
# decide we don't want the width column
columnJoinPlan$want[columnJoinPlan$resultColumn=='width'] <- FALSE
# double check our plan
if(!is.null(inspect_join_plan(tDesc, columnJoinPlan,
                             checkColClasses= TRUE))) {
  stop("bad join plan")
}
# actualize as left join op_tree
optree <- actualize_join_plan(columnJoinPlan,
                             checkColClasses= TRUE)

cat(format(optree))
print(execute(my_db, optree))
# if(requireNamespace("DiagrammeR", quietly = TRUE)) {
#   DiagrammeR::grViz(op_diagram(optree))
# }
DBI::dbDisconnect(my_db)
}

```

affine_transform

Implement an affine transformaton

Description

Implement an affine transformaton

Usage

```
affine_transform(source, linear_transform, offset, ..., env = parent.frame())
```

Arguments

source	relop source (or data.frame source)
linear_transform	matrix with row names taken from source column names (inputs), and column names are outputs.
offset	vector of offsets with names same as column names of linear_transform.
...	force later arguments to bind by name
env	environment to look for values in.

Value

relop node

Examples

```

if (requireNamespace("DBI", quietly = TRUE) &&
    requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- data.frame(AUC = 0.6, R2 = 0.2)
  source <- rq_copy_to(my_db, 'd',
                      d,
                      overwrite = TRUE,
                      temporary = TRUE)
  linear_transform <- matrix(c(1, 1, 2, -1, 1, 0, 0, 0), nrow = 2)
  rownames(linear_transform) <- c("AUC", "R2")
  colnames(linear_transform) <- c("res1", "res2", "res3", "res4")
  offset <- c(5, 7, 1, 0)
  names(offset) <- colnames(linear_transform)

  optree <- affine_transform(source, linear_transform, offset)
  cat(format(optree))

  sql <- to_sql(optree, my_db)
  cat(sql)

  print(DBI::dbGetQuery(my_db, sql))
  print(as.matrix(d) %*% linear_transform + offset)

  DBI::dbDisconnect(my_db)
}

```

apply_right.relop	<i>Execute pipeline treating pipe_left_arg as local data to be copied into database.</i>
-------------------	--

Description

Execute pipeline treating pipe_left_arg as local data to be copied into database.

Usage

```

## S3 method for class 'relop'
apply_right(
  pipe_left_arg,
  pipe_right_arg,
  pipe_environment,
  left_arg_name,
  pipe_string,

```

```

    right_arg_name
  )

```

Arguments

```

pipe_left_arg  left argument.
pipe_right_arg pipe_right_arg argument.
pipe_environment
                environment to evaluate in.
left_arg_name  name, if not NULL name of left argument.
pipe_string    character, name of pipe operator.
right_arg_name name, if not NULL name of right argument.

```

Value

```
data.frame
```

See Also

[rquery_apply_to_data_frame](#)

Examples

```

# WARNING: example tries to change rquery.rquery_db_executor option to RSQLite and back.
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  # set up example database and
  # db execution helper
  db <- DBI::dbConnect(RSQLite::SQLite(),
                      ":memory:")
  RSQLite::initExtension(db)
  old_o <- options(list("rquery.rquery_db_executor" = list(db = db)))

  # operations pipeline/tree
  optree <- mk_td("d", "x") %.>%
    extend(., y = x*x)

  # wrapr dot pipe apply_right dispatch
  # causes this statement to apply optree
  # to d.
  data.frame(x = 1:3) %.>% optree %.>% print(.)

  # remote example
  rq_copy_to(db, "d",
            data.frame(x = 7:8),
            overwrite = TRUE,
            temporary = TRUE)

  # wrapr dot pipe apply_right dispatch
  # causes this statement to apply optree
  # to db.

```

```

db %.>% optree %.>% print(.)

# clean up
options(old_o)
DBI::dbDisconnect(db)
}

```

```

apply_right_S4,ANY,rquery_db_info-method
Apply pipeline to a database.

```

Description

Apply pipeline to a database with relop

Usage

```

## S4 method for signature 'ANY,rquery_db_info'
apply_right_S4(
  pipe_left_arg,
  pipe_right_arg,
  pipe_environment,
  left_arg_name,
  pipe_string,
  right_arg_name
)

```

Arguments

pipe_left_arg relop operation tree

pipe_right_arg rquery_db_info

pipe_environment
environment to evaluate in.

left_arg_name name, if not NULL name of left argument.

pipe_string character, name of pipe operator.

right_arg_name name, if not NULL name of right argument.

Value

result

```
apply_right_S4, data.frame, relop_arrow-method
      S4 dispatch method for apply_right.
```

Description

compose a data.frame and a relop_arrow class

Usage

```
## S4 method for signature 'data.frame, relop_arrow'
apply_right_S4(
  pipe_left_arg,
  pipe_right_arg,
  pipe_environment,
  left_arg_name,
  pipe_string,
  right_arg_name
)
```

Arguments

```
pipe_left_arg  left argument
pipe_right_arg pipe_right_arg argument
pipe_environment
                environment to evaluate in
left_arg_name  name, if not NULL name of left argument.
pipe_string    character, name of pipe operator.
right_arg_name name, if not NULL name of right argument.
```

Value

result

```
apply_right_S4, relop_arrow, relop_arrow-method
      S4 dispatch method for apply_right.
```

Description

compose two relop_arrow classes

Usage

```
## S4 method for signature 'relop_arrow,relop_arrow'
apply_right_S4(
  pipe_left_arg,
  pipe_right_arg,
  pipe_environment,
  left_arg_name,
  pipe_string,
  right_arg_name
)
```

Arguments

pipe_left_arg left argument
 pipe_right_arg pipe_right_arg argument
 pipe_environment
 environment to evaluate in
 left_arg_name name, if not NULL name of left argument.
 pipe_string character, name of pipe operator.
 right_arg_name name, if not NULL name of right argument.

Value

result

arrow	<i>Data arrow</i>
-------	-------------------

Description

A categorical arrow mapping a table to a table.

Usage

```
arrow(pipeline, ..., free_table_key = NULL, strict = FALSE)
```

Arguments

pipeline pipeline with one source table
 ... not used, force later argument to be referred to by name.
 free_table_key name of table to consider free (input) to the pipeline
 strict logical, if TRUE excess columns are considered an error

Value

relop_arrow wrapping of pipeline

assign_slice	<i>Assign a value to a slice of data (set of rows meeting a condition, and specified set of columns).</i>
--------------	---

Description

Uses if_else_block.

Usage

```
assign_slice(source, testexpr, columns, value, env = parent.frame())
```

Arguments

source	optree relop node or data.frame.
testexpr	character containing the test expression.
columns	character vector of column names to alter.
value	value to set in matching rows and columns (scalar).
env	environment to look to.

Details

Note: ifebtest_* is a reserved column name for this procedure.

Value

optree or data.frame.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(
    my_db,
    'd',
    data.frame(i = c(1, 2, 3, 4, 5, 6, 7, 8, 9, 10),
              a = c(0, 0, 1, 1, 1, 1, 1, 1, 1, 1),
              b = c(0, 1, 0, 1, 1, 1, 1, 1, 1, 1),
              r = runif(10)),
    temporary=TRUE, overwrite=TRUE)

  optree <- d %>%
    assign_slice(.,
                testexpr = qe(r<0.5),
                columns = qc(a, b),
                value = 2)
  cat(format(optree))
}
```

```

sql <- to_sql(optree, my_db)
cat(sql)

print(DBI::dbGetQuery(my_db, sql))

DBI::dbDisconnect(my_db)
}

```

build_join_plan *Build a join plan.*

Description

Please see `vignette('DependencySorting', package = 'rquery')` and `vignette('joinController', package = 'rquery')` for more details.

Usage

```
build_join_plan(tDesc, ..., check = TRUE)
```

Arguments

tDesc	description of tables from describe_tables (and likely altered by user). Note: no column names must intersect with names of the form <code>table_CLEANEDTABNAME_present</code> .
...	force later arguments to bind by name.
check	logical, if TRUE check the join plan for consistency.

Value

detailed column join plan (appropriate for editing)

See Also

[describe_tables](#), [inspect_join_plan](#), [graph_join_plan](#), [actualize_join_plan](#)

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- data.frame(id=1:3, weight= c(200, 140, 98))
  DBI::dbWriteTable(my_db, "d1", d)
  DBI::dbWriteTable(my_db, "d2", d)
  tDesc <- describe_tables(my_db, c("d1", "d2"))
  tDesc$keys[[1]] <- list(PrimaryKey= 'id')
  tDesc$keys[[2]] <- list(PrimaryKey= 'id')
  print(build_join_plan(tDesc))
  DBI::dbDisconnect(my_db)
}

```

columns_used	<i>Return columns used</i>
--------------	----------------------------

Description

Return columns used

Usage

```
columns_used(x, ..., using = NULL)
```

Arguments

x	rquery operation tree.
...	generic additional arguments (not used)
using	character, if not NULL set of columns used from above.

Value

vector of table qualified column names.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d1 <- rq_copy_to(my_db, 'd1',
                  data.frame(AUC = 0.6, R2 = 0.2))
  d2 <- rq_copy_to(my_db, 'd2',
                  data.frame(AUC = 0.6, D = 0.3))
  optree <- natural_join(d1, d2, by = "AUC")
  cat(format(optree))
  print(columns_used(optree))
  DBI::dbDisconnect(my_db)
}
```

column_names	<i>Return column names</i>
--------------	----------------------------

Description

Return column names

Usage

```
column_names(x, ...)
```

Arguments

x rquery operation tree.
... generic additional arguments

Value

vector of column names

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {  
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")  
  d1 <- rq_copy_to(my_db, 'd1',  
                  data.frame(AUC = 0.6, R2 = 0.2))  
  d2 <- rq_copy_to(my_db, 'd2',  
                  data.frame(AUC = 0.6, D = 0.3))  
  optree <- natural_join(d1, d2, by = "AUC")  
  cat(format(optree))  
  print(column_names(optree))  
  DBI::dbDisconnect(my_db)  
}
```

commencify

Hyderdrive (science fiction show) synonym for [execute](#)

Description

Run the data query.

Usage

```
commencify(  
  source,  
  optree,  
  ...,  
  limit = NULL,  
  source_limit = NULL,  
  overwrite = TRUE,  
  temporary = TRUE,  
  allow_executor = TRUE,  
  temp_source = mk_tmp_name_source("rquery_ex"),  
  env = parent.frame()  
)
```

Arguments

source	data.frame or database connecton (rquery_db_info class or DBI connections preferred).
optree	relop operation tree.
...	force later arguments to bind by name.
limit	numeric, if set limit to this many rows during data bring back (not used when landing a table).
source_limit	numeric if not NULL limit sources to this many rows.
overwrite	logical if TRUE drop an previous table.
temporary	logical if TRUE try to create a temporary table.
allow_executor	logical if TRUE allow any executor set as rquery.rquery_executor to be used.
temp_source	temporary name generator.
env	environment to work in.

Value

data.frame

See Also

[execute](#)

Examples

```
# WARNING: example tries to change rquery.rquery_db_executor option to RSQLite and back.
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  old_o <- options(list("rquery.rquery_db_executor" = list(db = my_db)))
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))
  optree <- extend_se(d, c("v" %:=% "AUC + R2", "x" %:=% "pmax(AUC,v)"))

  print(optree)

  cat(format(optree))

  v <- execute(my_db, optree)
  print(v)

  v2 <- execute(data.frame(AUC = 1, R2 = 2), optree)
  print(v2)

  options(old_o)
  DBI::dbDisconnect(my_db)
}
```

complete_design	<i>Complete an experimental design.</i>
-----------------	---

Description

Complete an experimental design.

Usage

```
complete_design(design_table, data_table)
```

Arguments

design_table optree or for experimental design.
data_table optree for data.

Value

joined and annotated table optree.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) &&
    requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")

  # example experimental design
  values <- list(nums = 1:3, lets = c("a", "b"))
  design <- expand_grid(my_db, values)

  # not quite matching data
  data <- build_frame(
    "nums", "lets" |
      1L   , "a"   |
      1L   , "b"   |
      77L  , "a"   | # out of place ID
      2L   , "b"   |
      3L   , "a"   |
      3L   , "a"   | # duplicated
      3L   , "b"   )
  data$row_number <- seq_len(nrow(data))
  data <- rq_copy_to(my_db, "data", data)

  # compare/augment
  res <- complete_design(design, data)
  cat(format(res))
  res <- materialize(my_db, res)

  print("completed data design")
}
```

```

print(execute(my_db, res))

# look for dups (can use extende_se(partation) on
# databases with window fns.
print("duplicate key rows:")
res %.>%
  project_se(.,
             groupby = column_names(design),
             "count" :=% "SUM(1)") %.>%
  select_rows_se(., "count>1") %.>%
  execute(my_db, .) %.>%
  print(.)

# look for data that was not in design
print("data rows not in design:")
data %.>%
  natural_join(., res,
              jointype = "LEFT",
              by = column_names(design)) %.>%
  select_rows_se(., "is.na(row_in_design_table)") %.>%
  execute(my_db, .) %.>%
  print(.)

DBI::dbDisconnect(my_db)
}

```

```
convert_yaml_to_pipeline
```

Convert a series of simple objects (from YAML deserializaton) to an rquery pipeline.

Description

Convert a series of simple objects (from YAML deserializaton) to an rquery pipeline.

Usage

```
convert_yaml_to_pipeline(rep, ..., source = NULL, env = parent.frame())
```

Arguments

rep	input objects
...	not used, force later arguments to bind by name
source	input rquery node
env	environment to evaluate in

Value

rquery operator tree

count_null_cols	<i>Count NULLs per row for given column set.</i>
-----------------	--

Description

Build a query that counts the number of nulls in each row.

Usage

```
count_null_cols(source, cols, count)
```

Arguments

source	incoming rel_op tree or data.frame.
cols	character, columns to track
count	character, column to write count in.

Value

rel_op node or data.frame (depending on input).

See Also

[null_replace](#), [mark_null_cols](#)

Examples

```
# WARNING: example tries to change rquery.rquery_db_executor option to RSQLite and back.
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  RSQLite::initExtension(my_db)
  old_o <- options(list("rquery.rquery_db_executor" = list(db = my_db)))

  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = c(0.6, 0.5, NA),
                             R2 = c(1.0, 0.9, NA)))
  op_tree <- d %>% count_null_cols(., c("AUC", "R2"), "nnull")
  cat(format(op_tree))
  sql <- to_sql(op_tree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))

  # ad-hoc mode
  data.frame(AUC=c(1,NA,0.5), R2=c(NA,1,0)) %>%
    op_tree %>%
    print(.)

  # cleanup
  options(old_o)
```

```

    DBI::dbDisconnect(my_db)
  }

```

 db_td

Construct a table description from a database source.

Description

Build structures (table name, column names, and quoting strategy) needed to represent data from a remote table.

Usage

```
db_td(db, table_name, ..., qualifiers = NULL, limit_was = 6L)
```

```
dbi_table(db, table_name, ..., qualifiers = NULL, limit_was = 6L)
```

Arguments

db	database connection
table_name	name of table
...	not used, force later argument to bind by name
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.
limit_was	optional, row limit used to produce head_sample. If NULL no head_sample is produced and rq_colnames is used to get column names.

Details

Note: in examples we use `rq_copy_to()` to create data. This is only for the purpose of having easy portable examples. With big data the data is usually already in the remote database or Spark system. The task is almost always to connect and work with this pre-existing remote data and the method to do this is `db_td` which builds a reference to a remote table given the table name.

Value

a relop representation of the data

Functions

- `dbi_table()`: old name for `db_td`

See Also

[mk_td](#), [local_td](#), [rq_copy_to](#), [materialize](#), [execute](#), [to_sql](#)

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  rq_copy_to(my_db,
             'd',
             data.frame(AUC = 0.6, R2 = 0.2),
             overwrite = TRUE,
             temporary = TRUE)
  d <- db_td(my_db, 'd')
  print(d)
  sql <- to_sql(d, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  cols <- columns_used(d)
  print(cols)

  sql2 <- to_sql(d, my_db, using = "AUC")
  cat(sql2)
  print(DBI::dbGetQuery(my_db, sql2))
  DBI::dbDisconnect(my_db)
}

```

describe_tables

Build a nice description of a table.

Description

Please see <https://win-vector.com/2017/05/26/managing-spark-data-handles-in-r/> for details. Note: one usually needs to alter the keys column which is just populated with all columns.

Usage

```
describe_tables(db, tablenames, ..., keyInspector = key_inspector_all_cols)
```

Arguments

db	database handle
tablenames	character, names of tables to describe.
...	force later arguments to bind by name.
keyInspector	function that determines preferred primary key set for tables.

Details

Please see `vignette('DependencySorting', package = 'rquery')` and `vignette('joinController', package = 'rquery')` for more details.

Value

table describing the data.

See Also

[build_join_plan](#), [graph_join_plan](#), [actualize_join_plan](#)

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  ex <- example_employee_date(my_db)
  print(describe_tables(my_db, ex$tableName,
                        keyInspector = key_inspector_sqlite))
  DBI::dbDisconnect(my_db)
}
```

drop_columns

Make a drop columns node (not a relational operation).

Description

Note: must keep at least one column.

Usage

```
drop_columns(source, drops, ..., strict = FALSE, env = parent.frame())
```

Arguments

source	source to drop columns from.
drops	list of distinct column names.
...	force later arguments to bind by name
strict	logical, if TRUE do check columns to be dropped are actually present.
env	environment to look to.

Value

drop columns node.

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))
  optree <- drop_columns(d, 'AUC')
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}

```

 ex

Execute a wrapped execution pipeline.

Description

Execute a ops-dag using ‘codewrap()’ data as values.

Usage

```
ex(ops, ..., env = parent.frame())
```

Arguments

ops	rqquery pipeline with tables formed by ‘wrap()’.
...	not used, force later argument to be referred by name
env	environment to work in.

Value

data.frame result

Examples

```

if(requireNamespace('rqdatatable')) {
  d <- data.frame(x = 1:3, y = 4:6)
  d %.>%
    wrap(.) %.>%
    extend(., z := x + y) %.>%
    ex(.)
}

```

 execute

Execute an operator tree, bringing back the result to memory.

Description

Run the data query.

Usage

```
execute(
  source,
  optree,
  ...,
  limit = NULL,
  source_limit = NULL,
  overwrite = TRUE,
  temporary = TRUE,
  allow_executor = TRUE,
  temp_source = mk_tmp_name_source("rquery_ex"),
  env = parent.frame()
)
```

Arguments

source	data.frame or database connecton (rquery_db_info class or DBI connections preferred).
optree	relop operation tree.
...	force later arguments to bind by name.
limit	numeric, if set limit to this many rows during data bring back (not used when landing a table).
source_limit	numeric if not NULL limit sources to this many rows.
overwrite	logical if TRUE drop an previous table.
temporary	logical if TRUE try to create a temporary table.
allow_executor	logical if TRUE allow any executor set as rquery.rquery_executor to be used.
temp_source	temporary name generator.
env	environment to work in.

Value

data.frame

See Also

[materialize](#), [db_td](#), [to_sql](#), [rq_copy_to](#), [mk_td](#)

Examples

```
# WARNING: example tries to change rquery.rquery_db_executor option to RSQLite and back.
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  old_o <- options(list("rquery.rquery_db_executor" = list(db = my_db)))
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))
  optree <- extend_se(d, c("v" %:=% "AUC + R2", "x" %:=% "pmax(AUC,v)"))

  print(optree)

  cat(format(optree))

  v <- execute(my_db, optree)
  print(v)

  v2 <- execute(data.frame(AUC = 1, R2 = 2), optree)
  print(v2)

  options(old_o)
  DBI::dbDisconnect(my_db)
}
```

 expand_grid

Cross product vectors in database.

Description

Cross product vectors in database.

Usage

```
expand_grid(
  db,
  values,
  ...,
  temporary = TRUE,
  table_name = (wrapr::mk_tmp_name_source("eg"))(),
  qualifiers = NULL
)
```

Arguments

db	database handle
values	named list of value vectors.
...	force later arguments to bind by name.
temporary	logical if TRUE try to make temporary table.

table_name name to land result as.
qualifiers optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Value

table handle.

Examples

```

if (requireNamespace("DBI", quietly = TRUE) &&
    requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  values <- list(nums = 1:3, lets = c("a", "b"))
  res <- expand_grid(my_db, values)
  print(res)
  execute(my_db, res)
  DBI::dbDisconnect(my_db)
}

```

extend

Extend data by adding more columns.

Description

Create a node similar to a Codd extend relational operator (add derived columns).

Usage

```

extend(
  source,
  ...,
  partitionby = NULL,
  orderby = NULL,
  reverse = NULL,
  display_form = NULL,
  env = parent.frame()
)

```

```

extend_nse(
  source,
  ...,
  partitionby = NULL,
  orderby = NULL,
  reverse = NULL,
  display_form = NULL,
  env = parent.frame()
)

```

Arguments

source	source to select from.
...	new column assignment expressions.
partitionby	partitioning (window function) terms.
orderby	ordering (in window function) terms.
reverse	reverse ordering (in window function) terms.
display_form	character presentation form
env	environment to look for values in.

Details

Partitionby and orderby can only be used with a database that supports window-functions (such as PostgreSQL, Spark, and so on).

Supports `bquote()` `()`-style name abstraction with the extension that – promotes strings to names (please see here: <https://github.com/WinVector/rquery/blob/master/Examples/Substitution/Substitution.md>).

Note: if any window/aggregation functions are present then at least one of partitionby or orderby must be non empty. For this purpose partitionby=1 is allowed and means "single partition on the constant 1."

Value

extend node.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))
  NEWCOL <- as.name("v")
  NEWVALUE = "zz"
  optree <- extend(d, .(NEWCOL) %:=% ifelse(AUC>0.5, R2, 1.0), .(NEWVALUE) %:=% 6)
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}
```

 extend_se

Extend data by adding more columns.

Description

Create a node similar to a Codd extend relational operator (add derived columns).

Usage

```
extend_se(
  source,
  assignments,
  ...,
  partitionby = NULL,
  orderby = NULL,
  reverse = NULL,
  display_form = NULL,
  env = parent.frame()
)
```

Arguments

source	source to select from.
assignments	new column assignment expressions.
...	force later arguments to bind by name
partitionby	partitioning (window function) terms.
orderby	ordering (in window function) terms.
reverse	reverse ordering (in window function) terms.
display_form	character presentation form
env	environment to look for values in.

Details

Partitionby and orderby can only be used with a database that supports window-functions (such as PostgreSQL, Spark and so on).

Note: if any window/aggregation functions are present then at least one of partitionby or orderby must be non empty. For this purpose partitionby=1 is allowed and means "single partition on the constant 1."

Value

extend node.

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))
  optree <- extend_se(d, c("v" :=% "AUC + R2", "x" :=% "pmax(AUC,v)"))
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))

  DBI::dbDisconnect(my_db)
}

```

format_node	<i>Format a single node for printing.</i>
-------------	---

Description

Format a single node for printing.

Usage

```
format_node(node)
```

Arguments

node node of operator tree to be formatted

Value

character display form of the node

getDBOption	<i>Get a database connection option.</i>
-------------	--

Description

Note: we are moving away from global options to options in the DB handle.

Usage

```
getDBOption(db, optname, default, connection_options = list())
```

Arguments

db database connection handle.
 optname character, single option name.
 default what to return if not set.
 connection_options name list of per connection options.

Value

option value

Examples

```
if(requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  print(getDBOption(my_db, "use_DBI_dbExecute"))
  DBI::dbDisconnect(my_db)
}
```

graph_join_plan

Build a draw-able specification of the join diagram

Description

Please see `vignette('DependencySorting', package = 'rquery')` and `vignette('joinController', package = 'rquery')` for more details.

Usage

```
graph_join_plan(columnJoinPlan, ..., groupByKey = TRUE, graphOpts = NULL)
```

Arguments

columnJoinPlan join plan
 ... force later arguments to bind by name
 groupByKey logical if true build key-equivalent sub-graphs
 graphOpts options for graphViz

Value

grViz diagram spec

See Also

[describe_tables](#), [build_join_plan](#), [actualize_join_plan](#)

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  # note: employeeanddate is likely built as a cross-product
  #   join of an employee table and set of dates of interest
  #   before getting to the join controller step. We call
  #   such a table "row control" or "experimental design."
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  RSQLite::initExtension(my_db)
  tDesc <- example_employee_date(my_db)
  # fix order by hand, please see rquery::topo_sort_tables for
  # how to automate this.
  ord <- match(c('employeeanddate', 'orgtable', 'activity', 'revenue'),
              tDesc$tableName)
  tDesc <- tDesc[ord, , drop=FALSE]
  columnJoinPlan <- build_join_plan(tDesc, check= FALSE)
  # unify keys
  columnJoinPlan$resultColumn[columnJoinPlan$resultColumn=='id'] <- 'eid'
  # look at plan defects
  print(paste('problems:',
             inspect_join_plan(tDesc, columnJoinPlan)))
  diagramSpec <- graph_join_plan(columnJoinPlan)
  # # to render as JavaScript:
  # if(requireNamespace("DiagrammeR", quietly = TRUE)) {
  #   print(DiagrammeR::grViz(diagramSpec))
  # }
  DBI::dbDisconnect(my_db)
  my_db <- NULL
}

```

if_else_block	<i>Build a sequence of statements simulating an if/else block-if(){}else{}.</i>
---------------	---

Description

This device uses expression-ifelse(, ,) to simulate the more powerful per-row block-if(){}else{}. The difference is expression-ifelse(, ,) can choose per-row what value to express, whereas block-if(){}else{} can choose per-row where to assign multiple values. By simulation we mean: a sequence of quoted mutate expressions are emitted that implement the transform. These expressions can then be optimized into a minimal number of no-dependency blocks by [extend_se](#) for efficient execution. The idea is the user can write legible code in this notation, and the translation turns it into safe and efficient code suitable for execution either on data.frames or at a big data scale using RPostgreSQL or sparklyr.

Usage

```
if_else_block(testexpr, ..., thenexprs = NULL, elseexprs = NULL)
```

Arguments

testexpr character containing the test expression.
 ... force later arguments to bind by name.
 thenexprs named character then assignments (altering columns, not creating).
 elseexprs named character else assignments (altering columns, not creating).

Details

Note: ifebtest_* is a reserved column name for this procedure.

Value

sequence of statements for extend_se().

See Also

[if_else_op](#)

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  # Example: clear one of a or b in any row where both are set.
  # Land random selections early to avoid SQLite bug.
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(
    my_db,
    'd',
    data.frame(i = c(1, 2, 3, 4, 5, 6, 7, 8, 9, 10),
              a = c(0, 0, 1, 1, 1, 1, 1, 1, 1, 1),
              b = c(0, 1, 0, 1, 1, 1, 1, 1, 1, 1),
              r = runif(10),
              edited = 0),
    temporary=TRUE, overwrite=TRUE)

  program <- if_else_block(
    testexpr = qe((a+b)>1),
    thenexprs = c(
      if_else_block(
        testexpr = qe(r >= 0.5),
        thenexprs = qae(a %:=% 0),
        elseexprs = qae(b %:=% 0)),
      qae(edited %:=% 1)))
  print(program)

  optree <- extend_se(d, program)
  cat(format(optree))

  sql <- to_sql(optree, my_db)
  cat(sql)
```

```

print(DBI::dbGetQuery(my_db, sql))

# Why we need to land the random selection early
# for SQLite:
q <- "SELECT r AS r1, r AS r2 FROM (
      SELECT random() AS r FROM (
        SELECT * from ( VALUES(1),(2) )
      ) a
    ) b"
print(DBI::dbGetQuery(my_db, q))

DBI::dbDisconnect(my_db)
}

```

if_else_op

Build a relop node simulating a per-row block-if(){else{}.

Description

This device uses expression-ifelse(, ,) to simulate the more powerful per-row block-if(){else{}. The difference is expression-ifelse(, ,) can choose per-row what value to express, whereas block-if(){else{} can choose per-row where to assign multiple values. By simulation we mean: a sequence of quoted mutate expressions are emitted that implement the transform. These expressions can then be optimized into a minimal number of no-dependency blocks by `extend_se` for efficient execution. The idea is the user can write legible code in this notation, and the translation turns it into safe and efficient code suitable for execution either on `data.frames` or at a big data scale using RPostgreSQL or sparklyr.

Usage

```

if_else_op(
  source,
  testexpr,
  ...,
  thenexprs = NULL,
  elseexprs = NULL,
  env = parent.frame()
)

```

Arguments

source	optree relop node or data.frame.
testexpr	character containing the test expression.
...	force later arguments to bind by name.
thenexprs	named character then assignments (altering columns, not creating).
elseexprs	named character else assignments (altering columns, not creating).
env	environment to look to.

Details

Note: ifebtest_* is a reserved column name for this procedure.

Value

operator tree or data.frame.

See Also

[if_else_block](#)

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  # Example: clear one of a or b in any row where both are set.
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(
    my_db,
    'd',
    data.frame(i = c(1, 2, 3, 4, 5, 6, 7, 8, 9, 10),
              a = c(0, 0, 1, 1, 1, 1, 1, 1, 1, 1),
              b = c(0, 1, 0, 1, 1, 1, 1, 1, 1, 1),
              edited = NA),
    temporary=TRUE, overwrite=TRUE)

  optree <- d %>%
    if_else_op(.,
              testexpr = qe((a+b)>1),
              thenexprs = qae(a :=% 0,
                              b :=% 0,
                              edited :=% 1),
              elseexprs = qae(edited :=% 0))
  cat(format(optree))

  sql <- to_sql(optree, my_db)
  cat(sql)

  print(DBI::dbGetQuery(my_db, sql))

  DBI::dbDisconnect(my_db)
}
```

Description

Please see `vignette('DependencySorting', package = 'rquery')` and `vignette('joinController', package = 'rquery')` for more details.

Usage

```
inspect_join_plan(tDesc, columnJoinPlan, ..., checkColClasses = FALSE)
```

Arguments

<code>tDesc</code>	description of tables, from describe_tables (and likely altered by user).
<code>columnJoinPlan</code>	columns to join, from build_join_plan (and likely altered by user). Note: no column names must intersect with names of the form <code>table_CLEANEDTABNAME_present</code> .
<code>...</code>	force later arguments to bind by name.
<code>checkColClasses</code>	logical if true check for exact class name matches

Value

NULL if okay, else a string

See Also

[describe_tables](#), [build_join_plan](#), [graph_join_plan](#), [actualize_join_plan](#)

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  # example data
  DBI::dbWriteTable(my_db,
                    "d1",
                    data.frame(id= 1:3,
                               weight= c(200, 140, 98),
                               height= c(60, 24, 12)))
  DBI::dbWriteTable(my_db,
                    "d2",
                    data.frame(pid= 2:3,
                               weight= c(130, 110),
                               width= 1))
  # get the initial description of table defs
  tDesc <- describe_tables(my_db, qc(d1, d2))
  # declare keys (and give them consistent names)
  tDesc$keys[[1]] <- list(PrimaryKey= 'id')
  tDesc$keys[[2]] <- list(PrimaryKey= 'pid')
  # build the join plan
  columnJoinPlan <- build_join_plan(tDesc)
  # confirm the plan
  print(inspect_join_plan(tDesc, columnJoinPlan,
                          checkColClasses= TRUE))
}
```

```

# damage the plan
columnJoinPlan$sourceColumn[columnJoinPlan$sourceColumn=='width'] <- 'wd'
# find a problem
print(inspect_join_plan(tDesc, columnJoinPlan,
                        checkColClasses= TRUE))
DBI::dbDisconnect(my_db)
}

```

key_inspector_all_cols

Return all columns as guess of preferred primary keys.

Description

Return all columns as guess of preferred primary keys.

Usage

```
key_inspector_all_cols(db, tablename)
```

Arguments

db	database handle
tablename	character, name of table

Value

map of keys to keys

See Also

describe_tables

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  DBI::dbWriteTable(my_db,
                    "d",
                    data.frame(x=1:3, y=NA))
  print(key_inspector_all_cols(my_db, "d"))
  DBI::dbDisconnect(my_db)
}

```

`key_inspector_postgresql`

Return all primary key columns as guess at preferred primary keys for a PostgreSQL handle.

Description

Return all primary key columns as guess at preferred primary keys for a PostgreSQL handle.

Usage

```
key_inspector_postgresql(db, tablename)
```

Arguments

<code>db</code>	database handle
<code>tablename</code>	character, name of table

Value

map of keys to keys

See Also

`describe_tables`

`key_inspector_sqlite` *Return all primary key columns as guess at preferred primary keys for a SQLite handle.*

Description

Return all primary key columns as guess at preferred primary keys for a SQLite handle.

Usage

```
key_inspector_sqlite(db, tablename)
```

Arguments

<code>db</code>	database handle
<code>tablename</code>	character, name of table

Value

map of keys to keys

See Also

describe_tables

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  DBI::dbExecute(my_db, "
    CREATE TABLE orgtable (
      eid TEXT,
      date INTEGER,
      dept TEXT,
      location TEXT,
      PRIMARY KEY (eid, date)
    )
  ")
  print(key_inspector_sqlite(my_db, "orgtable"))
  DBI::dbDisconnect(my_db)
}

```

local_td

*Construct a table description of a local data.frame.***Description**

Construct a table description of a local data.frame.

Usage

```

local_td(
  d,
  ...,
  name = NULL,
  name_source = wrapr::mk_tmp_name_source("rqltd"),
  env = parent.frame()
)

```

Arguments

d	data.frame or name of data.frame to use as a data source.
...	not used, force later arguments to be optional.
name	if not null name to user for table.
name_source	temporary name source.
env	environment to work in.

Value

a relop representation of the data

See Also

[db_td](#), [mk_td](#)

Examples

```
d <- data.frame(x = 1)
local_td(d)
local_td("d")
local_td(as.name("d"))
local_td(data.frame(x = 1))
d %>% local_td # needs wrapr 1.5.0 or newer to capture name
```

lookup_by_column	<i>Use one column to pick values from other columns.</i>
------------------	--

Description

The pick column selects values from the columns it names (per-row).

Usage

```
lookup_by_column(
  source,
  pick,
  result,
  ...,
  tmp_name_source = wrapr::mk_tmp_name_source("qn"),
  temporary = TRUE,
  qualifiers = NULL,
  f_dt_factory = NULL
)
```

Arguments

source	source to select from (relop or data.frame).
pick	character scalar, name of column to control value choices.
result	character scalar, name of column to place values in.
...	force later arguments to be bound by name
tmp_name_source	wrapr::mk_tmp_name_source(), temporary name generator.
temporary	logical, if TRUE use temporary tables.

- qualifiers** optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.
- f_dt_factory** optional signature `f_dt_factory(pick, result)` returns function with signature `f_dt(d, nd)` where `d` is a `data.table`. The point is the function must come from a `data.table` enabled package. Please see `rqdatatable::make_dt_lookup_by_column` for an example.

Examples

```
df = data.frame(x = c(1, 2, 3, 4),
               y = c(5, 6, 7, 8),
               choice = c("x", "y", "x", "z"),
               stringsAsFactors = FALSE)

# library("rqdatatable")
# df %>%
#   lookup_by_column(., "choice", "derived")

if (requireNamespace("DBI", quietly = TRUE) &&
    requireNamespace("RSQLite", quietly = TRUE)) {
  db <- DBI::dbConnect(RSQLite::SQLite(),
                      ":memory:")
  RSQLite::initExtension(db)
  dr <- rq_copy_to(db, "dRemote", df,
                  overwrite = TRUE,
                  temporary = TRUE)

  ops <- dr %>%
    lookup_by_column(., "choice", "derived")
  cat(format(ops))

  execute(db, ops) %>%
    print(.)

  DBI::dbDisconnect(db)
}
```

`make_assignments` *Make a list of assignments, applying many functions to many columns.*

Description

Make a list of assignments, applying each function to each column named. Intended to be used as an argument in `extend_se()` or `project_se()`.

Usage

```
make_assignments(columns, funs, ..., sep = "_", prefix = TRUE)
```



```

                                c = c("1", "2", "3", "4"),
                                stringsAsFactors = FALSE),
                                temporary = TRUE,
                                overwrite = TRUE)
mp <- build_frame(
  "column_name", "old_value", "new_value" |
  "a"           , "1"         , "10"        |
  "a"           , "2"         , "20"        |
  "b"           , "1"         , "100"       |
  "b"           , "3"         , "300"       )

# example
op_tree <- d %>%
  map_column_values(., mp)
cat(format(op_tree))
sql <- to_sql(op_tree, my_db)
cat(sql)
print(DBI::dbGetQuery(my_db, sql))

# cleanup
DBI::dbDisconnect(my_db)
}

```

mark_null_cols

Indicate NULLs per row for given column set.

Description

Build a query that creates NULL indicators for nulls in selected columns.

Usage

```
mark_null_cols(source, cols)
```

Arguments

source	incoming rel_op tree or data.frame.
cols	named character, values are columns to track, names are where to land indicators.

Value

rel_op node or data.frame (depending on input).

See Also

[null_replace](#), [count_null_cols](#)

Examples

```

# WARNING: example tries to change rquery.rquery_db_executor option to RSQLite and back.
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  RSQLite::initExtension(my_db)
  old_o <- options(list("rquery.rquery_db_executor" = list(db = my_db)))

  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = c(0.6, 0.5, NA),
                             R2 = c(1.0, 0.9, NA)))
  op_tree <- d %>% mark_null_cols(., qc(AUC_NULL, R2_NULL) %:=%
                                qc(AUC, R2))

  cat(format(op_tree))
  sql <- to_sql(op_tree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))

  # ad-hoc mode
  data.frame(AUC=c(1,NA,0.5), R2=c(NA,1,0)) %>%
    op_tree %>%
    print(.)

  # cleanup
  options(old_o)
  DBI::dbDisconnect(my_db)
}

```

materialize

Materialize an optree as a table.

Description

Run the data query as a CREATE TABLE AS . Think of as a function that can be applied to relop trees, not as a component to place in pipelines.

Usage

```

materialize(
  db,
  optree,
  table_name = mk_tmp_name_source("rquery_mat")(),
  ...,
  limit = NULL,
  source_limit = NULL,
  overwrite = TRUE,
  temporary = FALSE,
  qualifiers = NULL
)

```

Arguments

db	database connecton (rquery_db_info class or DBI connections preferred).
optree	relop operation tree.
table_name	character, name of table to create.
...	force later arguments to bind by name.
limit	numeric if not NULL result limit (to use this, last statement must not have a limit).
source_limit	numeric if not NULL limit sources to this many rows.
overwrite	logical if TRUE drop an previous table.
temporary	logical if TRUE try to create a temporary table.
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Value

table description

See Also

[db_td](#), [execute](#), [to_sql](#), [rq_copy_to](#), [mk_td](#)

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")

  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2),
                 temporary = TRUE, overwrite = TRUE)
  optree <- extend_se(d, c("v" %:= "AUC + R2", "x" %:= "pmax(AUC,v)"))
  cat(format(optree))
  res <- materialize(my_db, optree, "example")
  cat(format(res))
  sql <- to_sql(res, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))

  DBI::dbDisconnect(my_db)
}
```

materialize_node	<i>Create a materialize node.</i>
------------------	-----------------------------------

Description

Write results into a specified table. Result is transient, lives only for the duration of the pipeline calculation. This node is only used to break up or un-nest calculations, not for value sharing or re-use.

Usage

```
materialize_node(  
  source,  
  table_name = (wrapr::mk_tmp_name_source("rquerymn"))(),  
  ...,  
  qualifiers = NULL  
)
```

Arguments

source	source to work from (relop node)
table_name	character, name of caching table
...	not used, force later argument to bind by name
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Details

Note this node can not be used in multiple paths in the same rel_op tree as it re-uses table names and re-computes each time called.

Value

relop materialize_node

See Also

[rsummary_node](#), [non_sql_node](#)

mk_td	<i>Make a table description directly.</i>
-------	---

Description

Build minimal structures (table name and column names) needed to represent data from a remote table.

Usage

```
mk_td(
  table_name,
  columns,
  ...,
  qualifiers = NULL,
  q_table_name = NULL,
  head_sample = NULL,
  limit_was = NULL
)
```

```
table_source(
  table_name,
  columns,
  ...,
  qualifiers = NULL,
  q_table_name = NULL,
  head_sample = NULL,
  limit_was = NULL
)
```

Arguments

table_name	character, name of table
columns	character, column names of table (non-empty and unique values).
...	not used, force later argument to bind by name
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.
q_table_name	optional character, qualified table name, note: has to be re-generated for different DB connections.
head_sample	optional, head_sample of table as an example
limit_was	optional, row limit used to produce head_sample.

Details

Generate a query that returns contents of a table, we could try to eliminate this (replace the query with the table name), but there are features one can work with with the query in place and SQL optimizers likely make this zero-cost anyway.

Value

a relop representation of the data

Functions

- `table_source()`: old name for `mk_td`

See Also

[db_td](#), [local_td](#)

[db_td](#), [local_td](#), [rq_copy_to](#), [materialize](#), [execute](#), [to_sql](#)

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  rq_copy_to(my_db,
            'd',
            data.frame(AUC = 0.6, R2 = 0.2),
            overwrite = TRUE,
            temporary = TRUE)
  d <- mk_td('d',
            columns = c("AUC", "R2"))
  print(d)
  sql <- to_sql(d, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}
```

natural_join

Make a natural_join node.

Description

Natural join is a join by identity on all common columns specified in the `by` argument. Any common columns not specified in the `by` argument are coalesced into a single column preferring the first or "a" table.

Usage

```
natural_join(a, b, ..., by, jointype = "INNER", env = parent.frame())
```

Arguments

a	source to select from.
b	source to select from.
...	force later arguments to bind by name
by	character, set of columns to match. If by is a named character vector the right table will have columns renamed.
jointype	type of join ('INNER', 'LEFT', 'RIGHT', 'FULL').
env	environment to look to.

Value

natural_join node.

Examples

```

if(requireNamespace("DBI", quietly = TRUE) &&
  requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(),
    ":memory:")

  d1 <- rq_copy_to(
    my_db, 'd1',
    build_frame(
      "key", "val", "val1" |
      "a" , 1 , 10 |
      "b" , 2 , 11 |
      "c" , 3 , 12 ))

  d2 <- rq_copy_to(
    my_db, 'd2',
    build_frame(
      "key", "val", "val2" |
      "a" , 5 , 13 |
      "b" , 6 , 14 |
      "d" , 7 , 15 ))

  # key matching join
  optree <- natural_join(d1, d2,
    jointype = "LEFT", by = 'key')
  execute(my_db, optree) %>%
    print(.)

  DBI::dbDisconnect(my_db)
}

```

non_sql_node	<i>Wrap a non-SQL node.</i>
--------------	-----------------------------

Description

Note: non-SQL nodes are allowed to delete/overwrite both both the incoming and outgoing tables, so do not point them to non-temporary structures. Also they tend to land all columns (losing narrowing optimization), so can be expensive and should be used sparingly. Finally their result can only be used once in a pipeline (else they will try to clobber their own result).

Usage

```
non_sql_node(
  source,
  ...,
  f_db = NULL,
  f_df = NULL,
  f_dt = NULL,
  incoming_table_name,
  incoming_qualifiers = NULL,
  outgoing_table_name,
  outgoing_qualifiers = NULL,
  columns_produced,
  display_form = "non_sql_node",
  orig_columns = TRUE,
  temporary = TRUE,
  check_result_details = TRUE,
  env = parent.frame()
)
```

Arguments

source	source to work from (data.frame or relop node)
...	force later arguments to bind by name
f_db	database implementation signature: f_db(db, incoming_table_name, outgoing_table_name, nd, ...) (db being a database handle)
f_df	data.frame implementation signature: f_df(data.frame, nd) (NULL defaults to taking from database).
f_dt	data.table implementation signature: f_dt(data.table, nd) (NULL defaults f_df).
incoming_table_name	character, name of incoming table
incoming_qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.
outgoing_table_name	character, name of produced table

outgoing_qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.
columns_produced	character, names of additional columns produced
display_form	character, how to print node
orig_columns	logical if TRUE select all original columns.
temporary	logical, if TRUE mark tables temporary.
check_result_details	logical, if TRUE enforce result type and columns.
env	environment to look to.

Value

non-sql node.

See Also

[rsummary_node](#), [quantile_node](#)

normalize_cols	<i>Build an optree pipeline that normalizes a set of columns so each column sums to one in each partition.</i>
----------------	--

Description

This is an example of building up a desired pre-prepared pipeline fragment from relop nodes.

Usage

```
normalize_cols(source, columns, ..., partitionby = NULL, env = parent.frame())
```

Arguments

source	relop tree or data.frame source.
columns	character, columns to normalize.
...	force later arguments to bind by name.
partitionby	partitioning (window function) column names to define partitions.
env	environment to look for values in.

Examples

```
# by hand logistic regression example
scale <- 0.237
d <- mk_td("survey_table",
           c("subjectID", "surveyCategory", "assessmentTotal"))
optree <- d %>%
  extend(.,
         probability :=%
           exp(assessmentTotal * scale)) %>%
  normalize_cols(.,
                 "probability",
                 partitionby = 'subjectID') %>%
  pick_top_k(.,
             partitionby = 'subjectID',
             orderby = c('probability', 'surveyCategory'),
             reverse = c('probability')) %>%
  rename_columns(., 'diagnosis' :=% 'surveyCategory') %>%
  select_columns(., c('subjectID',
                     'diagnosis',
                     'probability')) %>%
  orderby(., 'subjectID')
cat(format(optree))
```

null_replace

Create a null_replace node.

Description

Replace NA/NULL is specified columns with the given replacement value.

Usage

```
null_replace(src, cols, value, ..., note_col = NULL, env = parent.frame())
```

Arguments

src	relop or data.frame data source.
cols	character, columns to work on.
value	scalar, value to write.
...	force later arguments to bind by name.
note_col	character, if not NULL record number of columns altered per-row in this column.
env	environment to look to.

Value

null_replace node or data.frame.

See Also

[count_null_cols](#), [mark_null_cols](#)

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d1 <- rq_copy_to(my_db, 'd1',
                  data.frame(A = c(NA, 2, 3, NA), B = c(3, NA, 4, NA)))
  optree <- null_replace(d1, qc(A, B),
                        0.0, note_col = "alterations")

  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}
```

op_diagram

Build a diagram of a optree pipeline.

Description

Build a diagram of a optree pipeline.

Usage

```
op_diagram(optree, ..., merge_tables = FALSE, show_table_columns = TRUE)
```

Arguments

optree	operation tree pipeline (or list of such).
...	force other argument to be by name.
merge_tables	logical, if TRUE merge all same table references into one node. rel_op nodes that declare a materialize_as name will be cross-linked.
show_table_columns	logical, if TRUE show table columns.

Value

character DiagrammeR::grViz() ready text.

Examples

```

d <- mk_td('d',
           columns = qc(AUC, R2))
optree <- d %.>%
  extend(., v :=% ifelse(AUC>0.5, R2, 1.0)) %.>%
  quantile_node(.) %.>%
  natural_join(., d, jointype = "LEFT", by = "AUC") %.>%
  orderby(., "AUC")

cat(format(optree))

cat(op_diagram(optree))

# if(requireNamespace("DiagrammeR", quietly = TRUE)) {
#   optree %.>%
#     op_diagram(., merge_tables = TRUE) %.>%
#     DiagrammeR::grViz(.) %.>%
#     print(.)
#   # # or to render to png
#   # optree %.>%
#     op_diagram(., merge_tables = TRUE) %.>%
#     DiagrammeR::DiagrammeR(diagram = ., type = "grViz") %.>%
#     DiagrammeRsvg::export_svg(.) %.>%
#     charToRaw(.) %.>%
#     rsvg::rsvg_png(., file = "diagram1.png")
# }

```

 orderby

Make an orderby node (not a relational operation).

Description

Order a table by a set of columns (not general expressions) and limit number of rows in that order.

Usage

```

orderby(
  source,
  cols = NULL,
  ...,
  reverse = NULL,
  limit = NULL,
  env = parent.frame()
)

```

Arguments

source	source to select from.
cols	order by named columns ascending.
...	force later arguments to be bound by name
reverse	character, which columns to reverse ordering of top descending.
limit	number limit row count.
env	environment to look to.

Details

Note: this is a relational operator in that it takes a table that is a relation (has unique rows) to a table that is still a relation. However, most relational systems do not preserve row order in storage or between operations. So without the limit set this is not a useful operator except as a last step prior to pulling data to an in-memory `data.frame` (which does preserve row order).

Value

order_by node.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))
  optree <- orderby(d, cols = "AUC", reverse = "AUC", limit=4)
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}
```

order_expr

Make a order_expr node.

Description

order_expr() uses `bquote()` `.`-style escaping.

Usage

```
order_expr(source, expr, env = parent.frame())
```

```
order_expr_nse(source, expr, env = parent.frame())
```

Arguments

source source to select from.
 expr expression to order_expr.
 env environment to look to.

Value

select columns node.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2, z = 3))
  TARGETCOL = as.name("AUC")
  optree <- order_expr(d, .(TARGETCOL)/R2) %>%
    select_columns(., "R2")
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}
```

order_expr_se	<i>Make a order_expr node.</i>
---------------	--------------------------------

Description

Make a order_expr node.

Usage

```
order_expr_se(source, expr, env = parent.frame())
```

Arguments

source source to select from.
 expr expression to order_expr in ascending order.
 env environment to look for values in.

Value

select columns node.

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))
  optree <- order_expr_se(d, "AUC/R2")
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}

```

order_rows

Make an orderby node (not a relational operation).

Description

Order a table by a set of columns (not general expressions) and limit number of rows in that order.

Usage

```

order_rows(
  source,
  cols = NULL,
  ...,
  reverse = NULL,
  limit = NULL,
  env = parent.frame()
)

```

Arguments

source	source to select from.
cols	order by columns ascending.
...	force later arguments to be bound by name
reverse	character, which columns to reverse ordering of to descending.
limit	number limit row count.
env	environment to look to.

Details

Note: this is a relational operator in that it takes a table that is a relation (has unique rows) to a table that is still a relation. However, most relational systems do not preserve row order in storage or between operations. So without the limit set this is not a useful operator except as a last step prior to pulling data to an in-memory data.frame (which does preserve row order).

Value

order_by node.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))
  optree <- order_rows(d, cols = "AUC", reverse = "AUC", limit=4)
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}
```

pick_top_k

Build an optree pipeline that selects up to the top k rows from each group in the given order.

Description

This is an example of building up a desired pre-prepared pipeline fragment from relop nodes.

Usage

```
pick_top_k(
  source,
  ...,
  partitionby = NULL,
  orderby = NULL,
  reverse = NULL,
  k = 1L,
  order_expression = "row_number()",
  order_column = "row_number",
  keep_order_column = TRUE,
  env = parent.frame()
)
```

Arguments

source	relop tree or data.frame source.
...	force later arguments to bind by name.
partitionby	partitioning (window function) column names.
orderby	character, ordering (in window function) column names.

reverse character, reverse ordering (in window function) of these column names.

k integer, number of rows to limit to in each group.

order_expression character, command to compute row-order/rank.

order_column character, column name to write per-group rank in (no ties).

keep_order_column logical, if TRUE retain the order column in the result.

env environment to look for values in.

Examples

```
# by hand logistic regression example
scale <- 0.237
d <- mk_td("survey_table",
          c("subjectID", "surveyCategory", "assessmentTotal"))
optree <- d %>%
  extend(.,
        probability :=%
          exp(assessmentTotal * scale)) %>%
  normalize_cols(.,
                "probability",
                partitionby = 'subjectID') %>%
  pick_top_k(.,
            partitionby = 'subjectID',
            orderby = c('probability', 'surveyCategory'),
            reverse = c('probability', 'surveyCategory')) %>%
  rename_columns(., 'diagnosis' :=% 'surveyCategory') %>%
  select_columns(., c('subjectID',
                    'diagnosis',
                    'probability')) %>%
  orderby(., 'subjectID')
cat(format(optree))
```

```
pre_sql_sub_expr        pre_sql_sub_expr
```

Description

represents an expression. Unnamed list of pre_sql_terms and character.

Usage

```
pre_sql_sub_expr(terms, info = NULL)
```

Arguments

terms	list of pre_sql tokens
info	named list of extra info with a name slot containing a single string without spaces.

Value

pre_sql_sub_expr

project	<i>project data by grouping, and adding aggregate columns.</i>
---------	--

Description

Supports bquote() .()-style name abstraction including .(-) notation to promote strings to names (please see here: <https://github.com/WinVector/rquery/blob/master/Examples/Substitution/Substitution.md>).

Usage

```
project(source, ..., groupby = c(), env = parent.frame())
```

```
project_nse(source, ..., groupby = c(), env = parent.frame())
```

```
aggregate_nse(source, ..., groupby = c(), env = parent.frame())
```

Arguments

source	source to select from.
...	new column assignment expressions.
groupby	grouping columns.
env	environment to look for values in.

Value

project node.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(),
                        "memory:")
  d <- rq_copy_to(
    my_db, 'd',
    data.frame(group = c('a', 'a', 'b', 'b'),
              val = 1:4,
              stringsAsFactors = FALSE))
}
```

```

op_tree <- d %.>%
  project(., groupby = "group", vmax :=% max(val))
cat(format(op_tree))
sql <- to_sql(op_tree, my_db)
cat(sql)
execute(my_db, op_tree) %.>%
  print(.)

op_tree <- d %.>%
  project(., groupby = NULL, vmax :=% max(val))
cat(format(op_tree))
sql <- to_sql(op_tree, my_db)
cat(sql)
execute(my_db, op_tree) %.>%
  print(.)

DBI::dbDisconnect(my_db)
}

```

project_se

project data by grouping, and adding aggregate columns.

Description

project data by grouping, and adding aggregate columns.

Usage

```
project_se(source, assignments, ..., groupby = c(), env = parent.frame())
```

```
aggregate_se(source, assignments, ..., groupby = c(), env = parent.frame())
```

Arguments

source	source to select from.
assignments	new column assignment expressions.
...	not used, force later arguments to be by name
groupby	grouping columns.
env	environment to look for values in.

Value

project node.

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(),
                          ":memory:")

  d <- rq_copy_to(
    my_db, 'd',
    data.frame(group = c('a', 'a', 'b', 'b'),
               val = 1:4,
               stringsAsFactors = FALSE))

  op_tree <- d %.>%
    project_se(., groupby = "group", "vmax" :=% "max(val)")
  cat(format(op_tree))
  sql <- to_sql(op_tree, my_db)
  cat(sql)
  execute(my_db, op_tree) %.>%
    print(.)

  op_tree <- d %.>%
    project_se(., groupby = NULL, "vmax" :=% "max(val)")
  cat(format(op_tree))
  sql <- to_sql(op_tree, my_db)
  cat(sql)
  execute(my_db, op_tree) %.>%
    print(.)

  DBI::dbDisconnect(my_db)
}

```

quantile_cols

Compute quantiles of specified columns (without interpolation, needs a database with window functions).

Description

Compute quantiles of specified columns (without interpolation, needs a database with window functions).

Usage

```

quantile_cols(
  db,
  incoming_table_name,
  ...,
  probs = seq(0, 1, 0.25),
  probs_name = "quantile_probability",
  cols = rq_colnames(db, incoming_table_name),
  qualifiers = NULL
)

```

Arguments

db	database connection
incoming_table_name	name of table to compute quantiles of
...	force later arguments to bind by name
probs	numeric, probabilities to compute quantiles of
probs_name	character name for probability column
cols	character, columns to compute quantiles of
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Value

data.frame of quantiles

See Also

[quantile_node](#), [rsummary](#)

quantile_node	<i>Compute quantiles over non-NULL values (without interpolation, needs a database with window functions).</i>
---------------	--

Description

Please see https://github.com/WinVector/rquery/blob/master/extras/Summary_Example.md for an example.

Usage

```
quantile_node(
  source,
  cols = NULL,
  ...,
  probs_name = "quantile_probability",
  probs = seq(0, 1, 0.25),
  tmp_name_source = wrapr::mk_tmp_name_source("qn"),
  temporary = TRUE,
  qualifiers = NULL
)
```

Arguments

source	source to select from (relop or data.frame).
cols	character, compute quantiles for these columns (NULL indicates all columns).
...	force later arguments to be bound by name
probs_name	character, column name to write probs in.
probs	numeric quantiles to compute
tmp_name_source	wrapr::mk_tmp_name_source(), temporary name generator.
temporary	logical, if TRUE use temporary tables
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Details

This is a `non_sql_node`, so please see [non_sql_node](#) for some of the issues for this node type.

Value

table of quantiles

See Also

[quantile_cols](#), [rsummary](#), [non_sql_node](#)

quote_identifier	<i>Quote an identifier.</i>
------------------	-----------------------------

Description

Quote an identifier.

Usage

```
quote_identifier(x, id)
```

Arguments

x	database handle or rquery_db_info object.
id	character to quote

Value

quoted identifier

quote_literal	<i>Quote a value</i>
---------------	----------------------

Description

Quote a value

Usage

```
quote_literal(x, o)
```

Arguments

x	database handle or rquery_db_info object.
o	value to quote

Value

quoted string

quote_string	<i>Quote a string</i>
--------------	-----------------------

Description

Quote a string

Usage

```
quote_string(x, s)
```

Arguments

x	database handle or rquery_db_info object.
s	character to quote

Value

quoted string

quote_table_name	<i>Quote a table name.</i>
------------------	----------------------------

Description

Quote a table name.

Usage

```
quote_table_name(x, id, ..., qualifiers = character(0))
```

Arguments

x	database handle or rquery_db_info object.
id	character to quote
...	not used, force later arguments to bind by name.
qualifiers	named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Value

quoted identifier

rename_columns	<i>Make a rename columns node (copies columns not renamed).</i>
----------------	---

Description

Make a rename columns node (copies columns not renamed).

Usage

```
rename_columns(source, cmap, env = parent.frame())
```

Arguments

source	source to rename from.
cmap	map written as new column names as keys and old column names as values.
env	environment to look to.

Value

rename columns node.

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2, z = 3))
  op_tree <- rename_columns(d, c('R2' :=% 'AUC', 'AUC' :=% 'R2'))
  cat(format(op_tree))
  sql <- to_sql(op_tree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}

```

row_counts

Build an optree pipeline counts rows.

Description

This is an example of building up a desired pre-prepared pipeline fragment from relop nodes.

Usage

```
row_counts(source, ..., groupby = character(0), env = parent.frame())
```

Arguments

source	relop tree or data.frame source.
...	force later arguments to bind by name.
groupby	partitioning (window function) column names.
env	environment to look for values in.

Examples

```

# by hand logistic regression example
d <- mk_td("survey_table",
          c("subjectID", "surveyCategory", "assessmentTotal"))
optree <- d %>%
  row_counts(., groupby = "subjectID")
cat(format(optree))

```

```
rquery_apply_to_data_frame
```

Execute optree in an environment where d is the only data.

Description

Default DB uses RSQLite (so some functions are not supported).

Usage

```
rquery_apply_to_data_frame(
  d,
  optree,
  ...,
  limit = NULL,
  source_limit = NULL,
  allow_executor = TRUE,
  env = parent.frame()
)
```

Arguments

d	data.frame or named list of data.frames.
optree	rquery rel_op operation tree.
...	force later arguments to bind by name.
limit	integer, if not NULL limit result to no more than this many rows.
source_limit	numeric if not NULL limit sources to this many rows.
allow_executor	logical if TRUE allow any executor set as rquery.rquery_executor to be used.
env	environment to look to.

Value

data.frame result

Examples

```
# WARNING: example tries to change rquery.rquery_db_executor option to RSQLite and back.
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  RSQLite::initExtension(db)
  old_o <- options(list("rquery.rquery_db_executor" = list(db = db)))

  optree <- mk_td("d", c("AUC", "R2", "D")) %>%
    extend(., c %:=% sqrt(R2)) %>%
    orderby(., cols = "R2", reverse = "R2")
}
```

```

d <- data.frame(AUC = 0.6, R2 = c(0.1, 0.2), D = NA, z = 2)
v <- rquery_apply_to_data_frame(d, optree)
print(v)

# now load up a table without an R2 column,
# want to show this is caught
d <- data.frame(z = 1)
tryCatch(
  rquery_apply_to_data_frame(d, optree),
  error = function(e) { as.character(e) }
) %.>%
print(.)

options(old_o)
DBI::dbDisconnect(db)
}

```

rquery_db_info

Build a db information stand-in

Description

Build a db information stand-in

Usage

```

rquery_db_info(
  ...,
  connection = NULL,
  is_dbi = FALSE,
  identifier_quote_char = "\"",
  string_quote_char = "'",
  overrides = NULL,
  note = "",
  connection_options = rq_connection_advice(connection),
  db_methods = rquery_default_methods()
)

```

Arguments

... force all arguments to be by name.

connection connection handle to database or Spark.

is_dbi if TRUE the database connection can be used with DBI.

identifier_quote_char character, quote to put around identifiers.

string_quote_char character, quote to put around strings.

overrides	named list of functions to place in info.
note	character note to add to display form.
connection_options	named list of per-connection options.
db_methods	named list of to_sql methods.

Value

rquery_db_info object

rquery_default_db_info

An example rquery_db_info object useful for formatting SQL without a database connection.

Description

An example rquery_db_info object useful for formatting SQL without a database connection.

Usage

rquery_default_db_info()

Value

a rquery_db_info without a connection and vanilla settings.

rq_colnames

List table column names.

Description

List table column names.

Usage

rq_colnames(db, table_name, ..., qualifiers = NULL)

Arguments

db	Connection handle
table_name	character table name
...	not used, force later argument to bind by name
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Value

character list of column names

rq_coltypes	<i>Get column types by example values as a data.frame.</i>
-------------	--

Description

Example values not necessarily all from same row. Taking values from different rows is to try to work around NA not carrying type/class info in many cases.

Usage

```
rq_coltypes(
  db,
  table_name,
  ...,
  qualifiers = NULL,
  prefer_not_NA = FALSE,
  force_check = FALSE
)
```

Arguments

db	Connection handle.
table_name	character table name referring to a non-empty table.
...	force later arguments to bind by name.
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.
prefer_not_NA	logical, if TRUE try to find a non-NA example for all columns (FALSE just for logical columns).
force_check	logical, if TRUE perform checks regardless of check_logical_column_types option setting.

Value

single row data.frame with example values, not all values necessarily from same database row.

Examples

```
if(requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")

  # getDBOption(db, "check_logical_column_types", FALSE)
  # options(rq_connection_tests(db))
  # getDBOption(db, "check_logical_column_types", FALSE)
```

```

d <- data.frame(w= c(NA, 1L),
               x= c(NA, 2.0),
               y= factor(c(NA, "x")),
               z= c(NA, "y"),
               want = c(1, 0),
               stringsAsFactors=FALSE)
d <- rq_copy_to(db, "d", d,
               overwrite = TRUE,
               temporary = TRUE)
res <- d %>%
  extend(.,
        wc :=% ifelse(w>1, "x", "y"),
        wn :=% ifelse(w>1, 1, 2),
        xc :=% ifelse(x>1, "x", "y"),
        xn :=% ifelse(x>1, 1, 2),
        yc :=% ifelse(y=="a", "x", "y"),
        yn :=% ifelse(y=="a", "x", "y")) %>%
  materialize(db, .)
resn <- DBI::dbQuoteIdentifier(db, res$table_name)
print("full table types")
print(str(DBI::dbGetQuery(db, paste("SELECT * FROM", resn))))
print("single row mis-reported types")
print(str(DBI::dbGetQuery(db, paste("SELECT * FROM", resn, "WHERE want=1"))))
print("rq_coltypes correct synthetic example row types")
print(str(rq_coltypes(db, res$table_name, force_check = TRUE)))
DBI::dbDisconnect(db)
}

```

`rq_connection_advice` *Get advice for a DB connection (beyond tests).*

Description

These settings are set by the package maintainers based on experience with specific databases.

Usage

```
rq_connection_advice(db)
```

Arguments

`db` database connection handle

Value

named list of options

See Also[rq_connection_tests](#)**Examples**

```
if(requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {  
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")  
  print(rq_connection_name(my_db))  
  print(rq_connection_advice(my_db))  
  DBI::dbDisconnect(my_db)  
}
```

rq_connection_name	<i>Build a canonical name for a db connection class.</i>
--------------------	--

Description

Build a canonical name for a db connection class.

Usage

```
rq_connection_name(db)
```

Arguments

db	Database connection handle.
----	-----------------------------

Value

character, key version of handle for option lookups.

Examples

```
if(requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {  
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")  
  print(rq_connection_name(my_db))  
  DBI::dbDisconnect(my_db)  
}
```

`rq_connection_tests` *Try and test database for some option settings.*

Description

These settings are estimated by experiments. This is not the full set of options- but just the ones tested here.

Usage

```
rq_connection_tests(db, ..., overrides = NULL, use_advice = TRUE)
```

Arguments

<code>db</code>	database connection handle.
<code>...</code>	force later arguments to bind by name.
<code>overrides</code>	named character vector or list, options (just name, not DB qualification) to force
<code>use_advice</code>	logical if TRUE incorporate hard-coded advice.

Details

Note: tests are currently run in the default schema. Also it is normal to see some warning/error messages as different database capabilities are tested.

Value

named list of options

See Also

[rq_connection_advice](#)

Examples

```
if(requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  print(rq_connection_name(my_db))
  print(rq_connection_tests(my_db,
    overrides = c("use_DBI_dbExistsTable" = FALSE)))
  # the following would set options
  # print(options(rq_connection_tests(my_db)))
  DBI::dbDisconnect(my_db)
}
```

rq_copy_to	<i>Copy local R table to remote data handle.</i>
------------	--

Description

Copy local R table to remote data handle.

Usage

```
rq_copy_to(  
  db,  
  table_name,  
  d,  
  ...,  
  qualifiers = NULL,  
  overwrite = FALSE,  
  temporary = TRUE,  
  rowidcolumn = NULL  
)
```

Arguments

db	database connection handle.
table_name	name of table to create.
d	data.frame to copy to database.
...	force later argument to be by name
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.
overwrite	logical, if TRUE try to overwrite existing table.
temporary	logical, if TRUE try to mark table as temporary.
rowidcolumn	character, name to land row-ids.

Value

a relap representation of the data

See Also

[db_td](#), [mk_td](#), [materialize](#), [execute](#), [to_sql](#)

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))

  sql <- to_sql(d, db)
  cat(sql)
  print(DBI::dbGetQuery(db, "SELECT * FROM d"))
  DBI::dbDisconnect(db)
}
```

rq_execute

Execute a query, typically an update that is not supposed to return results.

Description

Execute a query, typically an update that is not supposed to return results.

Usage

```
rq_execute(db, q)
```

Arguments

db	database connection handle
q	character query

Value

nothing

See Also

[db_td](#)

rq_get_query	<i>Execute a get query, typically a non-update that is supposed to return results.</i>
--------------	--

Description

Execute a get query, typically a non-update that is supposed to return results.

Usage

```
rq_get_query(db, q)
```

Arguments

db	database connection handle
q	character query

Value

nothing

See Also

[db_td](#)

rq_head	<i>Get head of db table</i>
---------	-----------------------------

Description

Get head of db table

Usage

```
rq_head(db, table_name, ..., qualifiers = NULL, limit = 6L)
```

Arguments

db	Connection handle
table_name	character table name
...	not used, force later argument to bind by name
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.
limit	integer, how many rows to take

Value

first few rows

rq_nrow	<i>Count rows and return as numeric</i>
---------	---

Description

Count rows and return as numeric

Usage

```
rq_nrow(db, table_name, ..., qualifiers = NULL)
```

Arguments

db	database connection
table_name	character, name of table
...	not used, force later argument to bind by name
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Value

numeric row count

See Also

[db_td](#)

rq_remove_table	<i>Remove table</i>
-----------------	---------------------

Description

Remove table

Usage

```
rq_remove_table(db, table_name, ..., qualifiers = NULL)
```

Arguments

db	database connection.
table_name	character, name of table to create.
...	not used, force later argument to bind by name
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Value

logical TRUE if table existed, else FALSE

See Also

[db_td](#)

rq_table_exists	<i>Check if a table exists.</i>
-----------------	---------------------------------

Description

Check if a table exists.

Usage

```
rq_table_exists(db, table_name, ..., qualifiers = NULL)
```

Arguments

db	Connection handle
table_name	character table name
...	not used, force later argument to bind by name
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Value

logical TRUE if table exists.

See Also

[db_td](#)

rstr *Quick look at remote data*

Description

Quick look at remote data

Usage

```
rstr(  
  my_db,  
  tableName,  
  ...,  
  displayRows = 10,  
  countRows = TRUE,  
  qualifiers = NULL  
)
```

```
rlook(  
  my_db,  
  tableName,  
  ...,  
  displayRows = 10,  
  countRows = TRUE,  
  qualifiers = NULL  
)
```

Arguments

my_db	database handle
tableName	name of table to look at
...	not used, force later arguments to bind by name
displayRows	number of rows to sample
countRows	logical, if TRUE return row count.
qualifiers	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Value

str view of data

Examples

```
if ( requireNamespace("DBI", quietly = TRUE) &&  
  requireNamespace("RSQLite", quietly = TRUE)) {  
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
```

```

DBI::dbWriteTable(my_db,
                  'd',
                  data.frame(AUC = 0.6, R2 = 0.2),
                  overwrite = TRUE,
                  temporary = TRUE)
rlook(my_db, 'd')
DBI::dbDisconnect(my_db)
}

```

rsummary

Compute usable summary of columns of remote table.

Description

Compute per-column summaries and return as a `data.frame`. Warning: can be an expensive operation.

Usage

```

rsummary(
  db,
  tableName,
  ...,
  countUniqueNum = FALSE,
  quartiles = FALSE,
  cols = NULL,
  qualifiers = NULL
)

```

Arguments

<code>db</code>	database connection.
<code>tableName</code>	name of table.
<code>...</code>	force additional arguments to be bound by name.
<code>countUniqueNum</code>	logical, if TRUE include unique non-NA counts for numeric cols.
<code>quartiles</code>	logical, if TRUE add Q1 (25%), median (50%), Q3 (75%) quartiles.
<code>cols</code>	if not NULL set of columns to restrict to.
<code>qualifiers</code>	optional named ordered vector of strings carrying additional db hierarchy terms, such as schema.

Details

For numeric columns includes NaN in `nna` count (as is typical for R, e.g., `is.na(NaN)`).

Value

data.frame summary of columns.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) &&
    requireNamespace("RSQLite", quietly = TRUE)) {
  d <- data.frame(p= c(TRUE, FALSE, NA),
                 s= NA,
                 w= 1:3,
                 x= c(NA,2,3),
                 y= factor(c(3,5,NA)),
                 z= c('a',NA,'a'),
                 stringsAsFactors=FALSE)
  db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  RSQLite::initExtension(db)
  rq_copy_to(db, "dRemote", d,
             overwrite = TRUE, temporary = TRUE)
  print(rsummary(db, "dRemote"))
  DBI::dbDisconnect(db)
}
```

rsummary_node

Create an rsummary relop operator node.

Description

This is a `non_sql_node`, so please see [non_sql_node](#) for some of the issues for this node type.

Usage

```
rsummary_node(
  source,
  ...,
  quartiles = FALSE,
  tmp_name_source = wrapr::mk_tmp_name_source("sn"),
  temporary = TRUE
)
```

Arguments

source	incoming source (relop node or data.frame).
...	force later arguments to be by name
quartiles	logical, if TRUE add Q1 (25%), median (50%), Q3 (75%) quartiles.
tmp_name_source	wrapr::mk_tmp_name_source(), temporary name generator.
temporary	logical, if TRUE use temporary tables

Value

rsummary node

See Also

[quantile_node](#), [non_sql_node](#)

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  d <- data.frame(p= c(TRUE, FALSE, NA),
                 s= NA,
                 w= 1:3,
                 x= c(NA,2,3),
                 y= factor(c(3,5,NA)),
                 z= c('a',NA,'a'),
                 stringsAsFactors=FALSE)
  db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  RSQLite::initExtension(db)
  rq_copy_to(db, "dRemote", d,
             overwrite = TRUE,
             temporary = TRUE)

  ops <- db_td(db, "dRemote") %>%
    extend(., v %:=% ifelse(x>2, "x", "y")) %>%
    rsummary_node(.)
  cat(format(ops))

  print(to_sql(ops, db))

  reshdl <- materialize(db, ops)
  print(DBI::dbGetQuery(db, to_sql(reshdl, db)))

  DBI::dbDisconnect(db)
}
```

select_columns

Make a select columns node (not a relational operation).

Description

Make a select columns node (not a relational operation).

Usage

```
select_columns(source, columns, env = parent.frame())
```

Arguments

source	source to select from.
columns	list of distinct column names.
env	environment to look to.

Value

select columns node.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))
  optree <- select_columns(d, 'AUC')
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}
```

select_rows	<i>Make a select rows node.</i>
-------------	---------------------------------

Description

Supports bquote() . ()-style name abstraction including . (-) notation to promote strings to names (please see here: <https://github.com/WinVector/rquery/blob/master/Examples/Substitution/Substitution.md>).

Usage

```
select_rows(source, expr, env = parent.frame())
```

```
select_rows_nse(source, expr, env = parent.frame())
```

Arguments

source	source to select from.
expr	expression to select rows.
env	environment to look to.

Value

select rows node.

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2, z = 3))
  TARGETCOL = as.name("AUC")
  optree <- select_rows(d, .(TARGETCOL) >= 0.5) %>%
    select_columns(., "R2")
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}

```

select_rows_se

Make a select rows node.

Description

Make a select rows node.

Usage

```
select_rows_se(source, expr, env = parent.frame())
```

Arguments

source	source to select from.
expr	expression to select rows.
env	environment to look for values in.

Value

select rows node.

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))
  optree <- select_rows_se(d, "AUC >= 0.5")
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}

```

setDBOpt	<i>Set a database connection option.</i>
----------	--

Description

If db is of class rquery_db_info it sets the appropriate connection option, not the global state.

Usage

```
setDBOpt(db, optname, val)
```

Arguments

db	rquery_db_info instance
optname	character, single option name.
val	value to set

Value

db

setDBOption	<i>Set a database connection option.</i>
-------------	--

Description

Note: we are moving away from global options to options in the DB handle. Prefer [setDBOpt](#).

Usage

```
setDBOption(db, optname, val)
```

Arguments

db	database connection handle.
optname	character, single option name.
val	value to set

Value

original options value

set_indicator	<i>Make a set indicator node.</i>
---------------	-----------------------------------

Description

Create a new column indicating the membership of another column in a given set.

Usage

```
set_indicator(
  source,
  rescol,
  testcol,
  testvalues,
  ...,
  translate_quotes = FALSE,
  env = parent.frame()
)
```

Arguments

source	source to select from.
rescol	name of column to land indicator in.
testcol	name of column to check.
testvalues	values to check for.
...	force later arguments to bind by name
translate_quotes	logical if TRUE translate quotes to SQL choice (simple replacement, no escaping).
env	environment to look to.

Value

set_indicator node.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(),
    "memory:")

  d <- rq_copy_to(my_db, 'd',
    data.frame(a = c("1", "2", "1", "3"),
              b = c("1", "1", "3", "2"),
              q = 1,
              stringsAsFactors = FALSE),
```

```

        temporary = TRUE,
        overwrite = TRUE)

# example
set <- c("1", "2")
op_tree <- d %.>%
  set_indicator(., "one_two", "a", set) %.>%
  set_indicator(., "z", "a", c())
print(column_names(op_tree))
print(columns_used(op_tree))
cat(format(op_tree))
sql <- to_sql(op_tree, my_db)
cat(sql)
print(DBI::dbGetQuery(my_db, sql))

op_tree2 <- d %.>%
  set_indicator(., "one_two", "a", set) %.>%
  set_indicator(., "z", "b", c()) %.>%
  select_columns(., c("z", "one_two"))
print(column_names(op_tree2))
print(columns_used(op_tree2))

# cleanup
DBI::dbDisconnect(my_db)
}

```

sql_expr_set

Build a query that applies a SQL expression to a set of columns.

Description

Build a query that applies a SQL expression to a set of columns.

Usage

```
sql_expr_set(source, cols, expr)
```

Arguments

source	incoming rel_op tree or data.frame.
cols	character, columns to operate in. If a named array names are where results are landed, values names of value columns.
expr	character or list of character and names, expression to apply to columns "." stands for column value to use.

Value

rel_op node or data.frame (depending on input).

See Also

[null_replace](#), [count_null_cols](#), [mark_null_cols](#)

Examples

```
# WARNING: example tries to change rquery.rquery_db_executor option to RSQLite and back.
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  RSQLite::initExtension(my_db)
  old_o <- options(list("rquery.rquery_db_executor" = list(db = my_db)))

  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = c(NA, 0.5, NA),
                             R2 = c(1.0, 0.9, NA),
                             delta = 3,
                             cat = c("a", NA, "c"),
                             stringsAsFactors = FALSE))

  # example
  op_tree <- d %>% sql_expr_set(., qc(AUC, R2), ". + 1")
  cat(format(op_tree))
  sql <- to_sql(op_tree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))

  # ex2 names (but not marked as names)
  op_tree2 <- d %>% sql_expr_set(., qc(AUC, R2),
                                ". + 1 + delta")
  cat(to_sql(op_tree2, my_db))

  # ex3 names (also so marked)
  op_tree3 <- d %>% sql_expr_set(., qc(AUC, R2),
                                list(". + 1 +", as.name("delta")))
  cat(to_sql(op_tree3, my_db))

  # cleanup
  options(old_o)
  DBI::dbDisconnect(my_db)
}
```

sql_node

Make a general SQL node.

Description

Make a general SQL node.

Usage

```
sql_node(
  source,
  exprs,
  ...,
  mods = NULL,
  orig_columns = TRUE,
  expand_braces = TRUE,
  translate_quotes = TRUE,
  env = parent.frame()
)
```

Arguments

source	source to work from.
exprs	SQL expressions
...	force later arguments to bind by name
mods	SQL modifiers (GROUP BY, ORDER BY, and so on)
orig_columns	logical if TRUE select all original columns.
expand_braces	logical if TRUE use col notation to ensure col is a column name.
translate_quotes	logical if TRUE translate quotes to SQL choice (simple replacement, no escaping).
env	environment to look to.

Value

sql node.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  # example database connection
  my_db <- DBI::dbConnect(RSQLite::SQLite(),
                        ":memory:")
  # load up example data
  d <- rq_copy_to(
    my_db, 'd',
    data.frame(v1 = c(1, 2, NA, 3),
              v2 = c(NA, "b", NA, "c"),
              v3 = c(NA, NA, 7, 8),
              stringsAsFactors = FALSE))

  # look at table
  execute(my_db, d)

  # get list of columns
  vars <- column_names(d)
}
```

```

print(vars)

# build a NA/NULLs per-row counting expression.
# names are "quoted" by wrapping them with as.name().
# constants can be quoted by an additional list wrapping.
expr <- lapply(vars,
  function(vi) {
    list("+ (CASE WHEN (",
      as.name(vi),
      "IS NULL ) THEN 1.0 ELSE 0.0 END)")
  })
expr <- unlist(expr, recursive = FALSE)
expr <- c(list(0.0), expr)
cat(paste(unlist(expr), collapse = " "))

# instantiate the operator node
op_tree <- d %.>%
  sql_node(., "num_missing" %:=% list(expr))
cat(format(op_tree))

# examine produced SQL
sql <- to_sql(op_tree, my_db)
cat(sql)

# execute
execute(my_db, op_tree) %.>%
  print(.)

# whole process wrapped in convenience node
op_tree2 <- d %.>%
  count_null_cols(., vars, "nnull")
execute(my_db, op_tree2) %.>%
  print(.)

# sql_node also allows marking variable in quoted expressions
ops <- d %.>%
  sql_node(., qae(sqrt_v1 = sqrt(.[v1])))
execute(my_db, ops) %.>%
  print(.)

# marking variables allows for error-checking of column names
tryCatch({
  ops <- d %.>%
    sql_node(., qae(sqrt_v1 = sqrt(.[v1_misspelled])))
},
error = function(e) {print(e)})

DBI::dbDisconnect(my_db)
}

```

tables_used	<i>Return vector of table names used.</i>
-------------	---

Description

Return vector of table names used.

Usage

```
tables_used(node, ...)
```

Arguments

```
node          rquery tree to examine.
...           (not used)
```

Value

names of tables used.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d1 <- rq_copy_to(my_db, 'd1',
                  data.frame(AUC = 0.6, R2 = 0.2))
  d2 <- rq_copy_to(my_db, 'd2',
                  data.frame(AUC = 0.6, D = 0.3))
  optree <- natural_join(d1, d2, by = "AUC")
  cat(format(optree))
  print(tables_used(optree))
  DBI::dbDisconnect(my_db)
}
```

theta_join

Make a theta_join node.

Description

Theta join is a join on an arbitrary predicate.

Usage

```
theta_join(
  a,
  b,
  expr,
  ...,
  jointype = "INNER",
  suffix = c("_a", "_b"),
  env = parent.frame())
```

```

)

theta_join_nse(
  a,
  b,
  expr,
  ...,
  jointype = "INNER",
  suffix = c("_a", "_b"),
  env = parent.frame()
)

```

Arguments

a	source to select from.
b	source to select from.
expr	unquoted join condition
...	force later arguments to be by name
jointype	type of join ('INNER', 'LEFT', 'RIGHT', 'FULL').
suffix	character length 2, suffices to disambiguate columns.
env	environment to look for values in.

Value

theta_join node.

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d1 <- rq_copy_to(my_db, 'd1',
                  data.frame(AUC = 0.6, R2 = 0.2))
  d2 <- rq_copy_to(my_db, 'd2',
                  data.frame(AUC2 = 0.4, R2 = 0.3))
  optree <- theta_join(d1, d2, AUC >= AUC2)
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}

```

theta_join_se	<i>Make a theta_join node.</i>
---------------	--------------------------------

Description

Theta join is a join on an arbitrary predicate.

Usage

```
theta_join_se(
  a,
  b,
  expr,
  ...,
  jointype = "INNER",
  suffix = c("_a", "_b"),
  env = parent.frame()
)
```

Arguments

a	source to select from.
b	source to select from.
expr	quoted join conditions
...	force later arguments to be by name
jointype	type of join ('INNER', 'LEFT', 'RIGHT', 'FULL').
suffix	character length 2, suffices to disambiguate columns.
env	environment to look for values in.

Value

theta_join node.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d1 <- rq_copy_to(my_db, 'd1',
                  data.frame(AUC = 0.6, R2 = 0.2))
  d2 <- rq_copy_to(my_db, 'd2',
                  data.frame(AUC2 = 0.4, R2 = 0.3))
  optree <- theta_join_se(d1, d2, "AUC >= AUC2")
  cat(format(optree))
  sql <- to_sql(optree, my_db)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
}
```

```

  DBI::dbDisconnect(my_db)
}

```

topo_sort_tables	<i>Topologically sort join plan so values are available before uses.</i>
------------------	--

Description

Depends on igraph package. Please see vignette('DependencySorting', package = 'rquery') and vignette('joinController', package= 'rquery') for more details.

Usage

```
topo_sort_tables(columnJoinPlan, leftTableName, ...)
```

Arguments

```

columnJoinPlan  join plan
leftTableName   which table is left
...             force later arguments to bind by name

```

Value

list with dependencyGraph and sorted columnJoinPlan

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE) &&
    requireNamespace('igraph', quietly = TRUE)) {
  # note: employeeanddate is likely built as a cross-product
  #       join of an employee table and set of dates of interest
  #       before getting to the join controller step. We call
  #       such a table "row control" or "experimental design."
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  RSQLite::initExtension(my_db)
  tDesc <- example_employee_date(my_db)
  columnJoinPlan <- build_join_plan(tDesc, check= FALSE)
  # unify keys
  columnJoinPlan$resultColumn[columnJoinPlan$resultColumn=='id'] <- 'eid'
  # look at plan defects
  print(paste('problems:',
              inspect_join_plan(tDesc, columnJoinPlan)))
  # fix plan
  sorted <- topo_sort_tables(columnJoinPlan, 'employeeanddate')
  print(paste('problems:',
              inspect_join_plan(tDesc, sorted$columnJoinPlan)))
  print(plot(sorted$dependencyGraph))
  DBI::dbDisconnect(my_db)
}

```

```

    my_db <- NULL
  }

```

to_sql	<i>Return SQL implementation of operation tree.</i>
--------	---

Description

Add to last argument and pass all others through.

Usage

```

to_sql(
  x,
  db,
  ...,
  limit = NULL,
  source_limit = NULL,
  indent_level = 0,
  tnum = mk_tmp_name_source("tsql"),
  append_cr = TRUE,
  using = NULL
)

```

Arguments

x	rquery operation tree.
db	DBI database handle or rquery_db_info object.
...	generic additional arguments (not used).
limit	numeric if not NULL limit result to this many rows.
source_limit	numeric if not NULL limit sources to this many rows.
indent_level	level to indent.
tnum	temp sub-query name generator.
append_cr	logical if TRUE end with CR.
using	character, if not NULL set of columns used from above.

Value

SQL command

See Also

[db_td](#), [materialize](#), [execute](#), [rq_copy_to](#), [mk_td](#)

Examples

```

if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d1 <- rq_copy_to(my_db, 'd1',
                  data.frame(AUC = 0.6, R2 = 0.2))
  d2 <- rq_copy_to(my_db, 'd2',
                  data.frame(AUC = 0.6, D = 0.3))
  optree <- natural_join(d1, d2, by = "AUC")
  cat(format(optree))
  print(to_sql(optree, my_db))
  DBI::dbDisconnect(my_db)
}

```

to_transport_representation

Convert an rquery op diagram to a simple representation, appropriate for conversion to YAML.

Description

Convert an rquery op diagram to a simple representation, appropriate for conversion to YAML.

Usage

```
to_transport_representation(ops, ..., convert_named_vectors_to_lists = TRUE)
```

Arguments

ops	rquery operator dag
...	not used, force later arguments to be by name
convert_named_vectors_to_lists	logical, if TRUE convert named vectors to lists

Value

representation structure

unionall	<i>Make an unionall node (not a relational operation).</i>
----------	--

Description

Concatenate tables by rows.

Usage

```
unionall(sources, env = parent.frame())
```

Arguments

sources	list of relop trees or list of data.frames
env	environment to look to.

Value

order_by node or altered data.frame.

Examples

```
if (requireNamespace("DBI", quietly = TRUE) && requireNamespace("RSQLite", quietly = TRUE)) {
  my_db <- DBI::dbConnect(RSQLite::SQLite(), ":memory:")
  d <- rq_copy_to(my_db, 'd',
                 data.frame(AUC = 0.6, R2 = 0.2))
  optree <- unionall(list(d, d, d))
  cat(format(optree))
  sql <- to_sql(optree, my_db, limit = 2)
  cat(sql)
  print(DBI::dbGetQuery(my_db, sql))
  DBI::dbDisconnect(my_db)
}
```

wrap	<i>Wrap a data frame for later execution.</i>
------	---

Description

Create a table description that includes the actual data. Prevents wasteful table copies in immediate pipelines. Used with `ex()`.

Usage

```
wrap(d, ..., table_name = NULL, env = parent.frame())
```

Arguments

d	data.frame
...	not used, force later argument to be referred by name
table_name	character, name of table
env	environment to work in.

Value

a table description, with data attached

Examples

```
if(requireNamespace('rqdatatable')) {  
  d <- data.frame(x = 1:3, y = 4:6)  
  d %.>%  
    wrap(.) %.>%  
    extend(., z := x + y) %.>%  
    ex(.)  
}
```

Index

actualize_join_plan, [5](#), [13](#), [22](#), [30](#), [35](#)
affine_transform, [6](#)
aggregate_nse (project), [59](#)
aggregate_se (project_se), [60](#)
apply_right.relop, [7](#)
apply_right_S4, ANY, rquery_db_info-method, [9](#)
apply_right_S4, data.frame, relop_arrow-method, [10](#)
apply_right_S4, relop_arrow, relop_arrow-method, [10](#)
arrow, [11](#)
assign_slice, [12](#)

build_join_plan, [5](#), [13](#), [22](#), [30](#), [35](#)

column_names, [14](#)
columns_used, [14](#)
commencify, [15](#)
complete_design, [17](#)
convert_yaml_to_pipeline, [18](#)
count_null_cols, [19](#), [42](#), [52](#), [88](#)

db_td, [20](#), [24](#), [39](#), [44](#), [47](#), [74–78](#), [95](#)
dbi_table (db_td), [20](#)
describe_tables, [5](#), [13](#), [21](#), [30](#), [35](#)
drop_columns, [22](#)

ex, [23](#)
execute, [15](#), [16](#), [20](#), [24](#), [44](#), [47](#), [74](#), [95](#)
expand_grid, [25](#)
extend, [26](#)
extend_nse (extend), [26](#)
extend_se, [28](#), [31](#), [33](#)

format_node, [29](#)

getDBOption, [29](#)
graph_join_plan, [5](#), [13](#), [22](#), [30](#), [35](#)

if_else_block, [31](#), [34](#)

if_else_op, [32](#), [33](#)
inspect_join_plan, [5](#), [13](#), [34](#)

key_inspector_all_cols, [36](#)
key_inspector_postgresql, [37](#)
key_inspector_sqlite, [37](#)

local_td, [20](#), [38](#), [47](#)
lookup_by_column, [39](#)

make_assignments, [40](#)
map_column_values, [41](#)
mark_null_cols, [19](#), [42](#), [52](#), [88](#)
materialize, [20](#), [24](#), [43](#), [47](#), [74](#), [95](#)
materialize_node, [45](#)
mk_td, [20](#), [24](#), [39](#), [44](#), [46](#), [74](#), [95](#)

natural_join, [47](#)
non_sql_node, [45](#), [49](#), [63](#), [81](#), [82](#)
normalize_cols, [50](#)
null_replace, [19](#), [42](#), [51](#), [88](#)

op_diagram, [52](#)
order_expr, [54](#)
order_expr_nse (order_expr), [54](#)
order_expr_se, [55](#)
order_rows, [56](#)
orderby, [53](#)

pick_top_k, [57](#)
pre_sql_sub_expr, [58](#)
project, [59](#)
project_nse (project), [59](#)
project_se, [60](#)

quantile_cols, [61](#), [63](#)
quantile_node, [50](#), [62](#), [62](#), [82](#)
quote_identifier, [63](#)
quote_literal, [64](#)
quote_string, [64](#)
quote_table_name, [65](#)

rename_columns, 65
rlook (rstr), 79
row_counts, 66
rq_colnames, 69
rq_coltypes, 70
rq_connection_advice, 71, 73
rq_connection_name, 72
rq_connection_tests, 72, 73
rq_copy_to, 20, 24, 44, 47, 74, 95
rq_execute, 75
rq_get_query, 76
rq_head, 76
rq_nrow, 77
rq_remove_table, 77
rq_table_exists, 78
rquery (rquery-package), 4
rquery-package, 4
rquery_apply_to_data_frame, 8, 67
rquery_db_info, 68
rquery_default_db_info, 69
rstr, 79
rsummary, 62, 63, 80
rsummary_node, 45, 50, 81

select_columns, 82
select_rows, 83
select_rows_nse (select_rows), 83
select_rows_se, 84
set_indicator, 86
setDBOpt, 85, 85
setDBOption, 85
sql_expr_set, 87
sql_node, 88

table_source (mk_td), 46
tables_used, 90
theta_join, 91
theta_join_nse (theta_join), 91
theta_join_se, 93
to_sql, 20, 24, 44, 47, 74, 95
to_transport_representation, 96
topo_sort_tables, 94

unionall, 97

wrap, 97