

Package ‘rtlr’

May 9, 2026

Title Print Right-to-Left Languages Correctly

Version 0.1.0

Description Convenience functions to make some common tasks with right-to-left string printing easier, more convenient and with no need to remember long Unicode characters. Specifically helpful for right-to-left languages such as Arabic, Persian and Hebrew.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.2.3

Imports lifecycle, stringr

Suggests hexSticker, testthat (>= 3.0.0), usethis

Config/testthat/edition 3

URL <https://github.com/matanhakim/rtlr>,
<https://matanhakim.github.io/rtlr/>

BugReports <https://github.com/matanhakim/rtlr/issues>

NeedsCompilation no

Author Matan Hakim [aut, cre, cph] (ORCID:
<<https://orcid.org/0009-0002-9372-8975>>)

Maintainer Matan Hakim <matanhakim@gmail.com>

Repository CRAN

Date/Publication 2023-04-04 12:10:05 UTC

Contents

str_rtl	2
Index	3

`str_rtl`*Wrap a string with RTL-embedding Unicode characters*

Description

Wrap a string with RTL-embedding Unicode characters

Usage

```
str_rtl(..., multiline = FALSE)
```

Arguments

`...` One or more character vectors, ideally of length 1.
`multiline` Whether to split the input strings to separate lines. Defaults to FALSE.

Value

A character vector.

Examples

```
# Notice how the `.` prints to the right, while in RTL it should print to the left  
cat("a.")
```

```
# `str_rtl()` fixes this:  
str_rtl("a.") |> cat()
```

```
str_rtl("a.", "b.", multiline = TRUE) |> cat()
```

Index

`str_rtl`, 2