

Package ‘spsur’

May 9, 2026

Type Package

Title Spatial Seemingly Unrelated Regression Models

Version 1.0.2.6

Date 2025-09-02

Maintainer Roman Minguez <roman.minguez@uclm.es>

Description A collection of functions to test and estimate Seemingly Unrelated Regression (usually called SUR) models, with spatial structure, by maximum likelihood and three-stage least squares. The package estimates the most common spatial specifications, that is, SUR with Spatial Lag of X regressors (called SUR-SLX), SUR with Spatial Lag Model (called SUR-SLM), SUR with Spatial Error Model (called SUR-SEM), SUR with Spatial Durbin Model (called SUR-SDM), SUR with Spatial Durbin Error Model (called SUR-SDEM), SUR with Spatial Autoregressive terms and Spatial Autoregressive Disturbances (called SUR-SARAR), SUR-SARAR with Spatial Lag of X regressors (called SUR-GNM) and SUR with Spatially Independent Model (called SUR-SIM). The methodology of these models can be found in next references
Minguez, R., Lopez, F.A., and Mur, J. (2022) <[doi:10.18637/jss.v104.i11](https://doi.org/10.18637/jss.v104.i11)>
Mur, J., Lopez, F.A., and Herrera, M. (2010) <[doi:10.1080/17421772.2010.516443](https://doi.org/10.1080/17421772.2010.516443)>
Lopez, F.A., Mur, J., and Angulo, A. (2014) <[doi:10.1007/s00168-014-0624-2](https://doi.org/10.1007/s00168-014-0624-2)>.

LazyData true

Encoding UTF-8

License GPL-3

Depends R (>= 4.1), methods (>= 4.1), stats (>= 4.1)

Imports Formula (>= 1.2-5), ggplot2 (>= 3.5.2), gmodels (>= 2.19.1), gridExtra (>= 2.3), MASS (>= 7.3-65), Matrix (>= 1.4-1), minqa (>= 1.2.8), numDeriv (>= 2016.8-1.1), Rdpack (>= 2.6.4), rlang (>= 1.1.6), sparseMVN (>= 0.2.2), spatialreg (>= 1.3-6), spdep (>= 1.4-1), sphet (>= 2.1-1)

Suggests bookdown (>= 0.44), dplyr (>= 1.1.4), kableExtra (>= 1.4.0), knitr (>= 1.50), rmarkdown (>= 2.29), sf (>= 1.0-20)

VignetteBuilder knitr

RoxygenNote 7.3.2

RdMacros Rdpack

URL <https://CRAN.R-project.org/package=spsur>

BugReports <https://github.com/rominsal/spsur/issues>

NeedsCompilation no

Author Ana Angulo [aut],
 Fernando A Lopez [aut],
 Roman Minguez [aut, cre],
 Jesus Mur [aut]

Repository CRAN

Date/Publication 2025-09-03 09:20:02 UTC

Contents

dgp_spsur	2
impactspsur	7
lmtestspsur	12
lr_betas	16
methods_spsur	18
NCOVR.sf	20
print.summary.spsur	21
spain.covid	22
spain.covid.sf	23
spc	24
spsur3sls	25
spsur3sls	30
spsurml	34
spsurtime	41
summary.spsur	46
wald_betas	47
wald_deltas	49
Wspc	50

Index 52

Description

The purpose of the function `dgp_spsur` is to generate a random dataset with the dimensions and spatial structure decided by the user. This function may be useful in pure simulation experiments or with the aim of showing specific properties and characteristics of a spatial SUR dataset and inferential procedures related to them.

The user of `dgp_spsur` should think in terms of a Monte Carlo experiment. The arguments of the function specify the dimensions of the dataset to be generated, the spatial mechanism underlying the data, the intensity of the SUR structure among the equations and the values of the parameters to be used to obtain the simulated data, which includes the error terms, the regressors and the explained variables.

Usage

```
dgp_spsur(Sigma, Tm = 1, G, N, Betas, Thetas = NULL,
          rho = NULL, lambda = NULL, p = NULL, listw = NULL,
          X = NULL, type = "matrix", pdfU = "nvrnorm",
          pdfX = "nvrnorm")
```

Arguments

Sigma	Covariance matrix between the G equations of the SUR model. This matrix should be definite positive and the user must check for that.
Tm	Number of time periods. Default = 1
G	Number of equations.
N	Number of cross-section or spatial units
Betas	A row vector of order $(1 \times P)$ showing the values for the <i>beta</i> coefficients. The first P_1 terms correspond to the first equation (where the first element is the intercept), the second P_2 terms to the coefficients of the second equation and so on.
Thetas	Values for the θ coefficients in the G equations of the model, when the type of spatial SUR model to be simulated is a "slx", "sdm" or "sdem". <i>Thetas</i> is a row vector of order $1 \times P \times Theta$, where $P \times Theta = p - G$; let us note that the intercept cannot appear among the spatial lags of the regressors. The first $1 \times K \times Theta_1$ terms correspond to the first equation, the second $1 \times P \times Theta_2$ terms correspond to the second equation, and so on. Default = NULL.
rho	Values of the coefficients $\rho_g; g = 1, 2, \dots, G$ related to the spatial lag of the explained variable of the g -th equation. If <i>rho</i> is a scalar and there are G equations in the model, the same value will be used for all the equations. If <i>rho</i> is a row vector, of order $(1 \times G)$, the function <code>dgp_spsur</code> will use these values, one for each equation. Default = NULL.
lambda	Values of the coefficients $\lambda_g; g = 1, 2, \dots, G$ related to the spatial lag of the errors in the G equations. If <i>lambda</i> is a scalar and there are G equations in the model, the same value will be used for all the equations. If <i>lambda</i> is a row vector, of order $(1 \times G)$, the function <code>dgp_spsur</code> will use these values, one for each equation of the spatial errors. Default = NULL.

p	Number of regressors by equation, including the intercept. p can be a row vector of order $(I \times G)$, if the number of regressors is not the same for all the equations, or a scalar, if the G equations have the same number of regressors.
listw	A listw object created for example by <code>nb2listw</code> from spatialreg package; if <code>nb2listw</code> not given, set to the same spatial weights as the listw argument. It can also be a spatial weighting matrix of order $(N \times N)$ instead of a listw object. Default = NULL.
X	This argument tells the function <code>dgp_spsur</code> which X matrix should be used to generate the SUR dataset. If X is different from NULL, <code>{dgp_spsur}</code> will upload the X matrix selected in this argument. Note that the X must be consistent with the dimensions of the model. If X is NULL, <code>dgp_spsur</code> will generate the desired matrix of regressors from a multivariate Normal distribution with mean value zero and identity $(P \times P)$ covariance matrix. As an alternative, the user may change this probability distribution function to the uniform case, $U(0, 1)$, through the argument <code>pdfX</code> . Default = NULL.
type	Selection of the type of output. The alternatives are <code>matrix</code> , <code>df</code> , <code>panel</code> , <code>all</code> . Default <code>matrix</code>
pdfU	Multivariate probability distribution function, <code>Mpdf</code> , from which the values of the error terms will be drawn. The covariance matrix is the Σ matrix specified by the user in the argument. Two alternatives " <code>lognvrnorm</code> ", " <code>nvrnorm</code> ". Default " <code>nvrnorm</code> ". <i>Sigma.</i> The function <code>dgp_spsur</code> provides two <code>Mpdf</code> , the multivariate Normal, which is the default, and the log-Normal distribution function which means just exponentiate the sampling drawn from a $N(0, \Sigma)$ distribution. Default = " <code>nvrnorm</code> ".
pdfX	Multivariate probability distribution function (<code>Mpdf</code>), from which the values of the regressors will be drawn. The regressors are assumed to be independent. <code>dgp_spsur</code> provides two <code>Mpdf</code> , the multivariate Normal, which is the default, and the uniform in the interval $U[0, 1]$, using the <code>dunif</code> function. <code>dunif</code> , from the stats package. Two alternatives " <code>nvrnif</code> ", " <code>nvrnorm</code> ". Default " <code>nvrnorm</code> ".

Details

The purpose of the function `dgp_spsur` is to generate random datasets, of a SUR nature, with the spatial structure decided by the user. The function requires certain information to be supplied externally because, in fact, `dgp_spsur` constitutes a Data Generation Process, DGP. The following aspects should be addressed:

- The user must define the dimensions of the dataset, that is, number of equations, G , number of time periods, Tm , and number of cross-sectional units, N .
- The user must choose the type of spatial structure desired for the model from among the list of candidates of "`sim`", "`slx`", "`slm`", "`sem`", "`sdm`", "`sdem`" or "`sarar`". The default is the "`sim`" specification which does not have spatial structure. The decision is made implicitly, just omitting the specification of the spatial parameters which are not involved in the model (i.e., in a "`slm`" there are no λ parameters but appear ρ parameters; in a "`sdem`" model there are λ and θ parameters but no ρ coefficients).

- If the user needs a model with spatial structure, a (NxN) weighting matrix, W , should be chosen.
- The next step builds the equations of the SUR model. In this case, the user must specify the number of regressors that intervene in each equation and the coefficients, β parameters, associated with each regressor. The *first* question is solved through the argument p which, if a scalar, indicates that the same number of regressors should appear in all the equations of the model; if the user seeks for a model with different number of regressors in the G equations, the argument p must be a $(1xG)$ row vector with the required information. It must be remembered that `dgp_spsur` assumes that an intercept appears in all equations of the model.

The *second* part of the problem posited above is solved through the argument $Betas$, which is a row vector of order $(1xp)$ with the information required for this set of coefficients.

- The user must specify, also, the values of the spatial parameters corresponding to the chosen specification; we are referring to the ρ_g , λ_g and θ_g , for $g = 1, \dots, G$ and $k = 1, \dots, K_g$ parameters. This is done through the arguments ρ , λ and θ . The first two, ρ and λ , work as K : if they are scalar, the same value will be used in the G equations of the SUR model; if they are $(1xG)$ row vectors, a different value will be assigned for each equation.

Moreover, θ works like the argument $Betas$. The user must define a row vector of order $1xP\theta$ showing these values. It is worth to remember that in no case the intercept will appear among the lagged regressors.

- With the argument `type` the user takes the decision of the output format. See Value section.
- Finally, the user must decide which values of the regressors and of the error terms are to be used in the simulation. The regressors can be uploaded from an external matrix generated previously by the user. This is the argument X . It is the responsibility of the user to check that the dimensions of the external matrix are consistent with the dataset required for the SUR model. A second possibility implies the regressors to be generated randomly by the function `dgp_spsur`. In this case, the user must select the probability distribution function from which the corresponding data (of the regressors and the error terms) are to be drawn.

`dgp_spsur` provides two multivariate distribution functions, namely, the Normal and the log-Normal for the errors (the second should be taken as a clear departure from the standard assumption of normality). In both cases, random matrices of order $(TmNxG)$ are obtained from a multivariate normal distribution, with a mean value of zero and the covariance matrix specified in the argument Σ ; then, this matrix is exponentiated for the log-Normal case. Roughly, the same procedure applies for drawing the values of the regressor. There are two distribution functions available, the normal and the uniform in the interval $U[0, 1]$; the regressors are always independent.

Value

The default output ("matrix") is a list with a vector Y of order $(TmNGx1)$ with the values generated for the explained variable in the G equations of the SUR and a matrix XX of order $((TmNGx-sum(p)))$, with the values generated for the regressors of the SUR, including an intercept for each equation.

In case of $Tm = 1$ or $G = 1$ several alternative outputs can be selected:

- If the user selects `type = "df"` the output is a data frame where each column is a variable.

- If the user select type = "panel" the output is a data frame in panel format including two factors. The first factor point out the observation of the individual and the second the equation for different Tm or G.
- Finally, if type = "all" is select the output is a list including all alternatives format.

Author(s)

Fernando Lopez <fernando.lopez@upct.es>
 Roman Minguez <roman.minguez@uclm.es>
 Jesus Mur <jmur@unizar.es>

References

- Lopez, F. A., Minguez, R., Mur, J. (2020). ML versus IV estimates of spatial SUR models: evidence from the case of Airbnb in Madrid urban area. *The Annals of Regional Science*, 64(2), 313-347. <doi:10.1007/s00168-019-00914-1>
- Minguez, R., Lopez, F.A. and Mur, J. (2022). spsur: An R Package for Dealing with Spatial Seemingly Unrelated Regression Models. *Journal of Statistical Software*, 104(11), 1–43. <doi:10.18637/jss.v104.i11>

See Also

[spsurml](#), [spsur3sls](#), [spsurtime](#)

Examples

```
## VIP: The output of the whole set of the examples can be examined
## by executing demo(demo_dgp_spsur, package="spsur")
```

```
#####
### PANEL DATA (Tm = 1 or G = 1)      ##
#####
```

```
#####
#### Example 1: DGP SLM model. G equations
#####
```

```
rm(list = ls()) # Clean memory
Tm <- 1 # Number of time periods
G <- 3 # Number of equations
N <- 200 # Number of spatial elements
p <- 3 # Number of independent variables
Sigma <- matrix(0.3, ncol = G, nrow = G)
diag(Sigma) <- 1
Betas <- c(1, 2, 3, 1, -1, 0.5, 1, -0.5, 2)
rho <- 0.5 # level of spatial dependence
lambda <- 0.0 # spatial autocorrelation error term = 0
## random coordinates
```

```

co <- cbind(runif(N,0,1),runif(N,0,1))
lw <- spdep::nb2listw(spdep::knn2nb(spdep::knearneigh(co, k = 5,
                                             longlat = FALSE)))

DGP <- dgp_spsur(Sigma = Sigma, Betas = Betas,
                rho = rho, lambda = lambda, Tm = Tm,
                G = G, N = N, p = p, listw = lw)

SLM <- spsurml(X = DGP$X, Y = DGP$Y, Tm = Tm, N = N, G = G,
              p = c(3, 3, 3), listw = lw, type = "slm")
summary(SLM)

#####
### MULTI-DIMENSIONAL PANEL DATA G>1 and Tm>1 ##
#####

rm(list = ls()) # Clean memory
Tm <- 10 # Number of time periods
G <- 3 # Number of equations
N <- 100 # Number of spatial elements
p <- 3 # Number of independent variables
Sigma <- matrix(0.5, ncol = G, nrow = G)
diag(Sigma) <- 1
Betas <- rep(1:3, G)
rho <- c(0.5, 0.1, 0.8)
lambda <- 0.0 # spatial autocorrelation error term = 0
## random coordinates
co <- cbind(runif(N,0,1),runif(N,0,1))
lw <- spdep::nb2listw(spdep::knn2nb(spdep::knearneigh(co, k = 5,
                                             longlat = FALSE)))

DGP4 <- dgp_spsur(Sigma = Sigma, Betas = Betas, rho = rho,
                lambda = lambda, Tm = Tm, G = G, N = N, p = p,
                listw = lw)
SLM4 <- spsurml(Y = DGP4$Y, X = DGP4$X, G = G, N = N, Tm = Tm,
              p = p, listw = lw, type = "slm")
summary(SLM4)

```

Description

This function is a wrapper for `impacts` method used in `spatialreg` package. Nevertheless, in this case the same method is used for both `lagsarlm` and `lmSLX` objects. For details of implementation, see the documentation of `impacts` function in `spatialreg` package.

The function obtains the multiplier effects, on the explained variable, of a change in a regressor for the model that has been estimated. For reasons given below, this function only applies to models with an autoregressive structure ("`slm`", "`sdm`", "`sarar`" and "`gnm`") or with spatial lags of the regressors ("`slx`", "`sdem`").

The measurement of the multiplier effects is a bit more complicated than in a pure time series context because, due to the spatial structure of the model, part of the impacts spills over non uniformly over the space. Using the notation introduced by LeSage and Pace (2009) we distinguish between:

- **Average Direct effects:** The average over the N spatial units and Tm time periods of the effect of a unitary change in the value of a explanatory variable on the contemporaneous value of the corresponding explained variable, located in the same point of the intervened regressor. This calculus is solved for all the regressors that appear in the G equations of the model.
- **Average Indirect effects:** The average over the N spatial units and Tm time periods of the effects of a unitary change in the value of a explanatory variable on the contemporaneous value of the corresponding explained variable, located in a different spatial unit that that of the intervened regressor. This calculus is solved for all the regressors that appear in the G equations of the model.
- **Average total effects:** The sum of Direct and Indirect effects.

The information on the three estimated effects is supplement with an indirect measure of statistical significance obtained from the randomization approach introduced in LeSage and Pace (2009).

Usage

```
impactspsur (obj, ..., tr = NULL, R = NULL, listw = NULL,
             values = NULL, tol = 1e-06,
             empirical = FALSE, Q = NULL)
```

Arguments

obj	An spsur object created by spsurml , spsur3sls or spsurtime .
...	Arguments passed through to methods in the cod a package
tr	A vector of traces of powers of the spatial weights matrix created using <code>trW</code> , for approximate impact measures; if not given, <code>listw</code> must be given for exact measures (for small to moderate spatial weights matrices); the traces must be for the same spatial weights as were used in fitting the spatial regression, and must be row-standardised
R	If given, simulations are used to compute distributions for the impact measures, returned as <code>mcmc</code> objects; the objects are used for convenience but are not output by an MCMC process
listw	If <code>tr</code> is not given, a spatial weights object as created by <code>nb2listw</code> ; they must be the same spatial weights as were used in fitting the spatial regression, but do not have to be row-standardised
values	vector of eigenvalues of spatial weights matrix for impacts calculations
tol	Argument passed to <code>mvrnorm</code> : tolerance (relative to largest variance) for numerical lack of positive-definiteness in the coefficient covariance matrix
empirical	Argument passed to <code>mvrnorm</code> (default FALSE): if true, the coefficients and their covariance matrix specify the empirical not population mean and covariance matrix
Q	default NULL, else an integer number of cumulative power series impacts to calculate if <code>tr</code> is given

Details

LeSage and Pace (2009) adapt the classical notion of 'economic multiplier' to the problem of measuring the impact that a unitary change in the value of a regressor, produced in a certain point in space, has on the explained variable. The question is interesting because, due to the spatial structure of the model, the impacts of such change spill non uniformly over the space. In fact, the reaction of the explained variable depends on its relative location in relation to the point of intervention.

To simplify matters, LeSage and Pace (2009) propose to obtain aggregated multipliers for each regressor, just averaging the N^2 impacts that results from intervening the value of each regressor on each of the N points in Space, on the explained variable, measured also in each of the N points in space. This aggregated average is the so-called *Total effect*.

Part of this impact will be absorbed by the explained variable located in the same point of the regressor whose value has been changed (for example, the k -th regressor in the g -th equation, in the n -th spatial unit) or, in other words, we expect that $[dy_{tgn}]/[dx_{ktgn}]ne0$. The aggregated average for the N points in space ($n=1,2,...,N$) and Tm time periods is the so-called *Direct effect*. The difference between the *Total effect* and the *Direct effect* measures the portion of the impact on the explained variable that leaks to other points in space, $[dy_{tgn}]/[dx_{ktgm}]fornnem$; this is the *Indirect effect*.

`impactspsur` obtains the three multipliers together with an indirect measure of statistical significance, according to the randomization approach described in Lesage and Pace (2009). Briefly, they suggest to obtain a sequence of $nsim$ random matrices of order $(NTmxG)$ from a multivariate normal distribution $N(0; Sigma)$, being $Sigma$ the estimated covariance matrix of the G equations in the SUR model. These random matrices, combined with the observed values of the regressors and the estimated values of the parameters of the corresponding spatial SUR model, are used to obtain simulated values of the explained variables. Then, for each one of the $nsim$ experiments, the SUR model is estimated, and the effects are evaluated. The function `impactspsur` obtains the standard deviations of the $nsim$ estimated effects in the randomization procedure, which are used to test the significance of the estimated effects for the original data.

Finally, let us note that this is a SUR model where the G equations are connected only through the error terms. This means that if we intervene a regressor in equation g , in any point in space, only the explained variable of the same equation g should react. The impacts do not spill over equations. Moreover, the impact of a regressor, intervened in the spatial unit n , will cross the borders of this spatial unit only if in the right hand side of the equation there are spatial lags of the explained variables or of the regressors. In other words, the *Indirect effect* is zero for the "sim" and "sem" models. `impactspsur` produces no output for these two models. Lastly, it is clear that all the impacts are contemporaneous because the equations in the SUR model have no time dynamics.

Value

A list of G objects either of class `lagImpact` or `WXImpact`.

For each of the G objects of the list, if no simulation is carried out the object returned is a list with:

direct	numeric vector
indirect	numeric vector
total	numeric vector

and a matching `Qres` list attribute if `Q` was given.

On the other hand, for each of the G objects of the list, if simulation is carried out the object returned is a list with:

- res a list with three components as for the non-simulation case, with a matching Qres list attribute if Q was given.
- sres a list with three mcmc matrices, for the direct, indirect and total impacts with a matching Qmcmclist attribute if Q was given.

Author(s)

Fernando Lopez <fernando.lopez@upct.es>
 Roman Minguez <roman.minguez@uclm.es>
 Jesus Mur <jmur@unizar.es>

References

- Bivand, R.S. and Piras G. (2015). Comparing Implementations of Estimation Methods for Spatial Econometrics. *Journal of Statistical Software*, 63(18), 1-36. <doi: 10.18637/jss.v063.i18>
- LeSage, J., and Pace, R. K. (2009). *Introduction to spatial econometrics*. Chapman and Hall/CRC.
- Lopez, F.A., Mur, J., and Angulo, A. (2014). Spatial model selection strategies in a SUR framework. The case of regional productivity in EU. *Annals of Regional Science*, 53(1), 197-220. <doi:10.1007/s00168-014-0624-2>
- Minguez, R., Lopez, F.A. and Mur, J. (2022). spsur: An R Package for Dealing with Spatial Seemingly Unrelated Regression Models. *Journal of Statistical Software*, 104(11), 1–43. <doi:10.18637/jss.v104.i11>
- Mur, J., Lopez, F., and Herrera, M. (2010). Testing for spatial effects in seemingly unrelated regressions. *Spatial Economic Analysis*, 5(4), 399-440. <doi:10.1080/17421772.2010.516443>

See Also

[impacts](#), [spsurml](#), [spsur3sls](#)

Examples

```
## VIP: The output of the whole set of the examples can be examined
## by executing demo(demo_impactspsur, package="spsur")
```

```
#####
### PURE CROSS SECTIONAL DATA(G>1; Tm=1) #####
#####
```

```
#### Example 1: Spatial Phillips-Curve. Anselin (1988, p. 203)
rm(list = ls()) # Clean memory
data(spc)
```

```

lwspc <- spdep::mat2listw(Wspc, style = "W")
Tformula <- WAGE83 | WAGE81 ~ UN83 + NMR83 + SMSA | UN80 + NMR80 + SMSA
## For SLM, SDM and SARAR models the output is a list of "lagImpact" objects
## See spatialreg::impacts for details.
spcsur_slm <- spsurml(formula = Tformula, data = spc,
                     type = "slm", listw = lwspc)
summary(spcsur_slm)
impacts_slm <- impactspsur(spcsur_slm, listw = lwspc, R = 1000)
## Impacts equation 1
summary(impacts_slm[[1]], zstats = TRUE, short = TRUE)
## Impacts equation 2
summary(impacts_slm[[2]], zstats = TRUE, short = TRUE)
## For SLX and SDEM models the output is a list of "WXImpact" objects
## See spatialreg::impacts for details.
## A SUR-SLX model
spcsur_slx <- spsurml(formula = Tformula, data = spc,
                     type = "slx", listw = lwspc)
summary(spcsur_slx)
impacts_slx <- impactspsur(spcsur_slx, listw = lwspc)
summary(impacts_slx[[1]], zstats = TRUE, short = TRUE)
summary(impacts_slx[[2]], zstats = TRUE, short = TRUE)

## A SUR-SDM model
spcsur_sdm <- spsurml(formula = Tformula, data = spc,
                     type = "sdm", listw = lwspc)
impacts_sdm <- impactspsur(spcsur_sdm, listw = lwspc, R = 1000)
summary(impacts_sdm[[1]], zstats = TRUE, short = TRUE)
summary(impacts_sdm[[2]], zstats = TRUE, short = TRUE)
## A SUR-SDM model with different spatial lags in each equation
TformulaD <- ~ UN83 + NMR83 + SMSA | UN80
spcsur_sdm2 <- spsurml(formula = Tformula, data = spc, type = "sdm",
                      listw = lwspc, Durbin = TformulaD)
summary(spcsur_sdm2)
impacts_sdm2 <- impactspsur(spcsur_sdm2, listw = lwspc, R = 1000)
summary(impacts_sdm2[[1]], zstats = TRUE, short = TRUE)
summary(impacts_sdm2[[2]], zstats = TRUE, short = TRUE)
## A SUR-SLX model with different spatial lags in each equation
spcsur_slx2 <- spsurml(formula = Tformula, data = spc,
                      type = "slx", listw = lwspc, Durbin = TformulaD)
summary(spcsur_slx2)
impacts_slx2 <- impactspsur(spcsur_slx2, listw = lwspc)
summary(impacts_slx2[[1]], zstats = TRUE, short = TRUE)
summary(impacts_slx2[[2]], zstats = TRUE, short = TRUE)

# #####
# ##### G=1; Tm>1 #####
# #####
#
rm(list = ls()) # Clean memory
data(NCOVR, package="spsur")
nbncovr <- spdep::poly2nb(NCOVR.sf, queen = TRUE)
### Some regions with no links...
lwncovr <- spdep::nb2listw(nbncovr, style = "W", zero.policy = TRUE)

```

```

Tformula <- HR80 | HR90 ~ PS80 + UE80 | PS90 + UE90
### A SUR-SLM model
NCOVRSUR_slm <- spsurml(formula = Tformula, data = NCOVR.sf,
                        type = "slm", listw = lwncover,
                        method = "Matrix", zero.policy = TRUE,
                        control = list(fdHess = TRUE))
summary(NCOVRSUR_slm)
### Use of trW to compute.
Wncovr <- Matrix::Matrix(spdep::listw2mat(lwncover))
trwncovr <- spatialreg::trW(Wncovr, type = "MC")
impacts_NCOVRSUR_slm <- impactspsur(NCOVRSUR_slm, tr = trwncovr,
                                   R = 1000)
summary(impacts_NCOVRSUR_slm[[1]], zstats = TRUE, short = TRUE)
summary(impacts_NCOVRSUR_slm[[2]], zstats = TRUE, short = TRUE)

```

lmttestspsur

Testing for the presence of spatial effects in Seemingly Unrelated Regressions

Description

The function `spsurml` reports a collection of Lagrange Multipliers designed to test for the presence of different forms of spatial dependence in a *SUR* model of the "sim" type. That is, the approach of this function is from *'specific to general'*. As said, the model of the null hypothesis is the "sim" model whereas the model of the alternative depends on the effect whose omission we want to test.

The collection of Lagrange Multipliers obtained by `lmttestspsur` are standard in the literature and take into account the multivariate nature of the *SUR* model. As a limitation, note that each Multiplier tests for the omission of the same spatial effects in all the cross-sections of the *G* equations.

Usage

```

lmttestspsur(...)

## S3 method for class 'formula'
lmttestspsur(
  formula,
  data,
  listw,
  na.action,
  time = NULL,
  Tm = 1,
  zero.policy = NULL,
  R = NULL,
  b = NULL,
  ...
)

```

```
## Default S3 method:
lmtestpsur(Y, X, G, N, Tm = 1, listw, p, R = NULL, b = NULL, ...)
```

Arguments

...	further arguments passed to the method.
formula	An object type Formula similar to objects created with the package Formula describing the equations to be estimated in the model. This model may contain several responses (explained variables) and a varying number of regressors in each equation.
data	An object of class <code>data.frame</code> or a matrix.
listw	A <code>listw</code> object created for example by <code>nb2listw</code> from spatialreg package; if <code>nb2listw</code> not given, set to the same spatial weights as the <code>listw</code> argument. It can also be a spatial weighting matrix of order $(N \times N)$ instead of a <code>listw</code> object. Default = NULL.
na.action	A function (default <code>options("na.action")</code>), can also be <code>na.omit</code> or <code>na.exclude</code> with consequences for residuals and fitted values. It may be necessary to set <code>zero.policy</code> to TRUE because this subsetting may create no-neighbour observations.
time	time index for the spatial panel SUR data.
Tm	Number of time periods.
zero.policy	Similar to the corresponding parameter of <code>lagsarlm</code> function in spatialreg package. If TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA - causing <code>spsurml()</code> to terminate with an error. Default = NULL.
R	A row vector of order $(I \times p_r)$ with the set of r linear constraints on the <i>beta</i> parameters. The <i>first</i> restriction appears in the first p terms, the second restriction in the next p terms and so on. Default = NULL.
b	A column vector of order $(r \times 1)$ with the values of the linear restrictions on the <i>beta</i> parameters. Default = NULL.
Y	A column vector of order $(NTmG \times 1)$, with the observations of the explained variables. The ordering of the data must be (first) equation, (second) time dimension and (third) cross-sectional/spatial units. The specification of <i>Y</i> is only necessary if not available a Formula and a data frame. Default = NULL.
X	A data matrix of order $(NTmG \times p)$ with the observations of the regressors. The number of covariates in the SUR model is $p = \text{sum}(p_g)$ where p_g is the number of regressors (including the intercept) in the g -th equation, $g = 1, \dots, G$. The specification of "X" is only necessary if not available a Formula and a data frame. Default = NULL.
G	Number of equations.
N	Number of cross-section or spatial units
p	Number of regressors by equation, including the intercept. p can be a row vector of order $(I \times G)$, if the number of regressors is not the same for all the equations, or a scalar, if the G equations have the same number of regressors. The specification of p is only necessary if not available a Formula and a data frame.

Details

`lmttestpsur` tests for the omission of spatial effects in the "sim" version of the *SUR* model:

$$y_{tg} = X_{tg}\beta_g + u_{tg}$$

$$E[u_{tg}u'_{th}] = \sigma_{gh}I_N \quad E[u_{tg}u'_{sh}] = 0 \text{ if } t \neq s$$

where y_{tg} and u_{tg} are $(N \times 1)$ vectors, corresponding to the g -th equation and time period t ; X_{tg} is the matrix of exogenous variables, of order $(N \times p_g)$. Moreover, β_g is an unknown $(p_g \times 1)$ vector of coefficients and $\sigma_{gh}I_N$ the covariance between equations g and h , being σ_{gh} and scalar and I_N the identity matrix of order N .

The Lagrange Multipliers reported by this function are the followings:

- **LM-SUR-LAG:** Tests for the omission of a spatial lag of the explained variable in the right hand side of the "sim" equation. The model of the alternative is:

$$y_{tg} = \rho_g W y_{tg} + X_{tg}\beta_g + u_{tg}$$

The null and alternative hypotheses are:

$$H_0 : \rho_g = 0(\text{forall } g) \text{ vs } H_A : \rho_g \neq 0(\text{exist } g)$$

- **LM-SUR-ERR:** Tests for the omission of spatial dependence in the equation of the errors of the "sim" model. The model of the alternative is:

$$y_{tg} = X_{tg}\beta_g + u_{tg}; u_{tg} = \lambda_g W u_{tg} + \epsilon_{tg}$$

The null and alternative hypotheses are:

$$H_0 : \lambda_g = 0(\text{forall } g) \text{ vs } H_A : \lambda_g \neq 0(\text{exist } g)$$

- **LM-SUR-SARAR:** Tests for the simultaneous omission of a spatial lag of the explained variable in the right hand side of the "sim" equation and spatial dependence in the equation of the errors. The model of the alternative is:

$$y_{tg} = \rho_g W y_{tg} + X_{tg}\beta_g + u_{tg}; u_{tg} = \lambda_g W u_{tg} + \epsilon_{tg}$$

The null and alternative hypotheses are:

$$H_0 : \rho_g = \lambda_g = 0(\text{forall } g) \text{ vs } H_A : \rho_g \neq 0 \text{ or } \lambda_g \neq 0(\text{exist } g)$$

- **LM*-SUR-SLM** and **LM*-SUR-SEM:** These two test are the robustified version of the original, raw Multipliers, **LM-SUR-SLM** and **LM-SUR-SEM**, which can be severely oversized if the respective alternative hypothesis is misspecified (this would be the case if, for example, we are testing for omitted lags of the explained variable whereas the problem is that there is spatial dependence in the errors, or viceversa). The null and alternative hypotheses of both test are totally analogous to their twin non robust Multipliers.

Value

A list of `htest` objects each one including the Wald statistic, the corresponding p-value and the degrees of freedom.

Author(s)

Fernando Lopez <fernando.lopez@upct.es>
 Roman Minguez <roman.minguez@uclm.es>
 Jesus Mur <jmur@unizar.es>

References

- Mur, J., Lopez, F., and Herrera, M. (2010). Testing for spatial effects in seemingly unrelated regressions. *Spatial Economic Analysis*, 5(4), 399-440. <doi:10.1080/17421772.2010.516443>
- Lopez, F.A., Mur, J., and Angulo, A. (2014). Spatial model selection strategies in a SUR framework. The case of regional productivity in EU. *Annals of Regional Science*, 53(1), 197-220. <doi:10.1007/s00168-014-0624-2>
- Minguez, R., Lopez, F.A. and Mur, J. (2022). spsur: An R Package for Dealing with Spatial Seemingly Unrelated Regression Models. *Journal of Statistical Software*, 104(11), 1–43. <doi:10.18637/jss.v104.i11>#'
- Anselin, L. (1988) A test for spatial autocorrelation in seemingly unrelated regressions *Economics Letters* 28(4), 335-341. <doi:10.1016/0165-1765(88)90009-2>
- Anselin, L. (1988) *Spatial econometrics: methods and models* Chap. 9 Dordrecht
- Anselin, L. (2016) Estimation and Testing in the Spatial Seemingly Unrelated Regression (SUR). *Geoda Center for Geospatial Analysis and Computation, Arizona State University*. Working Paper 2016-01. <doi:10.13140/RG.2.2.15925.40163>

See Also

[spsurml](#), [anova](#)

Examples

```
#####
##### CROSS SECTION DATA (G>1; Tm=1) # #####
#####

#### Example 1: Spatial Phillips-Curve. Anselin (1988, p. 203)
rm(list = ls()) # Clean memory
data("spc")
Tformula <- WAGE83 | WAGE81 ~ UN83 + NMR83 + SMSA | UN80 + NMR80 + SMSA
lwspc <- spdep::mat2listw(Wspc, style = "W")
lmtestpsur(formula = Tformula, data = spc, listw = lwspc)

## VIP: The output of the whole set of the examples can be examined
## by executing demo(demo_lmtestpsur, package="spsur")

#####
##### PANEL DATA (G>1; Tm>1) #####
#####
```

```
##### Example 2: Homicides & Socio-Economics (1960-90)
# Homicides and selected socio-economic characteristics for
# continental U.S. counties.
# Data for four decennial census years: 1960, 1970, 1980 and 1990.
# https://geodacenter.github.io/data-and-lab/ncover/
data(NCOVER, package="spsur")
nbncovr <- spdep::poly2nb(NCOVER.sf, queen = TRUE)
### Some regions with no links...
lwncovr <- spdep::nb2listw(nbncovr, style = "W", zero.policy = TRUE)
### With different number of exogenous variables in each equation
Tformula <- HR70 | HR80 | HR90 ~ PS70 + UE70 | PS80 + UE80 +RD80 |
PS90 + UE90 + RD90 + P090
lmtestpsur(formula = Tformula, data = NCOVER.sf,
            listw = lwncovr)

#####
##### PANEL DATA: TEMPORAL CORRELATIONS (G=1; Tm>1) #####
#####

##### Example 3: NCOVER in panel data form
Year <- as.numeric(kronecker(c(1960,1970,1980,1990),
                             matrix(1,nrow = dim(NCOVER.sf)[1]))))
HR <- c(NCOVER.sf$HR60,NCOVER.sf$HR70,NCOVER.sf$HR80,NCOVER.sf$HR90)
PS <- c(NCOVER.sf$PS60,NCOVER.sf$PS70,NCOVER.sf$PS80,NCOVER.sf$PS90)
UE <- c(NCOVER.sf$UE60,NCOVER.sf$UE70,NCOVER.sf$UE80,NCOVER.sf$UE90)
NCOVERpanel <- as.data.frame(cbind(Year,HR,PS,UE))
Tformula <- HR ~ PS + UE
lmtestpsur(formula = Tformula, data = NCOVERpanel, time = Year,
            listw = lwncovr)
```

lr_betas

Likelihood ratio for testing homogeneity constraints on beta coefficients of the SUR equations.

Description

Function `lr_betas` obtains a Likelihood Ratio test, LR in what follows, with the purpose of testing if some of the β coefficients in the G equations of the *SUR* model are equal. This function has a straightforward application, especially when $G = 1$, to the case of testing for the existence of structural breaks in the β parameters.

The function can test for the homogeneity of only one coefficient, of a few of them or even the homogeneity of all the slope terms. The testing procedure implies, *first*, the estimation of both a constrained and a unconstrained model and, *second*, the comparison of the log-likelihoods to compute the LR statistics.

@usage `lr_betas (obj, R, b)`

Usage

```
lr_betas(obj, R, b)
```

Arguments

obj An `spsur` object created by `spsurml`, `spsur3sls` or `spsurtime`.

R A row vector of order $(1 \times Pr)$ showing the set of r linear constraints on the β parameters. The *first* restriction appears in the first K terms in R , the *second* restriction in the next K terms and so on.

b A column vector of order $(r \times 1)$ with the values of the linear restrictions on the β parameters.

Value

Object of `htest` including the LR statistic, the corresponding p-value, the degrees of freedom and the values of the sample estimates.

Author(s)

Fernando Lopez <fernando.lopez@upct.es>
 Roman Minguez <roman.minguez@uclm.es>
 Jesus Mur <jmur@unizar.es>

References

- Mur, J., Lopez, F., and Herrera, M. (2010). Testing for spatial effects in seemingly unrelated regressions. *Spatial Economic Analysis*, 5(4), 399-440. <doi:10.1080/17421772.2010.516443>
- Minguez, R., Lopez, F.A. and Mur, J. (2022). `spsur`: An R Package for Dealing with Spatial Seemingly Unrelated Regression Models. *Journal of Statistical Software*, 104(11), 1–43. <doi:10.18637/jss.v104.i11>

See Also

[spsurml](#), [spsurtime](#), [wald_betas](#)

Examples

```
## VIP: The output of the whole set of the examples can be examined
## by executing demo(demo_lr_betas, package="spsur")
```

```
## #####
##### CROSS SECTION DATA (G>1; Tm=1) #####
#####
```

```
#### Example 1: Spatial Phillips-Curve. Anselin (1988, p. 203)
rm(list = ls()) # Clean memory
data(spc)
lwspc <- spdep::mat2listw(Wspc, style = "W")
Tformula <- WAGE83 | WAGE81 ~ UN83 + NMR83 + SMSA | UN80 + NMR80 + SMSA
### H0: equal beta for SMSA in both equations.
R <- matrix(c(0,0,0,1,0,0,0,-1), nrow=1)
b <- matrix(0, ncol=1)
spsur.slm <- spsurml(formula = Tformula, data = spc,
                    type = "slm", listw = lwspc)
summary(spsur.slm)
lr_betas(spsur.slm, R = R, b = b)

### Estimate restricted SUR-SLM model
spsur.slmr <- spsurml(formula = Tformula, data = spc,
                    type = "slm", listw = lwspc,
                    R = R, b = b)
summary(spsur.slmr)
```

methods_spsur

Methods for class spsur

Description

The `anova()` function provides tables of fitted `spsur` models including information criteria (AIC and BIC), log-likelihood and degrees of freedom of each fitted model. The argument `lrtest` allows to perform LR tests between nested models. The `plot()` function allows the user to plot both beta and spatial coefficients for all equations of the `spsur` model. The argument `viewplot` is used to choose between interactive or non-interactive plots. The `print()` function is used to print short tables including the values of beta and spatial coefficients as well as p-values of significance test for each coefficient. This can be used as an alternative to `summary.spsur` when a brief output is needed. The rest of methods works in the usual way.

Usage

```
## S3 method for class 'spsur'
anova(object, ..., lrtest = TRUE)

## S3 method for class 'spsur'
coef(object, ...)

## S3 method for class 'spsur'
fitted(object, ...)

## S3 method for class 'spsur'
logLik(object, ...)
```

```
## S3 method for class 'spsur'
residuals(object, ...)

## S3 method for class 'spsur'
vcov(object, ...)

## S3 method for class 'spsur'
print(x, digits = max(3L, getOption("digits") - 3L), ...)

## S3 method for class 'spsur'
plot(x, ci = 0.95, viewplot = TRUE, ...)
```

Arguments

object	a spsur object created by <code>spsurml</code> , <code>spsur3sls</code> or <code>spsurtime</code> .
...	further arguments passed to or from other methods.
lrtest	logical value to compute likelihood ratio test for nested models in ‘anova’ method. Default = TRUE
x	similar to object argument for <code>print()</code> and <code>plot</code> functions.
digits	number of digits to show in printed tables. Default: <code>max(3L, getOption("digits") - 3L)</code> .
ci	confidence level for the intervals in ‘plot’ method. Default <code>ci = 0.95</code>
viewplot	logical value to show interactively the plots. Default = TRUE

Author(s)

Fernando Lopez	<fernando.lopez@upct.es>
Roman Minguez	<roman.minguez@uclm.es>
Jesus Mur	<jmur@unizar.es>

Examples

```
rm(list = ls()) # Clean memory
data(spc)
Tformula <- WAGE83 | WAGE81 ~ UN83 + NMR83 + SMSA | UN80 + NMR80 + SMSA
spsur.sim <-spsurml(formula = Tformula, data = spc, type = "sim")
## Print Table
print(spsur.sim)

spsur.slm <-spsurml(formula = Tformula, data = spc, type = "slm",
                   listw = Wspc)
# ANOVA table and LR test for nested models:
anova(spsur.sim, spsur.slm)
## Plot spatial and beta coefficients
```

```

# Interactive plot
plot(spcsur.slm)
# Non-interactive plot
if (require(gridExtra)) {
  pl <- plot(spcsur.slm, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]],
              pl$lplbetas[[3]], nrow = 3)
}

```

NCOVR.sf

Homicides in U.S. counties

Description

Homicides and selected socio-economic characteristics for continental U.S. counties. Data for four decennial census years: 1960, 1970, 1980 and 1990.

Usage

NCOVR.sf

Format

An spatial feature (sf) object with 3085 rows and 41 variables:

NAME County coded as a name (factor)

STATE_NAME state fips code (factor)

FIPS state fips code (factor)

SOUTH dummy variable for Southern counties (South = 1)

HR60, HR70, HR80, HR90 homicide rate per 100,000 (1960, 1970, 1980, 1990)

HC60, HC70, HC80, HC90 homicide count, three year average centered on 1960, 1970, 1980, 1990

PO60, PO70, PO80, PO90 county population, 1960, 1970, 1980, 1990

RD60, RD70, RD80, RD90 resource deprivation 1960, 1970, 1980, 1990 (principal component, see Codebook for details)

PS60, PS70, PS80, PS90 population structure 1960, 1970, 1980, 1990 (principal component, see Codebook for details)

UE60, UE70, UE80, UE90 unemployment rate 1960, 1970, 1980, 1990

DV60, DV70, DV80, DV90 divorce rate 1960, 1970, 1980, 1990 (% males over 14 divorced)

MA60, MA70, MA80, MA90 median age 1960, 1970, 1980, 1990

FP59, FP69, FP79, FP89 % families below poverty 1960, 1970, 1980, 1990 (see Codebook for details)

geometry Multipolygon geometry of the spatial feature object

Source

S. Messner, L. Anselin, D. Hawkins, G. Deane, S. Tolnay, R. Baller (2000). An Atlas of the Spatial Patterning of County-Level Homicide, 1960-1990. Pittsburgh, PA, National Consortium on Violence Research (NCOVR) <https://geodacenter.github.io/data-and-lab/ncovr/>

References

- Baller, R., L. Anselin, S. Messner, G. Deane and D. Hawkins (2001). Structural covariates of US county homicide rates: incorporating spatial effects. *Criminology* 39, 561-590.

```
print.summary.spsur    Print method for objects of class summary.spsur.
```

Description

Print method for objects of class `summary.spsur`.

Usage

```
## S3 method for class 'summary.spsur'
print(x, digits = max(3L, getOption("digits") - 3L), ...)
```

Arguments

<code>x</code>	object of class <code>summary.spsur</code> .
<code>digits</code>	number of digits to show in printed tables. Default: <code>max(3L, getOption("digits") - 3L)</code> .
<code>...</code>	further arguments passed to or from other methods.

Author(s)

Fernando Lopez	<fernando.lopez@upct.es>
Roman Mínguez	<roman.minguez@uclm.es>
Jesus Mur	<jmur@unizar.es>

See Also

[summary.spsur](#).

Examples

```
# See examples for \link{spsurml} or
# \link{spsur3sls} functions.
```

spain.covid	<i>Within/Exit mobility index and incidence COVID-19 at Spain provinces</i>
-------------	---

Description

Weekly within/exit mobility indices and COVID-19 incidence in Spain at provincial level. A total of 17 weeks from February 21 to May 21. Every week starts on a Friday and ends on the following Thursday. All travels are expressed with respect to the pre-COVID week of February 14th-20th, 2020 (week0). A value lower than 1 indicate a reduction of the mobility. Upper values than 1 indicate an increase in the mobility with respect to the reference week (week0).

Usage

spain.covid

Format

A data frame with 850 rows and 11 variables:

province Province name coded as a factor

indiv Province coded as a number

time Number of week after pre-COVID (week0: February 14th-20th, 2020). time=1 (week1, February 21th-27th); time=2 (week2, February 28th-March 5th);...

Within Mobility index within of the province. See details for a formal definition

Exits Mobility index of exits of the province. See details for a formal definition

Emergence Dummy variable. 1 if the Emergence State ("Estado de Alarma") is active in the week "time" but economic activity of essential services are allowed. 0 in another case. The Emergence State was active in Spain from February 14th, 2020 to May 21th, 2020

EmergenceTotal Dummy variable. 1 if the Emergence State ("Estado de Alarma") is active in the week "time" and economic activity of essential services are not allowed. 0 in another case

Old65 Percentage of population aged 65 and older in the province

Density Inhabitants (in thousands) per km² in the province

Essential Percentage of firms in the province "indiv" with essential activities (food, health) over the total of firms in the province "indiv" in the province (e.g., food, health and some economic subsectors of industry and construction)

Incidence Weekly incidence in the week "time-1" in logs

Details

- Mobility

The mobility indices Within and Exits has been obtain as ratio of the total number of weekly travels in reference to the total number of travels in the week of reference (week0).

In particular,

$$Within = \frac{\text{Number of travels within the province 'indiv' in the week 'time'}}{\text{Number of travels within the province 'indiv' in the reference week (week0)}}$$

$$Exits = \frac{\text{Number of travels with origin in the province 'indiv' and arrival to another province in the week 'time'}}{\text{Number of travels with origin in the province 'indiv' and arrival to another province in the reference week (week0)}}$$

A ‘travel’ is a displacement from an origin to a destination of at least 500m. A travel can have several stages. These stages of the same travel are calculated based on the duration of the intermediate stop. For example, if I move from origin A to destination B with a stop at a point C of long duration, it is considered two travels, but if the stop is short, it is considered a single travel. For example, I can go by train from Madrid to Alicante, and there takes a bus to Benidorm. The travel will be one (Madrid-Benidorm). If I do the same but the stop in Alicante is long (or an overnight stay, for example), two travels will be considered (Madrid-Alicante, and Alicante-Benidorm). Similarly, if I go by car from Madrid to Alicante and stop for 15 minutes to take a coffee, it is also considered only one travel and not two. The travels considered in this study are always from 500m, due to the limitation of source data that is based on mobile telephony and its antennas. But one travel can be 600 meters or 600km.

- Incidence

$$Incidence = \log \left(\frac{\text{total diagnostic cases of COVID-19, PCR test in the week 'time' at the province 'indiv'}}{\text{total population in the province 'indiv'}} \right)$$

- Essential activities

Essential activities. Economic activities whose activities are essential for the population. By example, essential activities are healthcare, food supply, State security, media and communication, refuse collection, management and public transport, etc. Non essential activities are by example, restaurants, hotels, hairdressers, etc. A full list in the Spanish official bulletin

Source

The National Statistics Institute
<https://www.ine.es/en/index.htm>
 Instituto de Salud Carlos III
<https://cnecovid.isciii.es/covid19/>

spain.covid.sf

Spain geometry

Description

A sf object with the Spanish geometry

Usage

spain.covid.sf

Format

A sf object with the Spanish geometry

PROVINCIA province name coded as a factor

ID_INE province coded as a number

spc

A classical Spatial Phillips-Curve

Description

A data set from Anselin (1988, p. 203-211) used to estimate a Spatial Phillips-Curve for 25 counties in South-West Ohio for two time periods (1981 and 1983).

Usage

spc

Format

A data frame with 25 rows and 10 variables:

COUNTY County coded as a name.

WAGE83 Changes in wage rates for 1983.

UN83 Inverse unemployment rate in 1983.

NMR83 Net migration rate 1983.

SMSA Dummy variable to identify counties defined as Standard Metropolitan Statistical Areas (SMSA = 1).

WAGE82 Changes in wage rates for 1982.

WAGE81 Changes in wage rates for 1981.

UN80 Inverse unemployment rate in 1980.

NMR80 Net migration rate 1983.

WAGE80 changes in wage rates.

geometry geometry of sf object.

Source

Anselin (1988, p. 203-211)

References

- Anselin, L. (1988). *Spatial Econometrics: Methods and Models*. Springer Science & Business Media.

spsur3sls

*Three Stages Least Squares estimation, 3sls, of spatial SUR models.***Description**

The function estimates spatial SUR models using three stages least squares, where the instruments are obtained from the spatial lags of the X variables, assumed to be exogenous. The number of equations, time periods and spatial units is not restricted. The user can choose between a Spatial Durbin Model or a Spatial Lag Model, as described below. The estimation procedure allows for the introduction of linear restrictions on the β parameters associated to the regressors.

Usage

```
spsur3sls (formula = NULL, data = NULL, na.action,
           R = NULL, b = NULL, listw = NULL,
           zero.policy = NULL, X= NULL, Y = NULL, G = NULL,
           N = NULL, Tm = NULL, p = NULL,
           type = "slm", Durbin = NULL, maxlagW = NULL,
           trace = TRUE)
```

Arguments

formula	An object type Formula similar to objects created with the package Formula describing the equations to be estimated in the model. This model may contain several responses (explained variables) and a varying number of regressors in each equation.
data	An object of class data.frame or a matrix.
na.action	A function (default options("na.action")), can also be na.omit or na.exclude with consequences for residuals and fitted values. It may be necessary to set zero.policy to TRUE because this subsetting may create no-neighbour observations.
R	A row vector of order ($1 \times p$) with the set of r linear constraints on the <i>beta</i> parameters. The <i>first</i> restriction appears in the first p terms, the second restriction in the next p terms and so on. Default = NULL.
b	A column vector of order ($r \times 1$) with the values of the linear restrictions on the <i>beta</i> parameters. Default = NULL.
listw	A listw object created for example by nb2listw from spatialreg package; if nb2listw not given, set to the same spatial weights as the listw argument. It can also be a spatial weighting matrix of order ($N \times N$) instead of a listw object. Default = NULL.
zero.policy	Similar to the corresponding parameter of lagsarlm function in spatialreg package. If TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA - causing spsurml() to terminate with an error. Default = NULL.

X	A data matrix of order $(NTmGxp)$ with the observations of the regressors. The number of covariates in the SUR model is $p = \text{sum}(p_g)$ where p_g is the number of regressors (including the intercept) in the g -th equation, $g = 1, \dots, G$. The specification of "X" is only necessary if not available a Formula and a data frame. Default = NULL.
Y	A column vector of order $(NTmGx1)$, with the observations of the explained variables. The ordering of the data must be (first) equation, (second) time dimension and (third) cross-sectional/spatial units. The specification of Y is only necessary if not available a Formula and a data frame. Default = NULL.
G	Number of equations.
N	Number of cross-section or spatial units
Tm	Number of time periods.
p	Number of regressors by equation, including the intercept. p can be a row vector of order (IxG) , if the number of regressors is not the same for all the equations, or a scalar, if the G equations have the same number of regressors. The specification of p is only necessary if not available a Formula and a data frame.
type	Type of spatial model, restricted to cases where lags of the explained variable appear in the right hand side of the equations. There are two possibilities: "slm" or "sdm". Default = "slm".
Durbin	If a formula object and model is type "sdm" the subset of explanatory variables to lag for each equation.
maxlagW	Maximum spatial lag order of the regressors employed to produce spatial instruments for the spatial lags of the explained variables. Default = 2. Note that in case of type="sdm", the default value for maxlagW is set to 3 because the first lag of the regressors, WX_{tg} , can not be used as spatial instruments.
trace	A logical value to show intermediate results during the estimation process. Default = TRUE.

Details

spsur3sls can be used to estimate two groups of spatial models:

- "slm": SUR model with spatial lags of the endogenous in the right hand side of the equations

$$y_{tg} = \rho_g W y_{tg} + X_{tg} \beta_g + \epsilon_{tg}$$

- "sdm": SUR model of the Spatial Durbin type

$$y_{tg} = \rho_g W y_{tg} + X_{tg} \beta_g + W X_{tg} \theta_g + \epsilon_{tg}$$

where y_{tg} and ϵ_{tg} are $(Nx1)$ vectors, corresponding to the g -th equation and time period t ; X_{tg} is the matrix of regressors, of order $N \times p_g$. Moreover, ρ_g is a spatial coefficient and W is a (NxN) spatial weighting matrix.

By default, the input of this function is an object created with [Formula](#) and a data frame. However, *spsur3sls* also allows for the direct specification of vector Y and matrix X , with the explained variables and regressors respectively, as inputs (these terms may be the result, for example, of

dgp_spsur).

spsur3s1s is a Least-Squares procedure in three-stages designed to circumvent the endogeneity problems due to the presence of spatial lags of the explained variable in the right hand side of the equations do the SUR. The instruments are produced internally by spsur3s1s using a sequence of spatial lags of the X variables, which are assumed to be exogenous. The user must define the number of (spatial) instruments to be used in the procedure, through the argument `maxlagW` (i.e. `maxlagW = 3`). Then, the collection of instruments generated is $[W X_{tg}; W * W X_{tg}; W * W * W X_{tg}]$. In the case of a *SDM*, the first lag of the X matrix already is in the equation and cannot be used as instrument. In the example above, the list of instruments for a *SDM* model would be $[W^2 X_{tg}; W^3 X_{tg}]$.

The *first* stage of the procedure consists in the least squares of the Y variables on the set of instruments. From this estimation, the procedure retains the estimates of Y in the so-called Yls variables. In the *second* stage, the Y variables that appear in the right hand side of the equation are substituted by Yls and the SUR model is estimated by Least Squares. The *third* stage improves the estimates of the second stage through a Feasible Generalized Least Squares estimation of the parameters of the model, using the residuals of the *second* stage to estimate the *Sigma* matrix.

The arguments R and b allows to introduce linear restrictions on the *beta* coefficients of the G equations. `spsur3s1s`, first, introduces the linear restrictions in the SUR model and builds, internally, the corresponding constrained SUR model. Then, the function estimates the restricted model which is shown in the output. The function does not compute the unconstrained model nor test for the linear restrictions. The user may ask for the unconstrained estimation using another `spsurml` estimation. Moreover, the function `wald_betas` obtains the Wald test of a set of linear restrictions for an object created previously by `spsurml` or `spsur3s1s`.

Value

Object of `spsur` class with the output of the three-stages least-squares estimation of the specified spatial model. A list with:

<code>call</code>	Matched call.
<code>type</code>	Type of model specified.
<code>Durbin</code>	Value of Durbin argument.
<code>coefficients</code>	Estimated coefficients for the regressors.
<code>deltas</code>	Estimated spatial coefficients.
<code>rest.se</code>	Estimated standard errors for the estimates of β coefficients.
<code>deltas.se</code>	Estimated standard errors for the estimates of the spatial coefficients.
<code>resvar</code>	Estimated covariance matrix for the estimates of <i>beta</i> 's and spatial coefficients.
<code>R2</code>	Coefficient of determination for each equation, obtained as the squared of the correlation coefficient between
<code>R2 pooled</code>	<i>Global</i> coefficient of determination obtained for the set of the G equations. It is computed in the same way
<code>Sigma</code>	Estimated covariance matrix for the residuals of the G equations.
<code>residuals</code>	Residuals of the model.
<code>df.residuals</code>	Degrees of freedom for the residuals.
<code>fitted.values</code>	Estimated values for the dependent variables.
<code>G</code>	Number of equations.
<code>N</code>	Number of cross-sections or spatial units.
<code>Tm</code>	Number of time periods.
<code>p</code>	Number of regressors by equation (including intercepts).
<code>Y</code>	If <i>data</i> is <i>NULL</i> , vector Y of the explained variables of the SUR model.

X If *data* is *NULL*, matrix *X* of the regressors of the SUR model.
W Spatial weighting matrix.
zero.policy Logical value of zero.policy .
listw_style Style of neighborhood matrix W.

Author(s)

Fernando Lopez <fernando.lopez@upct.es>
Roman Minguez <roman.minguez@uclm.es>
Jesus Mur <jmur@unizar.es>

References

- Anselin, L. (2016) Estimation and Testing in the Spatial Seemingly Unrelated Regression (SUR). *Geoda Center for Geospatial Analysis and Computation, Arizona State University*. Working Paper 2016-01. <doi:10.13140/RG.2.2.15925.40163>
- , Anselin, L. (1988). *Spatial Econometrics: Methods and Models*. Kluwer Academic Publishers, Dordrecht, The Netherlands (p. 146).
- Anselin, L., Le Gallo, J., Hubert J. (2008) Spatial Panel Econometrics. In *The econometrics of panel data. Fundamentals and recent developments in theory and practice*. (Chap 19, p. 653)
- Minguez, R., Lopez, F.A. and Mur, J. (2022). spsur: An R Package for Dealing with Spatial Seemingly Unrelated Regression Models. *Journal of Statistical Software*, 104(11), 1–43. <doi:10.18637/jss.v104.i11>
- Lopez, F. A., Minguez, R., Mur, J. (2020). ML versus IV estimates of spatial SUR models: evidence from the case of Airbnb in Madrid urban area. *The Annals of Regional Science*, 64(2), 313-347. <doi:10.1007/s00168-019-00914-1>

See Also

[spsurml](#), [stsls](#), [wald_betas](#)

Examples

```
#####
##### CLASSIC PANEL DATA (G=1; Tm>1) #####
#####

#### Example 1: Spatial Phillips-Curve. Anselin (1988, p. 203)
## A SUR model without spatial effects
rm(list = ls()) # Clean memory
data(spc)
lwspc <- spdep::mat2listw(Wspc, style = "W")
Tformula <- WAGE83 | WAGE81 ~ UN83 + NMR83 + SMSA | UN80 + NMR80 + SMSA
```

```

## A SUR-SLM model (3SLS Estimation)
spcsur_slm_3sls <- spsur3sls(formula = Tformula, data = spc,
                           type = "slm", listw = lwspc)
summary(spcsur_slm_3sls)
print(spcsur_slm_3sls)

if (require(gridExtra)) {
  pl <- plot(spcsur_slm_3sls, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]],
              pl$pldeltas, nrow = 3)
}

## VIP: The output of the whole set of the examples can be examined
## by executing demo(demo_spsur3sls, package="spsur")

## A SUR-SDM model (3SLS Estimation)
spcsur_sdm_3sls <- spsur3sls(formula = Tformula, data = spc,
                           type = "sdm", listw = lwspc)
summary(spcsur_sdm_3sls)
if (require(gridExtra)) {
  pl <- plot(spcsur_sdm_3sls, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]],
              pl$pldeltas, nrow = 3)
}
rm(spcsur_sdm_3sls)

## A SUR-SDM model with different spatial lags in each equation
TformulaD <- ~ UN83 + NMR83 + SMSA | UN80 + NMR80
spcsur_sdm2_3sls <- spsur3sls(formula = Tformula, data = spc,
                             type = "sdm", listw = lwspc,
                             Durbin = TformulaD)
summary(spcsur_sdm2_3sls)
if (require(gridExtra)) {
  pl <- plot(spcsur_sdm2_3sls, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]],
              pl$pldeltas, nrow = 3)
}
rm(spcsur_sdm2_3sls)

#####
### MULTI-DIMENSIONAL PANEL DATA (G>1; Tm>1) ###
#####

#### Example 3: Homicides + Socio-Economics (1960-90)
# Homicides and selected socio-economic characteristics for continental
# U.S. counties.
# Data for four decennial census years: 1960, 1970, 1980 and 1990.
# https://geodacenter.github.io/data-and-lab/ncovr/

```

```

rm(list = ls()) # Clean memory
data(NCOVR, package = "spsur")
nbncovr <- spdep::poly2nb(NCOVR.sf, queen = TRUE)
## Some regions with no links...
lwncovr <- spdep::nb2listw(nbncovr, style = "W", zero.policy = TRUE)
Tformula <- HR80 | HR90 ~ PS80 + UE80 | PS90 + UE90
## A SUR-SLM model
NCOVRSUR_slm_3s3s <- spsur3s3s(formula = Tformula, data = NCOVR.sf,
                              type = "slm", zero.policy = TRUE,
                              listw = lwncovr, trace = FALSE)

summary(NCOVRSUR_slm_3s3s)
if (require(gridExtra)) {
  pl <- plot(NCOVRSUR_slm_3s3s, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]],
              pl$pldeltas, nrow = 3)
}
rm(NCOVRSUR_slm_3s3s)

```

spsur3s3s

General Spatial 3SLS for systems of spatial equations.

Description

The function estimates spatial SUR models using general spatial three stages least squares. This is a system instrumental variable procedure which also include GMM estimation when there is spatial correlations in the errors. The procedure allows for additional endogenous regressors in addition to spatial lags of the dependent variable. It could be applied to "slm", "sdm", "sem" and "sarar" spatial models. Furthermore, for non-spatial models including endogenous regressors ("iv"), it could be used to estimate using instrumental variables and Feasible Generalized Least Squares.

Usage

```

spsur3s3s(formula = NULL, data = NULL, na.action,
          listw = NULL, zero.policy = NULL,
          type = "slm", Durbin = FALSE,
          endog = NULL, instruments = NULL,
          lag.instr = FALSE, initial.value = 0.2,
          het = FALSE, trace = TRUE)

```

Arguments

formula	An object type Formula similar to objects created with the package Formula describing the equations to be estimated in the model. This model may contain several responses (explained variables) and a varying number of regressors in each equation.
data	An object of class <code>data.frame</code> or a matrix.

na.action	A function (default options("na.action")), can also be na.omit or na.exclude with consequences for residuals and fitted values. It may be necessary to set zero.policy to TRUE because this subsetting may create no-neighbour observations.
listw	A listw object created for example by nb2listw from spatialreg package; if nb2listw not given, set to the same spatial weights as the listw argument. It can also be a spatial weighting matrix of order (NxN) instead of a listw object. Default = NULL.
zero.policy	Similar to the corresponding parameter of lagsarlm function in spatialreg package. (NxN) instead of a listw object. Default = NULL.
type	Type of spatial model specification: "sim", "iv", "slm", "sem", "sdm" or "sarar". Default = "slm".
Durbin	If a formula object and model is type "sdm" the subset of explanatory variables to lag for each equation.
endog	Additional endogenous variables. Default NULL. If not NULL should be specified as a Formula with no dependent variable. Examples: ~ x1 x2 (x1 endogenous regressor for the first equation and x2 endogeneous regressor for the second equation) or ~ x1 . (x1 endogenous regressor for the first equation and none endogenous regressors for the second equation)
instruments	external instruments. Default NULL. If not NULL should be specified as a formula with no dependent variable in the same way than previous endog argument.
lag.instr	should the external instruments be spatially lagged?
initial.value	he initial value for rho. It can be either numeric (default is 0.2) or set to 'SAR', in which case the optimization will start from the estimated coefficient of a regression of the 2SLS residuals over their spatial lag (i.e. a spatial AR model)
het	default FALSE: if TRUE uses the methods developed for heteroskedasticity for each equation. Wrapper using spreg function.
trace	A logical value to show intermediate results during the estimation process. Default = TRUE.

Details

spsurg3sls generalize the *spreg* function to multiequational spatial SUR models. The methodology to estimate spatial SUR models by Generalized 3SLS follows the steps outlined in Kelejian and Piras (pp. 304-305). The summary of the algorithm is the next one:

- Estimate each equation by 2SLS and obtain the estimated residuals \hat{u}_j for each equation.
- If the model includes a spatial lag for the errors. (that is, it is a SEM/SARAR model), apply GMM to obtain the spatial parameters $\hat{\lambda}_j$ for the residuals in each equation. In this case the *spreg* function is used as a wrapper for the GMM estimation. If the model does not include a spatial lag for the errors (that is, it is a "sim", "iv", "slm" or "sdm" model), then $\hat{\lambda}_j = 0$
- Compute

$$\hat{v}_j = \hat{u}_j - \hat{\lambda}_j W \hat{u}_j$$

and the covariances

$$\hat{\sigma}_{i,j} = N^{-1} \hat{v}_i \hat{v}_j$$

. Build $\hat{\Sigma} = \{\hat{\sigma}_{i,j}\}$

- Compute

$$y_j^* = y_j - \hat{\lambda}_j W y_j$$

and

$$X_j^* = X_j - \hat{\lambda}_j W X_j$$

Compute

$$\hat{X}_j^* = H_j (H_j^T H_j)^{-1} H_j^T X_j^*$$

where H_j is the matrix including all the instruments and the exogenous regressors for each equation. That is, \hat{X}_j^* is the projection of X_j^* using the instruments matrix H_j .

- Compute, in a multiequational way, the Feasible Generalized Least Squares estimation using the new variables \hat{y}_j^* , \hat{X}_j^* and $\hat{\Sigma}$. This is the 3sls step.

Value

Object of `spsur` class with the output of the three-stages least-squares estimation of the specified spatial model. A list with:

<code>call</code>	Matched call.
<code>type</code>	Type of model specified.
<code>Durbin</code>	Value of Durbin argument.
<code>coefficients</code>	Estimated coefficients for the regressors.
<code>deltas</code>	Estimated spatial coefficients.
<code>rest.se</code>	Estimated standard errors for the estimates of β coefficients.
<code>deltas.se</code>	Estimated standard errors for the estimates of the spatial coefficients.
<code>resvar</code>	Estimated covariance matrix for the estimates of β 's and spatial coefficients.
<code>R2</code>	Coefficient of determination for each equation, obtained as the squared of the correlation coefficient between
<code>Sigma</code>	Estimated covariance matrix for the residuals of the G equations.
<code>residuals</code>	Residuals of the model.
<code>df.residuals</code>	Degrees of freedom for the residuals.
<code>fitted.values</code>	Estimated values for the dependent variables.
<code>G</code>	Number of equations.
<code>N</code>	Number of cross-sections or spatial units.
<code>Tm</code>	Number of time periods.
<code>p</code>	Number of regressors by equation (including intercepts).
<code>Y</code>	If <code>data</code> is <code>NULL</code> , vector Y of the explained variables of the SUR model.
<code>X</code>	If <code>data</code> is <code>NULL</code> , matrix X of the regressors of the SUR model.
<code>W</code>	Spatial weighting matrix.
<code>zero.policy</code>	Logical value of <code>zero.policy</code> .
<code>listw_style</code>	Style of neighborhood matrix W .

Author(s)

Fernando López	<fernando.lopez@upct.es>
Román Mínguez	<roman.minguez@uclm.es>
Jesús Mur	<jmur@unizar.es>

References

- Kelejian, H. H. and Piras, G. (2017). *Spatial Econometrics*. Academic Press.
- Kelejian, H.H. and Prucha, I.R. (2010). Specification and Estimation of Spatial Autoregressive Models with Autoregressive and Heteroskedastic Disturbances. *Journal of Econometrics*, 157, pp. 53-67.
- Kelejian, H.H. and Prucha, I.R. (1999). A Generalized Moments Estimator for the Autoregressive Parameter in a Spatial Model. *International Economic Review*, 40, pp. 509-533.
- Kelejian, H.H. and Prucha, I.R. (1998). A Generalized Spatial Two Stage Least Square Procedure for Estimating a Spatial Autoregressive Model with Autoregressive Disturbances. *Journal of Real Estate Finance and Economics*, 17, pp. 99–121.
- Minguez, R., Lopez, F.A. and Mur, J. (2022). spsur: An R Package for Dealing with Spatial Seemingly Unrelated Regression Models. *Journal of Statistical Software*, 104(11), 1–43. <doi:10.18637/jss.v104.i11>
- Piras, G. (2010). sphet: Spatial Models with Heteroskedastic Innovations in R. *Journal of Statistical Software*, 35(1), pp. 1-21. <https://www.jstatsoft.org/v35/i01/>. -

See Also

[spreg](#), [spsur3s1s](#), [st1s1s](#), [sp1urml](#)

Examples

```
#### Example 1: Spatial Phillips-Curve. Anselin (1988, p. 203)
rm(list = ls()) # Clean memory
data(spc)
lwspc <- spdep::mat2listw(Wspc, style = "W")
## No endogenous regressors
Tformula <- WAGE83 | WAGE81 ~ UN83 + NMR83 + SMSA | UN80 + NMR80 + SMSA
## Endogenous regressors and Instruments
Tformula2 <- WAGE83 | WAGE81 ~ NMR83 | NMR80
## Endogenous regressors: UN83 , UN80
## Instrumental variable: SMSA

## A IV model with endogenous regressors only in first equation
spciv <- spsur3s1s(formula = Tformula2, data = spc,
                  type = "iv", listw = lwspc,
                  endog = ~ UN83 | .,
                  instruments = ~ SMSA | .)

summary(spciv)
print(spciv)
#####
## A SLM model with endogenous regressors
spcslm <- spsur3s1s(formula = Tformula2, data = spc,
                  endog = ~ UN83 | .,
                  instruments = ~ SMSA | .,
                  type = "slm",
                  listw = lwspc)

summary(spcslm)
print(spcslm)
```

```

impacts_spcslm <- impactspsur(spcslm, listw = lwspc, R = 1000)
summary(impacts_spcslm[[1]], zstats = TRUE, short = TRUE)
summary(impacts_spcslm[[2]], zstats = TRUE, short = TRUE)
#####
## A SDM model with endogenous regressors
spcsdm <- spsurgs3sls(formula = Tformula2, data = spc,
                     endog = ~ UN83 | UN80,
                     instruments = ~ SMSA | SMSA,
                     type = "sdm", listw = lwspc,
                     Durbin = ~ NMR83 | NMR80)

summary(spcsdm)
## Durbin only in one equation
spcsdm2 <- spsurgs3sls(formula = Tformula2, data = spc,
                      endog = ~ UN83 | UN80,
                      instruments = ~ SMSA | SMSA,
                      type = "sdm", listw = lwspc,
                      Durbin = ~ NMR83 | .)

summary(spcsdm2)
#####
## A SEM model with endogenous regressors
spcsem <- spsurgs3sls(formula = Tformula2, data = spc,
                    endog = ~ UN83 | UN80,
                    instruments = ~ SMSA | SMSA,
                    type = "sem", listw = lwspc)

summary(spcsem)
print(spcsem)
#####
## A SARAR model with endogenous regressors
spcsarar <- spsurgs3sls(formula = Tformula2, data = spc,
                      endog = ~ UN83 | UN80,
                      instruments = ~ SMSA | SMSA,
                      type = "sarar", listw = lwspc)

summary(spcsarar)
print(spcsarar)
impacts_spcsarar <- impactspsur(spcsarar, listw = lwspc, R = 1000)
summary(impacts_spcsarar[[1]], zstats = TRUE, short = TRUE)
summary(impacts_spcsarar[[2]], zstats = TRUE, short = TRUE)

```

spsurml

Maximum likelihood estimation of spatial SUR model.

Description

This function estimates spatial SUR models using maximum-likelihood methods. The number of equations, time periods and cross-sectional units is not restricted. The user can choose between different spatial specifications as described below. The estimation procedure allows for the introduction of linear restrictions on the β parameters associated to the regressors.

Usage

```
spsurml(formula = NULL, data = NULL, na.action,
         listw = NULL, type = "sim", Durbin = NULL,
         method = "eigen", zero.policy = NULL, interval = NULL,
         trs = NULL, R = NULL, b = NULL, X = NULL, Y = NULL,
         G = NULL, N = NULL, Tm = NULL, p = NULL,
         control = list() )
```

Arguments

formula	An object type Formula similar to objects created with the package Formula describing the equations to be estimated in the model. This model may contain several responses (explained variables) and a varying number of regressors in each equation.
data	An object of class data.frame or a matrix.
na.action	A function (default options("na.action")), can also be na.omit or na.exclude with consequences for residuals and fitted values. It may be necessary to set zero.policy to TRUE because this subsetting may create no-neighbour observations.
listw	A listw object created for example by nb2listw from spatialreg package; if nb2listw not given, set to the same spatial weights as the listw argument. It can also be a spatial weighting matrix of order ($N \times N$) instead of a listw object. Default = NULL.
type	Type of spatial model specification: "sim", "slx", "slm", "sem", "sdm", "sdem", "sarar" or "gnm". Default = "sim".
Durbin	If a formula object and model is type "sdm", "sdem" or "slx" the subset of explanatory variables to lag for each equation.
method	Similar to the corresponding parameter of lagsarlm function in spatialreg package. "eigen" (default) - the Jacobian is computed as the product of $(1 - \rho \cdot \text{eigenvalue})$ using eigenw , and "spam" or "Matrix_J" for strictly symmetric weights lists of styles "B" and "C", or made symmetric by similarity (Ord, 1975, Appendix C) if possible for styles "W" and "S", using code from the spam or Matrix packages to calculate the determinant; "Matrix" and "spam_update" provide updating Cholesky decomposition methods; "LU" provides an alternative sparse matrix decomposition approach. In addition, there are "Chebyshev" and Monte Carlo "MC" approximate log-determinant methods; the Smirnov/Anselin (2009) trace approximation is available as "moments". Three methods: "SE_classic", "SE_whichMin", and "SE_interp" are provided experimentally, the first to attempt to emulate the behaviour of Spatial Econometrics toolbox ML fitting functions. All use grids of log determinant values, and the latter two attempt to ameliorate some features of "SE_classic".
zero.policy	Similar to the corresponding parameter of lagsarlm function in spatialreg package. If TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA - causing <code>spsurml()</code> to terminate with an error. Default = NULL.
interval	Search interval for autoregressive parameter. Default = NULL.

trs	Similar to the corresponding parameter of <code>lagsarlm</code> function in <code>spatialreg</code> package. Default NULL, if given, a vector of powered spatial weights matrix traces output by <code>trW</code> .
R	A row vector of order $(I \times p_r)$ with the set of r linear constraints on the <i>beta</i> parameters. The <i>first</i> restriction appears in the first p terms, the second restriction in the next p terms and so on. Default = NULL.
b	A column vector of order $(r \times 1)$ with the values of the linear restrictions on the <i>beta</i> parameters. Default = NULL.
X	A data matrix of order $(NTmG \times p)$ with the observations of the regressors. The number of covariates in the SUR model is $p = \text{sum}(p_g)$ where p_g is the number of regressors (including the intercept) in the g -th equation, $g = 1, \dots, G$. The specification of "X" is only necessary if not available a <code>Formula</code> and a data frame. Default = NULL.
Y	A column vector of order $(NTmG \times 1)$, with the observations of the explained variables. The ordering of the data must be (first) equation, (second) time dimension and (third) cross-sectional/spatial units. The specification of <i>Y</i> is only necessary if not available a <code>Formula</code> and a data frame. Default = NULL.
G	Number of equations.
N	Number of cross-section or spatial units
Tm	Number of time periods.
p	Number of regressors by equation, including the intercept. p can be a row vector of order $(I \times G)$, if the number of regressors is not the same for all the equations, or a scalar, if the G equations have the same number of regressors. The specification of p is only necessary if not available a <code>Formula</code> and a data frame.
control	list of additional arguments.

Details

The list of (spatial) models that can be estimated with the `spsurml` function are:

- "sim": SUR model with no spatial effects

$$y_{tg} = X_{tg}\beta_g + \epsilon_{tg}$$

- "slx": SUR model with spatial lags of the regressors

$$y_{tg} = X_{tg}\beta_g + W X_{tg}\theta_g + \epsilon_{tg}$$

- "slm": SUR model with spatial lags of the explained variables

$$y_{tg} = \rho_g W y_{tg} + X_{tg}\beta_g + \epsilon_{tg}$$

- "sem": SUR model with spatial errors

$$y_{tg} = X_{tg}\beta_g + u_{tg}$$

$$u_{tg} = \lambda_g W u_{tg} + \epsilon_{tg}$$

- "sdm": SUR model of the Spatial Durbin type

$$y_{tg} = \rho_g W y_{tg} + X_{tg} \beta_g + W X_{tg} \theta_g + \epsilon_{tg}$$

- "sdem": SUR model with spatial lags of the regressors and spatial errors

$$y_{tg} = X_{tg} \beta_g + W X_{tg} \theta_g + u_{tg}$$

$$u_{tg} = \lambda_g W u_{tg} + \epsilon_{tg}$$

- "sarar": SUR model with spatial lags of the explained variables and spatial errors

$$y_{tg} = \rho_g W y_{tg} + X_{tg} \beta_g + u_{tg}$$

$$u_{tg} = \lambda_g W u_{tg} + \epsilon_{tg}$$

- "gnm": SUR model with spatial lags of the explained variables, regressors and spatial errors

$$y_{tg} = \rho_g W y_{tg} + X_{tg} \beta_g + W X_{tg} \theta_g + u_{tg}$$

$$u_{tg} = \lambda_g W u_{tg} + \epsilon_{tg}$$

Value

Object of `spsur` class with the output of the maximum-likelihood estimation of the specified spatial SUR model. A list with:

<code>call</code>	Matched call.
<code>type</code>	Type of model specified.
<code>method</code>	Value of method argument to compute the Jacobian
<code>Durbin</code>	Value of Durbin argument.
<code>coefficients</code>	Estimated coefficients for the regressors.
<code>deltas</code>	Estimated spatial coefficients.
<code>rest.se</code>	Estimated standard errors for the estimates of <i>beta</i> .
<code>deltas.se</code>	Estimated standard errors for the estimates of the spatial coefficients (<code>deltas</code>).
<code>resvar</code>	Estimated covariance matrix for the estimates of <i>beta</i> 's and spatial coefficients (<code>deltas</code>).
<code>LL</code>	Value of the likelihood function at the maximum-likelihood estimates.
<code>R2</code>	Coefficient of determination for each equation, obtained as the squared of the correlation coefficient between
<code>R2 pooled</code>	<i>Global</i> coefficient of determination obtained for the set of the <i>G</i> equations. It is computed in the same way
<code>Sigma</code>	Estimated covariance matrix for the residuals of the <i>G</i> equations.
<code>fdHess</code>	Logical value of <code>fdHess</code> argument when computing numerical covariances.
<code>residuals</code>	Residuals of the model.
<code>df.residuals</code>	Degrees of freedom for the residuals.
<code>fitted.values</code>	Estimated values for the dependent variables.
<code>BP</code>	Value of the Breusch-Pagan statistic to test the null hypothesis of diagonality among the errors of the <i>G</i> equ
<code>LMM</code>	Marginal Lagrange Multipliers, $LM(\rho \lambda)$ and $LM(\lambda \rho)$, to test for omitted spatial effects in the specification
<code>G</code>	Number of equations.
<code>N</code>	Number of cross-sections or spatial units.
<code>Tm</code>	Number of time periods.
<code>p</code>	Number of regressors by equation (including intercepts).
<code>Y</code>	If <i>data</i> is <i>NULL</i> , vector <i>Y</i> of the explained variables of the SUR model.

X	If <i>data</i> is <i>NULL</i> , matrix <i>X</i> of the regressors of the SUR model.
W	Spatial weighting matrix.
zero.policy	Logical value of zero.policy .
interval	Search interval for spatial parameter.
listw_style	Style of neighborhood matrix W.
trs	Either <i>NULL</i> or vector of powered spatial weights matrix traces output by <i>trW</i> .
insert	Logical value to check if <i>is.null(trs)</i> .

Control arguments

tol	Numerical value for the tolerance for the estimation algorithm until convergence. Default = 1e-3.
maxit	Maximum number of iterations until convergence; it must be an integer value. Default = 200.
trace	A logical value to show intermediate results during the estimation process. Default = TRUE.
fdHess	Compute variance-covariance matrix using the numerical hessian. Suited for large samples. Default = FALSE
Imult	default 2; used for preparing the Cholesky decompositions for updating in the Jacobian function
super	if <i>NULL</i> (default), set to <i>FALSE</i> to use a simplicial decomposition for the sparse Cholesky decomposition and met
cheb_q	default 5; highest power of the approximating polynomial for the Chebyshev approximation
MC_p	default 16; number of random variates
MC_m	default 30; number of products of random variates matrix and spatial weights matrix
spamPivot	default "MMD", alternative "RCM"
in_coef	default 0.1, coefficient value for initial Cholesky decomposition in "spam_update"
type	default "MC", used with method "moments"; alternatives "mult" and "moments", for use if <i>trs</i> is missing
correct	default TRUE, used with method "moments" to compute the Smirnov/Anselin correction term
trunc	default TRUE, used with method "moments" to truncate the Smirnov/Anselin correction term
SE_method	default "LU", may be "MC"
nrho	default 200, as in SE toolbox; the size of the first stage Indet grid; it may be reduced to for example 40
interpn	default 2000, as in SE toolbox; the size of the second stage Indet grid
SEIndet	default <i>NULL</i> , may be used to pass a pre-computed SE toolbox style matrix of coefficients and their Indet values
LU_order	default <i>FALSE</i> ; used in "LU_prepermutate", note warnings given for lu method
pre_eig	default <i>NULL</i> ; may be used to pass a pre-computed vector of eigenvalues

Author(s)

Fernando Lopez	<fernando.lopez@upct.es>
Roman Minguez	<roman.minguez@uclm.es>
Jesus Mur	<jmur@unizar.es>

References

- Anselin, L. (1988). *Spatial econometrics: methods and models*. Dordrecht: Kluwer

- Bivand, R.S. and Piras G. (2015). Comparing Implementations of Estimation Methods for Spatial Econometrics. *Journal of Statistical Software*, 63(18), 1-36. <doi: 10.18637/jss.v063.i18>
- Bivand, R. S., Hauke, J., and Kossowski, T. (2013). Computing the Jacobian in Gaussian spatial autoregressive models: An illustrated comparison of available methods. *Geographical Analysis*, 45(2), 150-179. <doi:10.1111/gean.12008>
- Breusch T., Pagan A. (1980). The Lagrange multiplier test and its applications to model specification in econometrics. *Rev Econ Stud* 47: 239-254
- Cliff, A.D. and Ord, J.K. (1981). *Spatial processes: Models and applications*, Pion.
- LeSage J and Pace, R.K. (2009). *Introduction to Spatial Econometrics*. CRC Press, Boca Raton.
- Lopez, F.A., Mur, J., and Angulo, A. (2014). Spatial model selection strategies in a SUR framework. The case of regional productivity in EU. *Annals of Regional Science*, 53(1), 197-220. <doi:10.1007/s00168-014-0624-2>
- Minguez, R., Lopez, F.A. and Mur, J. (2022). spsur: An R Package for Dealing with Spatial Seemingly Unrelated Regression Models. *Journal of Statistical Software*, 104(11), 1-43. <doi:10.18637/jss.v104.i11>
- Mur, J., Lopez, F., and Herrera, M. (2010). Testing for spatial effects in seemingly unrelated regressions. *Spatial Economic Analysis*, 5(4), 399-440. <doi:10.1080/17421772.2010.516443>
- Ord, J.K. (1975). Estimation methods for models of spatial interaction, *Journal of the American Statistical Association*, 70, 120-126.

See Also

[spsur3sls](#), [lagsarlm](#), [lmtestspsur](#), [wald_betas](#), [lr_betas](#)

Examples

```
#####
##### CROSS SECTION DATA (G>1; Tm=1) #####
#####

#### Example 1: Spatial Phillips-Curve. Anselin (1988, p. 203)
rm(list = ls()) # Clean memory
data(spc)
Tformula <- WAGE83 | WAGE81 ~ UN83 + NMR83 + SMSA | UN80 + NMR80 + SMSA
spcsur.sim <- spsurml(formula = Tformula, data = spc, type = "sim")
summary(spcsur.sim)
# All the coefficients in a single table.
print(spcsur.sim)
# Plot of the coefficients of each equation in different graphs
plot(spcsur.sim)

## A SUR-SLX model
## (listw argument can be either a matrix or a listw object )
spcsur.slx <- spsurml(formula = Tformula, data = spc, type = "slx",
  listw = Wspc, Durbin = TRUE)
summary(spcsur.slx)
# All the coefficients in a single table.
```

```

print(spcsur.slx)
# Plot of the coefficients in a single graph
if (require(gridExtra)) {
  pl <- plot(spcsur.slx, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]],
              nrow = 2)
}

## VIP: The output of the whole set of the examples can be examined
## by executing demo(demo_spsurml, package="spsur")

### A SUR-SLM model
spcsur.slm <- spsurml(formula = Tformula, data = spc, type = "slm",
                    listw = Wspc)
summary(spcsur.slm)
if (require(gridExtra)) {
  pl <- plot(spcsur.slm, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]],
              pl$pldeltas, nrow = 3)
}

### A SUR-SDM model
spcsur.sdm <- spsurml(formula = Tformula, data = spc, type = "sdm",
                    listw = Wspc)
summary(spcsur.sdm)
print(spcsur.sdm)
if (require(gridExtra)) {
  pl <- plot(spcsur.sdm, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]],
              pl$pldeltas, nrow = 3)
}

## A SUR-SDM model with different spatial lags in each equation
TformulaD <- ~ UN83 + NMR83 + SMSA | UN80
spcsur.sdm2 <- spsurml(formula = Tformula, data = spc, type = "sdm",
                    listw = Wspc, Durbin = TformulaD)
summary(spcsur.sdm2)
if (require(gridExtra)) {
  pl <- plot(spcsur.sdm2, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]],
              pl$pldeltas, nrow = 3)
}

#####
##### CLASSIC PANEL DATA G=1; Tm>1 #####
#####
#
##### Example 2: Homicides + Socio-Economics (1960-90)
## Homicides and selected socio-economic characteristics for continental
## U.S. counties.

```

```

## Data for four decennial census years: 1960, 1970, 1980 and 1990.
## \url{https://geodacenter.github.io/data-and-lab/ncover/}

### It usually requires 1-2 minutes maximum...
rm(list = ls()) # Clean memory
### Read NCOVR.sf object
data(NCOVR, package = "spsur")
nbncovr <- spdep::poly2nb(NCOVR.sf, queen = TRUE)
### Some regions with no links...
lwncovr <- spdep::nb2listw(nbncovr, style = "W", zero.policy = TRUE)
Tformula <- HR80 | HR90 ~ PS80 + UE80 | PS90 + UE90
### A SUR-SIM model
NCOVRSUR.sim <- spsurml(formula = Tformula, data = NCOVR.sf, type = "sim")
summary(NCOVRSUR.sim)
if (require(gridExtra)) {
  pl <- plot(NCOVRSUR.sim, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]], nrow = 3)
}
### A SUR-SLX model
NCOVRSUR.slx <- spsurml(formula = Tformula, data = NCOVR.sf, type = "slx",
  listw = lwncovr, zero.policy = TRUE)
print(NCOVRSUR.slx)
if (require(gridExtra)) {
  pl <- plot(NCOVRSUR.slx, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]], nrow = 2)
}

### A SUR-SLM model
### method = "Matrix" (Cholesky) instead of "eigen"
### (fdHess = TRUE to compute numerical covariances )
NCOVRSUR.slm <- spsurml(formula = Tformula, data = NCOVR.sf,
  type = "slm", listw = lwncovr, method = "Matrix",
  zero.policy = TRUE, control = list(fdHess = TRUE))
summary(NCOVRSUR.slm)

if (require(gridExtra)) {
  pl <- plot(NCOVRSUR.slm, viewplot = FALSE)
  grid.arrange(pl$lplbetas[[1]], pl$lplbetas[[2]],
    pl$pldeltas, nrow = 3)
}
# LR test for nested models
anova(NCOVRSUR.sim, NCOVRSUR.slm)

```

Description

This function estimates SUR models for simple spatial panel datasets. `spsurtime` is restricted, specifically, to cases where there is only one equation, $G=I$, and a varying number of spatial units, N , and time periods, Tm . The SUR structure appears in form of serial dependence among the error terms corresponding to the same spatial unit. Note that it is assumed that all spatial units share a common pattern of serial dependence.

The user can choose between different types of spatial specifications, as described below, and the estimation algorithms allow for the introduction of linear restrictions on the β parameters associated to the regressors. The spatial panels with SUR structure can be estimated by maximum-likelihood methods or three-stages least squares procedures, using spatial instrumental variables.

Usage

```
spsurtime (formula, data, time, na.action,
           listw = NULL, type = "sim", Durbin = NULL,
           method = "eigen", fit_method = "ml", maxlagW = NULL,
           zero.policy = NULL, interval = NULL, trs = NULL,
           R = NULL, b = NULL, demean = FALSE, control = list() )
```

Arguments

formula	An object type <code>Formula</code> similar to objects created with the package <code>Formula</code> describing the equations to be estimated in the model. This model may contain several responses (explained variables) and a varying number of regressors in each equation.
data	An object of class <code>data.frame</code> or a matrix.
time	Time variable.
na.action	A function (default <code>options("na.action")</code>), can also be <code>na.omit</code> or <code>na.exclude</code> with consequences for residuals and fitted values. It may be necessary to set <code>zero.policy</code> to <code>TRUE</code> because this subsetting may create no-neighbour observations.
listw	A <code>listw</code> object created for example by <code>nb2listw</code> from <code>spatialreg</code> package; if <code>nb2listw</code> not given, set to the same spatial weights as the <code>listw</code> argument. It can also be a spatial weighting matrix of order $(N \times N)$ instead of a <code>listw</code> object. Default = <code>NULL</code> .
type	Type of spatial model specification: "sim", "slx", "slm", "sem", "sdm", "sdem", "sarar" or "gnm". Default = "sim".
Durbin	If a formula object and model is type "sdm", "sdem" or "slx" the subset of explanatory variables to lag for each equation.
method	Similar to the corresponding parameter of <code>lagsarlm</code> function in <code>spatialreg</code> package. "eigen" (default) - the Jacobian is computed as the product of $(1 - \rho * \text{eigenvalue})$ using <code>eigenw</code> , and "spam" or "Matrix_J" for strictly symmetric weights lists of styles "B" and "C", or made symmetric by similarity (Ord, 1975, Appendix C) if possible for styles "W" and "S", using code from the <code>spam</code> or <code>Matrix</code> packages to calculate the determinant; "Matrix" and "spam_update" provide updating Cholesky decomposition methods; "LU" provides an alternative sparse

matrix decomposition approach. In addition, there are "Chebyshev" and Monte Carlo "MC" approximate log-determinant methods; the Smirnov/Anselin (2009) trace approximation is available as "moments". Three methods: "SE_classic", "SE_whichMin", and "SE_interp" are provided experimentally, the first to attempt to emulate the behaviour of Spatial Econometrics toolbox ML fitting functions. All use grids of log determinant values, and the latter two attempt to ameliorate some features of "SE_classic".

fit_method	Method of estimation for the spatial panel SUR model, either <i>ml</i> or <i>3sls</i> . Default = <i>ml</i> .
maxlagW	Maximum spatial lag order of the regressors employed to produce spatial instruments for the spatial lags of the explained variables. Default = 2. Note that in case of <code>type = "sdm"</code> , the default value for <code>maxlagW</code> is set to 3 because the first lag of the regressors, WX_{tq} , can not be used as spatial instruments.
zero.policy	Similar to the corresponding parameter of <code>lagsarlm</code> function in spatialreg package. If TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA - causing <code>spsurml()</code> to terminate with an error. Default = NULL.
interval	Search interval for autoregressive parameter. Default = NULL.
trs	Either NULL or vector of powered spatial weights matrix traces output by <code>trW</code> . Default = NULL.
R	A row vector of order ($I \times p$) with the set of r linear constraints on the <i>beta</i> parameters. The <i>first</i> restriction appears in the first p terms, the second restriction in the next p terms and so on. Default = NULL.
b	A column vector of order ($r \times 1$) with the values of the linear restrictions on the <i>beta</i> parameters. Default = NULL.
demean	Logical value to allow for the demeaning of panel data. In this case, <code>spsurml</code> subtracts the individual mean to each spatial or cross-sectional unit. Default = FALSE.
control	list of additional arguments.

Details

Function `spsurtime` only admits a formula, created with `Formula` and a dataset of class `data.frame` or `matrix`. That is, the data cannot be uploaded using data matrices Y and X provided for other functions in this package.

The argument `time` selects the variable, in the `data.frame`, associated to the time dimension in the panel dataset. Then `spsurtime` operates as in Anselin (1988), that is, each cross-section is treated as if it were an equation in a SUR model, which now has Tm 'equations' and N individuals.

The SUR structure appears because there is serial dependence in the errors of each individual in the panel. The serial dependence in the errors is not parameterized, but estimated non-parametrically in the *Sigma* covariance matrix returned by the function. An important constraint to mention is that the serial dependence assumed to be the same for all individuals in the sample. Serial dependence among individuals is excluded from Anselin approach.

Value

An `spsur` object with the output of the maximum-likelihood or three-stages least-squares estimation of the spatial panel SUR model.

Author(s)

Fernando Lopez	<fernando.lopez@upct.es>
Roman Minguez	<roman.minguez@uclm.es>
Jesus Mur	<jmur@unizar.es>

References

- Anselin, L. (1988). *Spatial econometrics: methods and models*. Dordrecht, Kluwer Academic Publishers.
- Lopez, F.A., Mur, J., and Angulo, A. (2014). Spatial model selection strategies in a SUR framework. The case of regional productivity in EU. *Annals of Regional Science*, 53(1), 197-220. <doi:10.1007/s00168-014-0624-2>
- Lopez, F.A., Martinez-Ortiz, P.J., and Cegarra-Navarro, J.G. (2017). Spatial spillovers in public expenditure on a municipal level in Spain. *Annals of Regional Science*, 58(1), 39-65. <doi:10.1007/s00168-016-0780-7>
- Minguez, R., Lopez, F.A. and Mur, J. (2022). `spsur`: An R Package for Dealing with Spatial Seemingly Unrelated Regression Models. *Journal of Statistical Software*, 104(11), 1–43. <doi:10.18637/jss.v104.i11>
- Mur, J., Lopez, F., and Herrera, M. (2010). Testing for spatial effects in seemingly unrelated regressions. *Spatial Economic Analysis*, 5(4), 399-440. <doi:10.1080/17421772.2010.516443>

See Also

[spsurml](#), [spsur3sls](#), [wald_betas](#), [wald_deltas](#), [lmtestspsur](#), [lr_betas](#)

Examples

```
#####
##### PANEL DATA (G=1; Tm>1) ###
#####

## Example 1:
rm(list = ls()) # Clean memory
data(spc)
lwspc <- spdep::mat2listw(Wspc, style = "W")
N <- nrow(spc)
Tm <- 2
index_time <- rep(1:Tm, each = N)
index_indiv <- rep(1:N, Tm)
WAGE <- c(spc$WAGE83, spc$WAGE81)
```

```

UN <- c(spc$UN83, spc$UN80)
NMR <- c(spc$NMR83, spc$NMR80)
SMSA <- c(spc$SMSA, spc$SMSA)
pspc <- data.frame(index_indiv, index_time, WAGE, UN,
                   NMR, SMSA)
form_pspc <- WAGE ~ UN + NMR + SMSA
form2_pspc <- WAGE | NMR ~ UN | UN + SMSA

# SLM
pspc_slm <- spsurtime(formula = form_pspc, data = pspc,
                     listw = lwspc,
                     time = pspc$index_time,
                     type = "slm", fit_method = "ml")
summary(pspc_slm)

pspc_slm2 <- spsurtime(formula = form2_pspc, data = pspc,
                      listw = lwspc,
                      time = pspc$index_time,
                      type = "slm", fit_method = "ml")
summary(pspc_slm2)

## VIP: The output of the whole set of the examples can be examined
## by executing demo(demo_spsurtime, package="spsur")

### Example 2:
rm(list = ls()) # Clean memory
### Read NCOVR.sf object
data(NCOVR, package="spsur")
nbncovr <- spdep::poly2nb(NCOVR.sf, queen = TRUE)
### Some regions with no links...
lwncovr <- spdep::nb2listw(nbncovr, style = "W", zero.policy = TRUE)
N <- nrow(NCOVR.sf)
Tm <- 4
index_time <- rep(1:Tm, each = N)
index_indiv <- rep(1:N, Tm)
pHR <- c(NCOVR.sf$HR60, NCOVR.sf$HR70, NCOVR.sf$HR80, NCOVR.sf$HR90)
pPS <- c(NCOVR.sf$PS60, NCOVR.sf$PS70, NCOVR.sf$PS80, NCOVR.sf$PS90)
pUE <- c(NCOVR.sf$UE60, NCOVR.sf$UE70, NCOVR.sf$UE80, NCOVR.sf$UE90)
pNCOVR <- data.frame(indiv = index_indiv, time = index_time,
                    HR = pHR, PS = pPS, UE = pUE)
form_pHR <- HR ~ PS + UE

## SIM

pHR_sim <- spsurtime(formula = form_pHR, data = pNCOVR,
                    time = pNCOVR$time, type = "sim", fit_method = "ml")
summary(pHR_sim)

## SLM by 3SLS.

pHR_slm <- spsurtime(formula = form_pHR, data = pNCOVR, listw = lwncovr,

```

```

time = pNCOVR$time, type = "slm",
fit_method = "3sls")
summary(pHR_slm)

##### Wald tests about betas in spatio-temporal models
### H0: equal betas for PS in equations 1, 3 and 4.
R <- matrix(0, nrow = 2, ncol = 12)
## nrow = number of restrictions
## ncol = number of beta parameters
R[1, 2] <- 1; R[1, 8] <- -1 # PS beta coefficient in equations 1 equal to 3
R[2, 2] <- 1; R[2, 11] <- -1 # PS beta coefficient in equations 1 equal to 4
b <- matrix(0, nrow=2, ncol=1)
wald_betas(pHR_sim , R = R , b = b) # SIM model
wald_betas(pHR_slm , R = R , b = b) # SLM model
##### Wald tests about spatial-parameters in
##### spatio-temporal models
### H0: equal rhos in slm model for equations 1 and 2.
R2 <- matrix(0, nrow = 1, ncol = 4)
R2[1, 1] <- 1; R2[1, 2] <- -1
b2 <- matrix(0, nrow = 1, ncol = 1)
wald_deltas(pHR_slm, R = R2, b = b2)

```

summary.spsur

Summary of estimated objects of class spsur.

Description

This function summarizes estimated *spsur* objects. The tables in the output include basic information for each equation. The report also shows other complementary results corresponding to the SUR model like the (*GxG*) covariance matrix of the residuals of the equations of the SUR, the estimated log-likelihood, the Breusch-Pagan diagonality test or the Marginal Lagrange Multiplier, LMM, tests of spatial dependence.

Usage

```
## S3 method for class 'spsur'
summary(object, ...)
```

Arguments

object An *spsur* object estimated using `spsurml`, `spsur3sls` or `spsurtime` functions.
... further arguments passed to or from other methods.

Value

An object of class *summary.spsur*

Author(s)

Fernando Lopez <fernando.lopez@upct.es>
 Roman Minguez <roman.minguez@uclm.es>
 Jesus Mur <jmur@unizar.es>

See Also

[print.summary.spsur](#); [spsurml](#); [spsur3sls](#).

Examples

```
# See examples for \link{spsurml} or
# \link{spsur3sls} functions.
```

wald_betas

Wald tests on the beta coefficients

Description

The function [wald_betas](#) can be seen as a complement to the restricted estimation procedures included in the functions [spsurml](#) and [spsur3sls](#). [wald_betas](#) obtains Wald tests for sets of linear restrictions on the coefficients β of the SUR model. The restrictions may involve coefficients of the same equation or coefficients from different equations. The function has great flexibility in this respect. Note that [wald_betas](#) is more general than [lr_betas](#) in the sense that the last function only allows to test for restrictions of homogeneity of subsets of β coefficients among the different equations in the SUR model, and in a maximum-likelihood framework.

In order to work with [wald_betas](#), the model on which the linear restrictions are to be tested needs to exist as an *spsur* object. Using the information contained in the object, [wald_betas](#) obtains the corresponding Wald statistic for the null hypotheses specified by the user through the *R* row vector and *b* column vector, used also in [spsurml](#) and [spsur3sls](#). The function shows the value of the Wald test statistics and its associated p-values.

Usage

```
wald_betas (obj , R , b)
```

Arguments

obj An *spsur* object created by [spsurml](#), [spsur3sls](#) or [spsurtime](#).
R A row vector of order $(1 \times Pr)$ showing the set of *r* linear constraints on the β parameters. The *first* restriction appears in the first *K* terms in *R*, the *second* restriction in the next *K* terms and so on.
b A column vector of order $(r \times 1)$ with the values of the linear restrictions on the β parameters.

Value

Object of `hstest` class including the Wald statistic, the corresponding p-value, the degrees of freedom and the values of the sample estimates.

Author(s)

Fernando Lopez <fernando.lopez@upct.es>
 Roman Minguez <roman.minguez@uclm.es>
 Jesus Mur <jmur@unizar.es>

References

- Lopez, F.A., Mur, J., and Angulo, A. (2014). Spatial model selection strategies in a SUR framework. The case of regional productivity in EU. *Annals of Regional Science*, 53(1), 197-220. <doi:10.1007/s00168-014-0624-2>
- Mur, J., Lopez, F., and Herrera, M. (2010). Testing for spatial effects in seemingly unrelated regressions. *Spatial Economic Analysis*, 5(4), 399-440. <doi:10.1080/17421772.2010.516443>
- Anselin, L. (2016) Estimation and Testing in the Spatial Seemingly Unrelated Regression (SUR). *Geoda Center for Geospatial Analysis and Computation, Arizona State University*. Working Paper 2016-01. <doi:10.13140/RG.2.2.15925.40163>
- Minguez, R., Lopez, F.A. and Mur, J. (2022). `spsur`: An R Package for Dealing with Spatial Seemingly Unrelated Regression Models. *Journal of Statistical Software*, 104(11), 1–43. <doi:10.18637/jss.v104.i11>

See Also

[spsurml](#), [spsur3sls](#), [lr_betas](#)

Examples

```
## VIP: The output of the whole set of the examples can be examined
## by executing demo(demo_wald_betas, package="spsur")

#####
##### CROSS SECTION DATA (G=1; Tm>1) #####
#####

#### Example 1: Spatial Phillips-Curve. Anselin (1988, p. 203)
rm(list = ls()) # Clean memory
data(spc)
lwspc <- spdep::mat2listw(Wspc, style = "W")
Tformula <- WAGE83 | WAGE81 ~ UN83 + NMR83 + SMSA | UN80 + NMR80 + SMSA
### Estimate SUR-SLM model
spcsur.slm <- spsurml(formula = Tformula, data = spc,
                      type = "slm", listw = lwspc)
```

```
summary(spcsur.slm)
### H_0: equality between SMSA coefficients in both equations.
R1 <- matrix(c(0,0,0,1,0,0,0,-1), nrow=1)
b1 <- matrix(0, ncol=1)

wald_betas(spcsur.slm, R = R1, b = b1)
```

wald_deltas

Wald tests for spatial parameters coefficients.

Description

Function `wald_deltas` obtains Wald tests for linear restrictions on the spatial coefficients of a SUR model that has been estimated previously through the function `spsurml`. The restrictions can affect to coefficients of the same equation (i.e., $\lambda_g = \rho_g$ for all g) or can involve coefficients from different equations (i.e., $\lambda_g = \lambda_h$). The function has great flexibility in this respect. Note that `wald_deltas` only works in a maximum-likelihood framework.

In order to work with `wald_betas`, the model on which the linear restrictions are to be tested needs to exist as an *spsur* object. Using the information contained in the object, `wald_deltas` obtains the corresponding Wald statistic for the null hypotheses specified by the user through the R row vector and b column vector discussed, used also in `spsurml`. The function shows the resulting Wald test statistics and their corresponding p-values.

Usage

```
wald_deltas (obj , R , b)
```

Arguments

obj	An <i>spsur</i> object created by <code>spsurml</code> , <code>spsur3sls</code> or <code>spsurtime</code> .
R	A row vector of order $(1 \times Gr)$ or $(1 \times 2Gr)$ showing the set of r linear constraints on the spatial parameters. The last case is reserved to "sarar" models where there appear G parameters λ_g and G parameters ρ_g , $2G$ spatial in total. The <i>first</i> restriction appears in the first G terms in R ($2G$ for the "sarar" case), the second restriction in the next G terms ($2G$ for the "sarar" case) and so on.
b	A column vector of order $(r \times 1)$ with the values of the linear restrictions on the β parameters.

Value

Object of `htest` including the Wald statistic, the corresponding p-value, the degrees of freedom and the values of the sample estimates.

Author(s)

Fernando Lopez <fernando.lopez@upct.es>
 Roman Minguez <roman.minguez@uclm.es>
 Jesus Mur <jmur@unizar.es>

See Also

[spsurml](#), [spsur3sls](#)

Examples

```
#####
##### CROSS SECTION DATA (G>1; Tm=1) #####
#####
rm(list = ls()) # Clean memory
data(spc, package = "spsur")
lwspc <- spdep::mat2listw(Wspc, style = "W")
Tformula <- WAGE83 | WAGE81 ~ UN83 + NMR83 + SMSA | UN80 + NMR80 + SMSA

#####
## Estimate SUR-SLM model
spcsur.slm <- spsurml(formula = Tformula, data = spc,
                     type = "slm", listw = lwspc)
summary(spcsur.slm)
## H_0: equality of the lambda parameters of both equations.
R1 <- matrix(c(1,-1), nrow=1)
b1 <- matrix(0, ncol=1)
wald_deltas(spcsur.slm, R = R1, b = b1)
```

Wspc

Spatial weight matrix for South-West Ohio Counties to estimate Spatial Phillips-Curve

Description

A spatial weight matrix row-standardized based on first order contiguity criterium.

Usage

Wspc

Format

A row-standardized squared matrix with 25 rows and columns. The rows and columns follow the same order than provinces included in *spc* data frame.

Source

Anselin (1988, p. 207)

References

- Anselin, L. (1988). *Spatial Econometrics: Methods and Models*. Springer Science & Business Media.

Index

* datasets

- NCOVR.sf, 20
 - spain.covid, 22
 - spain.covid.sf, 23
 - spc, 24
 - Wspc, 50
- anova, 15
- anova (methods_spsur), 18
- coef (methods_spsur), 18
- dgp_spsur, 2, 5, 27
- dunif, 4
- eigenw, 35, 42
- fitted (methods_spsur), 18
- Formula, 13, 25, 26, 30, 31, 35, 36, 42, 43
- impacts, 7, 10
- impactspsur, 7, 9
- lagsarlm, 7, 13, 25, 31, 35, 36, 39, 42, 43
- lmSLX, 7
- lmttestspsur, 12, 14, 39, 44
- logLik (methods_spsur), 18
- lr_betas, 16, 16, 39, 44, 47, 48
- methods_spsur, 18
- nb2listw, 4, 13, 25, 31, 35, 42
- NCOVR.sf, 20
- plot (methods_spsur), 18
- print (methods_spsur), 18
- print.summary.spsur, 21, 47
- residuals (methods_spsur), 18
- spain.covid, 22
- spain.covid.sf, 23
- spc, 24
- spreg, 31, 33
- spsur3sls, 6, 8, 10, 17, 19, 25, 27, 33, 39, 44, 46–50
- spsurgs3sls, 30
- spsurml, 6, 8, 10, 12, 15, 17, 19, 27, 28, 33, 34, 43, 44, 46–50
- spsurtime, 6, 8, 17, 19, 41, 42, 43, 46, 47, 49
- stsls, 28, 33
- summary.spsur, 18, 21, 46
- trW, 36
- vcov (methods_spsur), 18
- wald_betas, 17, 27, 28, 39, 44, 47, 47, 49
- wald_deltas, 44, 49, 49
- Wspc, 50