

# Package ‘syslognet’

May 9, 2026

**Type** Package

**Title** Send Log Messages to Remote 'syslog' Server

**Version** 0.1.2.1

**Author** Panagiotis Cheilaris [aut, cre]

**Maintainer** Panagiotis Cheilaris <philaris@gmail.com>

**Description** Send 'syslog' protocol messages to a remote 'syslog' server specified by host name and TCP network port.

**URL** <https://github.com/philaris/syslognet>

**BugReports** <https://github.com/philaris/syslognet/issues>

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.0.2

**Imports** utils

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2020-01-08 16:10:05 UTC

## Contents

syslog . . . . .	2
<b>Index</b>	<b>3</b>

---

syslog                      *Send log message to syslog server*

---

### Description

Send log message to syslog server.

### Usage

```
syslog(  
    message,  
    severity = "NOTICE",  
    facility = "USER",  
    host = Sys.info()[["nodename"]],  
    app_name = Sys.info()[["user"]],  
    proc_id = Sys.getpid(),  
    server = "localhost",  
    port = 601L  
)
```

### Arguments

message	text message (string).
severity	severity level (string).
facility	log facility (string).
host	machine that originally sends the message (string).
app_name	application name that originally sends the message (string).
proc_id	process id that originally sends the message (numeric).
server	syslogd server hostname (string).
port	syslogd server port (integer).

### Value

Number of bytes written to socket.

### Examples

```
## Not run:  
syslog("log message", "INFO", app_name = 'program', server = 'logserver')  
  
## End(Not run)
```

# Index

syslog, [2](#)