

Package ‘spoiler’

May 9, 2026

Type Package

Title Blur 'HTML' Elements in 'Shiny' Applications Using
'Spoiler-Alert.js'

Version 1.0.0

Description It can be useful to temporarily hide some text or other HTML elements in 'Shiny' applications. Building on 'Spoiler-Alert.js', it is possible to select the elements to hide at startup, to partially reveal them by hovering them, and to completely show them when clicking on them.

License MIT + file LICENSE

Encoding UTF-8

Imports htmltools, shiny

URL <https://github.com/etiennebacher/spoiler>

BugReports <https://github.com/etiennebacher/spoiler/issues>

RoxygenNote 7.1.1

Suggests spelling

Language en-US

NeedsCompilation no

Author Etienne Bacher [aut, cre, cph]

Maintainer Etienne Bacher <etienne.bacher@protonmail.com>

Repository CRAN

Date/Publication 2021-06-07 07:40:02 UTC

Contents

use_spoiler 2

Index 3

`use_spoiler`*Use Spoiler-alert*

Description

Load Spoiler-alert dependencies, mark some elements as spoilers, and define the blurring intensity for these elements.

Usage

```
use_spoiler()

spoiler(ui_element)

hide_spoilers(max = 10, partial = 4)
```

Arguments

<code>ui_element</code>	Element to blur
<code>max</code>	Blurring intensity of the element by default
<code>partial</code>	Blurring intensity when hovering the element

Examples

```
if (interactive()) {
  library(shiny)
  library(spoiler)

  # works better in browser

  ui <- fluidPage(
    # Load dependencies
    use_spoiler(),
    column(
      3,
      p("this text can be seen"),
      spoiler(p("this one can't be seen")) # This text will be blurred
    ),
    hide_spoilers()
  )

  server <- function(input, output, session) {}

  shinyApp(ui, server)
}
```

Index

`hide_spoilers (use_spoiler)`, 2

`spoiler (use_spoiler)`, 2

`use_spoiler`, 2